

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11272795-00005 Date of last issue: 15.12.2023 Date of first issue: 18.09.2023

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Kanamycin Acid Sulfate Formulation

#### Manufacturer or supplier's details

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Specific target organ toxicity : Category 1 (Auditory system)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H372 Causes damage to organs (Auditory system) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
11272795-00005

Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023

### Components

| Chemical name          | CAS-No.    | Concentration (% w/w) |
|------------------------|------------|-----------------------|
| Kanamycin acid sulfate | 64013-70-3 | >= 20 -< 30           |
| Phenol                 | 108-95-2   | >= 0.1 -< 1           |

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**Kanamycin Acid Sulfate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
11272795-00005Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11272795-00005 Date of last issue: 15.12.2023 Date of first issue: 18.09.2023

Conditions for safe storage : use of administrative controls.  
Keep in properly labeled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components             | CAS-No.    | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis             |
|------------------------|------------|-------------------------------|--|-------------------|
| Kanamycin acid sulfate | 64013-70-3 | TWA                           | 100 µg/m <sup>3</sup> (OEB 2)                  | Internal          |
| Phenol                 | 108-95-2   | VLE-PPT                       | 5 ppm  | NOM-010-STPS-2014 |
|                        |            | TWA                           | 5 ppm  | ACGIH             |

#### Biological occupational exposure limits

| Components | CAS-No.  | Control parameters | Biological specimen | Sampling time  | Permissible concentration | Basis     |
|------------|----------|--------------------|---------------------|--|---------------------------|-----------|
| Phenol     | 108-95-2 | Phenol             | Urine               | End of shift   | 250 mg/g creatinine       | MX BEI    |
|            |          | Phenol             | Urine               | End of shift (As soon as possible after exposure ceases) | 250 mg/g creatinine       | ACGIH BEI |

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 11272795-00005      Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023

---

If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid  
Color : colorless  
Odor : characteristic  
Odor Threshold : No data available  
pH : 3.5 - 5.5  
Melting point/freezing point : No data available  
Initial boiling point and boiling range : No data available  
Flash point : No data available  
Evaporation rate : No data available  
Flammability (solid, gas) : Not applicable  
Flammability (liquids) : No data available  
Upper explosion limit / Upper flammability limit : No data available  
Lower explosion limit / Lower flammability limit : No data available  
Vapor pressure : No data available  
Relative vapor density : No data available  
Relative density : No data available  
Density : 1.05 - 1.10 g/cm<sup>3</sup>  
Solubility(ies)  
Water solubility : soluble  
Partition coefficient: n-octanol/water : Not applicable  
Autoignition temperature : No data available  
Decomposition temperature : No data available

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 11272795-00005      Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023

---

|                          |  |
|--------------------------|--|
| Viscosity                |  |
| Viscosity, kinematic     | : No data available  |
| Explosive properties     | : Not explosive  |
| Oxidizing properties     | : The substance or mixture is not classified as oxidizing. |
| Molecular weight         | : No data available  |
| Particle characteristics |  |
| Particle size            | : Not applicable   |

---

## SECTION 10. STABILITY AND REACTIVITY

|                                    |  |
|------------------------------------|--|
| Reactivity                         | : Not classified as a reactivity hazard.         |
| Chemical stability                 | : Stable under normal conditions.                |
| Possibility of hazardous reactions | : Can react with strong oxidizing agents.        |
| Conditions to avoid                | : None known.                                    |
| Incompatible materials             | : Oxidizing agents                               |
| Hazardous decomposition products   | : No hazardous decomposition products are known. |

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

|                           |  |
|---------------------------|--|
| Acute oral toxicity       | : Acute toxicity estimate: > 5,000 mg/kg<br>Method: Calculation method   |
| Acute inhalation toxicity | : Acute toxicity estimate: > 10 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method |
| Acute dermal toxicity     | : Acute toxicity estimate: > 5,000 mg/kg<br>Method: Calculation method   |

### Components:

#### Kanamycin acid sulfate:

|                     |                             |
|---------------------|-----------------------------|
| Acute oral toxicity | : LD50 (Rat): > 4,000 mg/kg |
|---------------------|-----------------------------|

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 11272795-00005      Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023

LD50 (Mouse): 12,000 mg/kg

LD50 (Rabbit): > 3,000 mg/kg

### **Phenol:**

|                           |  |
|---------------------------|--|
| Acute oral toxicity       | : LD50 (Rat): 650 mg/kg<br>Method: OECD Test Guideline 401   |
|                           | Acute toxicity estimate (Humans): 140 - 290 mg/kg<br>Method: Expert judgment   |
| Acute inhalation toxicity | : LC0 (Rat): 0.9 mg/l<br>Exposure time: 8 h<br>Test atmosphere: dust/mist<br>Assessment: Corrosive to the respiratory tract. |
|                           | Acute toxicity estimate (Humans): > 0.9 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Expert judgment  |
| Acute dermal toxicity     | : LD50 (Rabbit): 660 mg/kg<br>Method: OECD Test Guideline 402  |
|                           | Acute toxicity estimate (Humans): 300 mg/kg<br>Method: Expert judgment   |

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Kanamycin acid sulfate:**

|         |                     |
|---------|---------------------|
| Remarks | : No data available |
|---------|---------------------|

### **Phenol:**

|         |   |
|---------|---|
| Species | : Rabbit  |
| Result  | : Corrosive after 3 minutes to 1 hour of exposure |

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Kanamycin acid sulfate:**

|         |                     |
|---------|---------------------|
| Remarks | : No data available |
|---------|---------------------|

### **Phenol:**

|         |                                   |
|---------|-----------------------------------|
| Species | : Rabbit                          |
| Result  | : Irreversible effects on the eye |
| Method  | : OECD Test Guideline 405         |

**Kanamycin Acid Sulfate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
11272795-00005Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Kanamycin acid sulfate:**

|            |   |  |
|------------|---|--|
| Test Type  | : | Maximization Test                                  |
| Species    | : | Guinea pig   |
| Assessment | : | Did not cause sensitization on laboratory animals. |
| Result     | : | negative   |

**Phenol:**

|                    |   |                         |
|--------------------|---|-------------------------|
| Test Type          | : | Buehler Test            |
| Routes of exposure | : | Skin contact            |
| Species            | : | Guinea pig              |
| Method             | : | OECD Test Guideline 406 |
| Result             | : | negative                |

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Kanamycin acid sulfate:**

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Ames test<br>Result: negative   |
|                       |   | Test Type: mitotic recombination assay<br>Test system: Escherichia coli<br>Result: negative  |
|                       |   | Test Type: DNA Repair<br>Test system: Escherichia coli<br>Result: negative                   |
| Genotoxicity in vivo  | : | Test Type: Micronucleus test<br>Species: Mouse<br>Cell type: Bone marrow<br>Result: negative |

**Phenol:**

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: positive  |
| Genotoxicity in vivo  | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Intraperitoneal injection |

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11272795-00005 Date of last issue: 15.12.2023 Date of first issue: 18.09.2023

Method: OECD Test Guideline 474

Result: positive

Remarks: Annex VI From 1272/2008

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Phenol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **Kanamycin acid sulfate:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Intravenous injection  
Developmental Toxicity: 100 mg/kg body weight  
Symptoms: No adverse effects.

Test Type: reproductive and developmental toxicity study  
Application Route: Intravenous injection  
Developmental Toxicity: NOAEL: 400 mg/kg body weight  
Symptoms: No adverse effects.  
Target Organs: Auditory system  
Result: Post-natal toxicity

Test Type: Reproduction/Developmental toxicity screening test  
Species: Guinea pig  
Application Route: Intramuscular  
Developmental Toxicity: NOAEL: > 100 mg/kg body weight  
Target Organs: Auditory system  
Remarks: Significant toxicity observed in testing

#### **Phenol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

**Kanamycin Acid Sulfate Formulation**Version  
3.0Revision Date:  
14.04.2025SDS Number:  
11272795-00005Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023

Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Causes damage to organs (Auditory system) through prolonged or repeated exposure if swallowed.

**Components:****Kanamycin acid sulfate:**

Routes of exposure : Oral  
Target Organs : Auditory system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Phenol:**

Target Organs : Central nervous system, Kidney, Liver, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Kanamycin acid sulfate:**

Species : Rat  
LOAEL : TDLo = 12000 mg/kg  
Application Route : Intraperitoneal  
Exposure time : 30 d  
Target Organs : Kidney, Ureter, Bladder  
Remarks : Significant toxicity observed in testing

Species : Dog  
LOAEL : TDLo= 6500 mg/kg  
Application Route : Subcutaneous  
Exposure time : 17 d  
Target Organs : Auditory system, Eye, Kidney, olfactory sense organs  
Remarks : Significant toxicity observed in testing

Species : Guinea pig  
NOAEL : 100 mg/kg  
LOAEL : > 200 mg/kg  
Application Route : Intramuscular  
Exposure time : 4 Weeks  
Target Organs : Auditory system  
Remarks : Significant toxicity observed in testing

Species : Rabbit, male  
LOAEL : > 50 mg/kg

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 11272795-00005      Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023

|                   |   |  |
|-------------------|---|--|
| Application Route | : | Intramuscular                            |
| Exposure time     | : | 30 d                                     |
| Target Organs     | : | Auditory system, Kidney                  |
| Remarks           | : | Significant toxicity observed in testing |

### Phenol:

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
| LOAEL             | : | 300 mg/kg               |
| Application Route | : | Ingestion               |
| Exposure time     | : | 90 Days                 |
| Method            | : | OECD Test Guideline 408 |

|                   |   |                    |
|-------------------|---|--------------------|
| Species           | : | Rat                |
| NOAEL             | : | >= 0.1 mg/l        |
| Application Route | : | inhalation (vapor) |
| Exposure time     | : | 74 Days            |

|                   |   |              |
|-------------------|---|--------------|
| Species           | : | Rabbit       |
| LOAEL             | : | 260 mg/kg    |
| Application Route | : | Skin contact |
| Exposure time     | : | 18 Days      |

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Kanamycin acid sulfate:**

|                     |   |  |
|---------------------|---|--|
| General Information | : | Target Organs: Auditory system<br>Symptoms: Abdominal pain, altered taste, Dizziness<br>Remarks: The most common side effects are:<br>Target Organs: Kidney<br>Symptoms: Vomiting, skin rash, numbness |
|---------------------|---|--|

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Kanamycin acid sulfate:**

|   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202          |
| Toxicity to algae/aquatic plants                    | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 0.74 mg/l<br>Exposure time: 72 h                           |

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
11272795-00005

Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.31 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.03 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (blue-green algae): 0.01 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 461 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 4.9 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic organisms.  
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Phenol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 24.9 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 3.1 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 61.1 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.077 mg/l  
Exposure time: 60 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 16 d

Toxicity to microorganisms : IC50 (Nitrosomonas sp.): 21 mg/l  
Exposure time: 24 h

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11272795-00005 Date of last issue: 15.12.2023 Date of first issue: 18.09.2023

---

### Persistence and degradability

#### Components:

##### **Kanamycin acid sulfate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Phenol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 62 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### **Phenol:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 17.5  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 1.47

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Kanamycin acid sulfate)  
Class : 9  
Packing group : III

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

Version 3.0      Revision Date: 14.04.2025      SDS Number: 11272795-00005      Date of last issue: 15.12.2023  
Date of first issue: 18.09.2023

---

Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Kanamycin acid sulfate)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Kanamycin acid sulfate)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### NOM-002-SCT

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Kanamycin acid sulfate)  
Class : 9  
Packing group : III  
Labels : 9

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Sulphuric acid  
essential chemical products and machinery for  
producing capsules, tablets and pills.

**The ingredients of this product are reported in the following inventories:**

**Kanamycin Acid Sulfate Formulation**

|                |                              |                               |   |
|----------------|------------------------------|-------------------------------|---|
| Version<br>3.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>11272795-00005 | Date of last issue: 15.12.2023<br>Date of first issue: 18.09.2023 |
|----------------|------------------------------|-------------------------------|---|

---

|       |   |                |
|-------|---|----------------|
| AICS  | : | not determined |
| DSL   | : | not determined |
| IECSC | : | not determined |

---

**SECTION 16. OTHER INFORMATION**

|               |   |            |
|---------------|---|------------|
| Revision Date | : | 14.04.2025 |
| Date format   | : | dd.mm.yyyy |

**Full text of other abbreviations**

|                                 |   |   |
|---------------------------------|---|---|
| ACGIH                           | : | USA. ACGIH Threshold Limit Values (TLV)   |
| ACGIH BEI                       | : | ACGIH - Biological Exposure Indices (BEI)   |
| MX BEI                          | : | Official Mexican Norm NOM-047-SSA1-2011, Environmental Health - Biological exposure indices for workers occupationally exposed to chemical agents             |
| NOM-010-STPS-2014               | : | Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits |
| ACGIH / TWA                     | : | 8-hour, time-weighted average   |
| NOM-010-STPS-2014 / VLE-<br>PPT | : | Time weighted average limit value   |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

# SAFETY DATA SHEET



## Kanamycin Acid Sulfate Formulation

---

|                |                              |                               |   |
|----------------|------------------------------|-------------------------------|---|
| Version<br>3.0 | Revision Date:<br>14.04.2025 | SDS Number:<br>11272795-00005 | Date of last issue: 15.12.2023<br>Date of first issue: 18.09.2023 |
|----------------|------------------------------|-------------------------------|---|

---

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8