

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cefquinome LC Formulation

Other means of identification : Cobactan LC (A008116)

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Aspiration hazard : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

CENTER/ doctor.
P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Paraffin oil	8012-95-1	≥ 60 - ≤ 100
Petrolatum	8009-03-8	≥ 30 - < 60
Cefquinome	118443-89-3	≥ 0.25 - < 1

4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: May be fatal if swallowed and enters airways.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	2025/06/18	11384027-00004	2025/04/14
			Date of first issue: 2024/04/29

Carbon dioxide (CO₂)
Dry chemical

- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Cefquinome LC Formulation

Version 3.1 Revision Date: 2025/06/18 SDS Number: 11384027-00004 Date of last issue: 2025/04/14
 Date of first issue: 2024/04/29

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid inhalation of vapour or mist.
 Do not swallow.
 Avoid contact with eyes.
 Avoid prolonged or repeated contact with skin.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Paraffin oil	8012-95-1	NAB (Mist)	5 mg/m ³	ID OEL
		PSD (Mist)	10 mg/m ³	ID OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Petrolatum	8009-03-8	NAB (Mist)	5 mg/m ³	ID OEL
		PSD (Mist)	10 mg/m ³	ID OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Cefquinome	118443-89-3	TWA	2000 µg/m ³ (OEB 1)	Internal
Further information: RSEN				

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or expo-

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	2025/06/18	11384027-00004	2025/04/14
			Date of first issue: 2024/04/29

Filter type	: sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Hand protection	: Combined particulates and organic vapour type
Material	: Chemical-resistant gloves
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: ointment
Colour	: White to light yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower	: No data available

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

flammability limit

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation
	:	Skin contact
	:	Ingestion
	:	Eye contact

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

Acute toxicity

Not classified based on available information.

Components:**Paraffin oil:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Petrolatum:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Cefquinome:

Acute oral toxicity	:	LD50 (Mouse): > 5,000 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:**Paraffin oil:**

Species	:	Rabbit
Result	:	No skin irritation

Petrolatum:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Cefquinome:

Result	:	Irritating to skin.
--------	---	---------------------

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Paraffin oil:**

Species	:	Rabbit
Result	:	No eye irritation

Petrolatum:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Cefquinome:

Result	:	Irritating to eyes.
--------	---	---------------------

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Petrolatum:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Cefquinome:

Exposure routes	:	Inhalation
Result	:	May cause sensitisation by inhalation.

Germ cell mutagenicity

Not classified based on available information.

Components:**Petrolatum:**

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo)

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Petrolatum:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:**Petrolatum:**

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test
		Species: Rat
		Application Route: Ingestion
		Result: negative
		Remarks: Based on data from similar materials

Effects on foetal development	:	Test Type: Embryo-foetal development
		Species: Rat
		Application Route: Skin contact
		Result: negative
		Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:**Cefquinome:**

Assessment	:	May cause respiratory irritation.
------------	---	-----------------------------------

STOT - repeated exposure

Not classified based on available information.

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

Repeated dose toxicity**Components:****Paraffin oil:**

Species	: Rat, female
LOAEL	: 161 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Petrolatum:

Species	: Rat
NOAEL	: 5,000 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:**Paraffin oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure**Components:****Cefquinome:**

Inhalation	: Symptoms: anaphylaxis, bronchospasm, Cough, respiratory tract irritation, Rash, rhinitis, runny nose, sneezing Remarks: May produce an allergic reaction.
Skin contact	: Remarks: May irritate skin. May produce an allergic reaction.
Eye contact	: Remarks: May irritate eyes.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Paraffin oil:**

Toxicity to fish	: LL50 (Scophthalmus maximus (turbot)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l Exposure time: 48 h

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	2025/06/18	11384027-00004	2025/04/14
			Date of first issue: 2024/04/29

Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (*Skeletonema costatum* (marine diatom)): > 100 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

NOELR (*Skeletonema costatum* (marine diatom)): > 1 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Petrolatum:

Toxicity to fish : LL50 (*Pimephales promelas* (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEL (*Pseudokirchneriella subcapitata* (green algae)): >= 100 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 10 mg/l
Exposure time: 21 d
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Cefquinome:

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): > 500 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 86 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 37

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	2025/06/18	11384027-00004	2025/04/14
			Date of first issue: 2024/04/29

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.041 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.014 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 295.3 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

Persistence and degradability**Components:****Petrolatum:**Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301F
Remarks: The test was conducted according to guideline
Based on data from similar materials**Cefquinome:**Biodegradability : Result: not rapidly degradable
Biodegradation: 40 %
Exposure time: 30 d
Method: OECD Test Guideline 302BStability in water : Hydrolysis: > 90 %(5 d)
Method: FDA 3.09**Bioaccumulative potential****Components:****Paraffin oil:**

Partition coefficient: n- : log Pow: > 4

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

octanol/water

Remarks: Calculation

Cefquinome:

Partition coefficient: n-octanol/water : log Pow: -2.01

Mobility in soil**Components:****Cefquinome:**

Distribution among environmental compartments : log Koc: 2.76

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Environmentally hazardous	: no

IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

IMDG-Code

UN number	: Not applicable
-----------	------------------

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/06/18

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
ID OEL / NAB : Long term exposure limit
ID OEL / PSD : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.

Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/06/18	11384027-00004	Date of first issue: 2024/04/29

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN