

SAFETY DATA SHEET



MineralFix Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11504103-00002

Date of last issue: 22.01.2025
Date of first issue: 22.01.2025

SECTION 1. IDENTIFICATION

Product name : MineralFix Formulation

Product code : ProteAQ MineralFix

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

Precautionary Statements : **Prevention:**

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

SAFETY DATA SHEET



MineralFix Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11504103-00002

Date of last issue: 22.01.2025
Date of first issue: 22.01.2025

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|-------------|-----------------------|
| Sodium chloride | 7647-14-5 | >= 20 -< 30 |
| Magnesium chloride | 7786-30-3 | >= 10 -< 20 |
| Calcium chloride | 10043-52-4 | >= 10 -< 20 |
| Potassium chloride | 7447-40-7 | >= 10 -< 20 |
| Silica gel, precipitated, crystalline free | 112926-00-8 | >= 1 -< 5 |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
Causes serious eye damage.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

SAFETY DATA SHEET



MineralFix Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11504103-00002 Date of last issue: 22.01.2025 Date of first issue: 22.01.2025

Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Metal oxides
Chlorine compounds
Sulfur oxides
Silicon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.
Do not swallow.

SAFETY DATA SHEET



MineralFix Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11504103-00002 | Date of last issue: 22.01.2025 Date of first issue: 22.01.2025 |
|----------------|------------------------------|-------------------------------|---|

| | |
|--|---|
| | <p>Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.</p> <p>Conditions for safe storage : Keep in properly labeled containers. Keep tightly closed. Store in accordance with the particular national regulations.</p> <p>Materials to avoid : Do not store with the following product types: Strong oxidizing agents</p> |
|--|---|

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|---|-------------|-------------------------------------|--|----------|
| Magnesium chloride | 7786-30-3 | TWA | OEB 2 (>= 100 < 1000 µg/m ³) | Internal |
| Silica gel, precipitated, crystalline free | 112926-00-8 | CMP | 10 mg/m ³ | AR OEL |

| | |
|----------------------|---|
| Engineering measures | : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling. |
|----------------------|---|

Personal protective equipment

| | |
|------------------------|--|
| Respiratory protection | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : Particulates type |
| Hand protection | |
| Material | : Chemical-resistant gloves |
| Remarks | : Consider double gloving. |
| Eye protection | : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or |

MineralFix Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11504103-00002 | Date of last issue: 22.01.2025 Date of first issue: 22.01.2025 |
|----------------|------------------------------|-------------------------------|---|

| | |
|--------------------------|--|
| | aerosols. |
| Skin and body protection | : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|---|
| Appearance | : powder |
| Color | : white, beige |
| Odor | : No data available |
| Odor Threshold | : No data available |
| pH | : No data available |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point | : Not applicable |
| Evaporation rate | : Not applicable |
| Flammability (solid, gas) | : May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : Not applicable |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapor pressure | : Not applicable |
| Relative vapor density | : Not applicable |
| Relative density | : No data available |

SAFETY DATA SHEET



MineralFix Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11504103-00002 Date of last issue: 22.01.2025
Date of first issue: 22.01.2025

| | |
|--|--|
| Density | : No data available |
| Solubility(ies) | |
| Water solubility | : No data available |
| Partition coefficient: n-octanol/water | : Not applicable |
| Autoignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | |
| Viscosity, kinematic | : Not applicable |
| Explosive properties | : Not explosive |
| Oxidizing properties | : The substance or mixture is not classified as oxidizing. |
| Molecular weight | : No data available |
| Particle characteristics | |
| Particle size | : No data available |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | : Not classified as a reactivity hazard. |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. |
| Conditions to avoid | : Heat, flames and sparks. Avoid dust formation. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

| | |
|--|--|
| Information on likely routes of exposure | : Inhalation Skin contact Ingestion Eye contact |
|--|--|

Acute toxicity

Not classified based on available information.

Product:

| | |
|---------------------|--|
| Acute oral toxicity | : Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method |
|---------------------|--|

MineralFix Formulation

Version 2.0

Revision Date: 14.04.2025

SDS Number: 11504103-00002

Date of last issue: 22.01.2025
Date of first issue: 22.01.2025**Components:****Sodium chloride:**

| | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): 3.550 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): > 42 mg/l Exposure time: 1 h Test atmosphere: dust/mist |
| Acute dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg |

Magnesium chloride:

| | | |
|-----------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity Remarks: The test was conducted according to guideline Based on data from similar materials |
| Acute dermal toxicity | : | LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: The test was conducted according to guideline Based on data from similar materials |

Calcium chloride:

| | | |
|-----------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): 2.120 mg/kg Method: OECD Test Guideline 401 |
| Acute dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg |

Potassium chloride:

| | | |
|-----------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): 3.020 mg/kg |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials |

Silica gel, precipitated, crystalline free:

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials |
| Acute inhalation toxicity | : | LC50 (Rat): > 0,69 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on data from similar materials |
| Acute dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg Remarks: Based on data from similar materials |

SAFETY DATA SHEET



MineralFix Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11504103-00002 Date of last issue: 22.01.2025
Date of first issue: 22.01.2025

II

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium chloride:

| | | |
|---------|---|--------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |

Magnesium chloride:

| | | |
|---------|---|---|
| Species | : | reconstructed human epidermis (RhE) |
| Method | : | Regulation (EC) No. 440/2008, Annex, B.46 |
| Remarks | : | The test was conducted equivalent or similar to guideline Based on data from similar materials |
| Result | : | No skin irritation |

Calcium chloride:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |

Potassium chloride:

| | | |
|---------|---|-------------------------------------|
| Species | : | reconstructed human epidermis (RhE) |
| Method | : | OECD Test Guideline 439 |
| Result | : | No skin irritation |

Silica gel, precipitated, crystalline free:

| | | |
|---------|---|--------------------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |
| Remarks | : | Based on data from similar materials |

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Sodium chloride:

| | | |
|---------|---|-------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |

Magnesium chloride:

| | | |
|---------|---|---|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |
| Remarks | : | The test was conducted according to guideline Based on data from similar materials |

SAFETY DATA SHEET



MineralFix Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11504103-00002 Date of last issue: 22.01.2025
Date of first issue: 22.01.2025

Calcium chloride:

| | | |
|---------|---|---------------------------------|
| Species | : | Rabbit |
| Result | : | Irreversible effects on the eye |
| Method | : | OECD Test Guideline 405 |

Potassium chloride:

| | | |
|---------|---|--------------------------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Remarks | : | Based on data from similar materials |

Silica gel, precipitated, crystalline free:

| | | |
|---------|---|--------------------------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |
| Remarks | : | Based on data from similar materials |

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Sodium chloride:

| | | |
|--------------------|---|-------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Routes of exposure | : | Skin contact |
| Species | : | Mouse |
| Result | : | negative |

Magnesium chloride:

| | | |
|--------------------|---|---|
| Test Type | : | Maximization Test |
| Routes of exposure | : | Skin contact |
| Species | : | Guinea pig |
| Method | : | OECD Test Guideline 406 |
| Result | : | negative |
| Remarks | : | The test was conducted according to guideline Based on data from similar materials |

Potassium chloride:

| | | |
|--------------------|---|--------------------------------------|
| Test Type | : | Buehler Test |
| Routes of exposure | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET



MineralFix Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11504103-00002 | Date of last issue: 22.01.2025 Date of first issue: 22.01.2025 |
|----------------|------------------------------|-------------------------------|---|

Components:

Sodium chloride:

| | |
|-------------------------------------|--|
| Genotoxicity in vitro | : Test Type: In vitro mammalian cell gene mutation test Result: positive |
| | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | Test Type: <i>Saccharomyces cerevisiae</i> , gene mutation assay (in vitro) Result: positive |
| | Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: positive |
| | Test Type: Chromosome aberration test in vitro Result: positive |
| | Test Type: Chromosome aberration test in vitro Result: negative |
| Genotoxicity in vivo | : Test Type: In vivo micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: negative |
| | Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Intraperitoneal injection Result: positive |
| Germ cell mutagenicity - Assessment | : Weight of evidence does not support classification as a germ cell mutagen. |

Magnesium chloride:

| | |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: In vitro mammalian cell gene mutation test Result: negative |
| | Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials |
| | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 |

MineralFix Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11504103-00002 | Date of last issue: 22.01.2025 Date of first issue: 22.01.2025 |
|----------------|------------------------------|-------------------------------|---|

Result: negative
Remarks: The test was conducted according to guideline

Calcium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Potassium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: equivocal

Test Type: Chromosome aberration test in vitro
Result: positive

Silica gel, precipitated, crystalline free:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Sodium chloride:**

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Magnesium chloride:

Species : Mouse
Application Route : Ingestion
Exposure time : 96 weeks

SAFETY DATA SHEET



MineralFix Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11504103-00002 Date of last issue: 22.01.2025 Date of first issue: 22.01.2025

| | | |
|---------|---|---|
| Method | : | OECD Test Guideline 453 |
| Result | : | negative |
| Remarks | : | The test was conducted equivalent or similar to guideline Based on data from similar materials |

Calcium chloride:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Mouse |
| Application Route | : | Ingestion |
| Exposure time | : | 96 weeks |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

Potassium chloride:

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| Application Route | : | Ingestion |
| Exposure time | : | 2 Years |
| Result | : | negative |

Silica gel, precipitated, crystalline free:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat |
| Application Route | : | Ingestion |
| Exposure time | : | 103 weeks |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

Reproductive toxicity

Not classified based on available information.

Components:

Magnesium chloride:

| | | |
|------------------------------|---|---|
| Effects on fertility | : | Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: The test was conducted according to guideline Based on data from similar materials |
| Effects on fetal development | : | Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: The test was conducted equivalent or similar to guideline Based on data from similar materials |

Calcium chloride:

| | | |
|------------------------------|---|---|
| Effects on fetal development | : | Test Type: Embryo-fetal development Species: Rat |
|------------------------------|---|---|

MineralFix Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11504103-00002 Date of last issue: 22.01.2025 Date of first issue: 22.01.2025

Application Route: Ingestion
Result: negative

Potassium chloride:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Silica gel, precipitated, crystalline free:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Sodium chloride:**

Species : Rat
NOAEL : 2.533 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Magnesium chloride:

Species : Rat
NOAEL : 308 mg/kg
LOAEL : 1.600 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Potassium chloride:

Species : Rat
NOAEL : 1.820 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Silica gel, precipitated, crystalline free:

Species : Rat
NOAEL : > 4.500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

SAFETY DATA SHEET



MineralFix Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11504103-00002 Date of last issue: 22.01.2025 Date of first issue: 22.01.2025

||| Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium chloride:

| | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.840 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 4.136 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50: > 2.000 mg/l Exposure time: 96 h |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): 252 mg/l Exposure time: 33 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia pulex (Water flea)): 314 mg/l Exposure time: 21 d |
| Toxicity to microorganisms | : | EC10: > 1.000 mg/l |

Magnesium chloride:

| | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 2.119,3 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 548,4 mg/l Exposure time: 48 h Remarks: No test guideline followed |
| Toxicity to algae/aquatic plants | : | ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline |
| | | NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | EC10 (Daphnia magna (Water flea)): 321 mg/l Exposure time: 21 d |
| Toxicity to microorganisms | : | NOEC (activated sludge): > 900 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |

MineralFix Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11504103-00002 | Date of last issue: 22.01.2025 Date of first issue: 22.01.2025 |
|----------------|------------------------------|-------------------------------|---|

||| Remarks: The test was conducted according to guideline

Calcium chloride:

| | |
|---|--|
| Toxicity to fish | : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials |

Potassium chloride:

| | |
|---|---|
| Toxicity to fish | : LC50 (Pimephales promelas (fathead minnow)): 880 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 660 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC10 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : EC50: > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |

Silica gel, precipitated, crystalline free:

| | |
|---|--|
| Toxicity to fish | : LL50 (Danio rerio (zebra fish)): > 10.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : EL50 (Scenedesmus subspicatus): > 10.000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials |

SAFETY DATA SHEET



MineralFix Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11504103-00002 Date of last issue: 22.01.2025
Date of first issue: 22.01.2025

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Sodium hydrogencarbonate

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

SAFETY DATA SHEET



MineralFix Formulation

| | | | |
|-------------|---------------------------|----------------------------|---------------------------------|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11504103-00002 | Date of last issue: 22.01.2025 |
| | | | Date of first issue: 22.01.2025 |

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AR OEL : Argentina. Occupational Exposure Limits
AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a

SAFETY DATA SHEET



MineralFix Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11504103-00002

Date of last issue: 22.01.2025
Date of first issue: 22.01.2025

guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8