

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Multivitamin (with Dextrose Monohydrate) Formulation

Version Revision Date: SDS Number: Date of last issue: 25.02.2025  
2.0 14.04.2025 11514380-00002 Date of first issue: 25.02.2025

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

## 1.1 Product identifier

Trade name : Multivitamin (with Dextrose Monohydrate) Formulation  
Product code : Prevensa Minisol Minisol

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Dynam Road  
K67 P263 Dublin, Ireland

Telephone : +1-908-740-4000

E-mail address of person  
responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1	H318: Causes serious eye damage.
Reproductive toxicity, Category 1A	H360D: May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

Hazard pictograms	:	Three diamond-shaped hazard pictograms with red borders. The first shows a human figure with a skull and crossbones. The second shows a dead fish in water. The third shows a dead tree.
Signal word	:	Danger
Hazard statements	:	H318 Causes serious eye damage. H360D May damage the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P260 Do not breathe dust. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  <b>Response:</b> P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P391 Collect spillage.

### Hazardous components which must be listed on the label:

Zinc sulphate monohydrate  
Manganese sulfate, monohydrate  
Retinyl acetate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11514380-00002 Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Citric acid	77-92-9 201-069-1 607-750-00-3	Eye Irrit. 2; H319 STOT SE 3; H335	>= 1 - < 10
Zinc sulphate monohydrate	7446-19-7 030-006-00-9	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 3 - < 10
Manganese sulfate, monohydrate	10034-96-5	Eye Dam. 1; H318 STOT RE 1; H372 (Central nervous system, Respiratory Tract, Cardio- vascular system) Aquatic Chronic 2; H411	>= 2.5 - < 3
Nicotinic acid	59-67-6 200-441-0	Eye Irrit. 2; H319	>= 1 - < 10
Retinyl acetate	127-47-9 204-844-2	Repr. 1A; H360D STOT RE 1; H372 (Liver) Aquatic Chronic 3; H412	>= 0.3 - < 1
(dl)-a-Tocopheryl acetate	7695-91-2 231-710-0		>= 0.1 - < 1
Menadione sodium bisulfite	130-37-0 204-987-0 607-618-00-5	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - < 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11514380-00002 Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Riboflavin 5'-(sodium hydrogen phosphate)	130-40-5 204-988-6		>= 0.1 - < 1
Colecalciferol	67-97-0 200-673-2 603-180-00-4	Acute Tox. 2; H300 Acute Tox. 2; H330 Acute Tox. 2; H310 STOT RE 1; H372 (Kidney, Blood, Bone) Aquatic Chronic 4; H413  specific concentration limit STOT RE 1; H372 >= 3 % STOT RE 2; H373 0.3 - < 3 %  Acute toxicity estimate  Acute oral toxicity: 35 mg/kg Acute inhalation toxicity (dust/mist): 0.05 mg/l Acute dermal toxicity: 50 mg/kg	>= 0.1 - < 0.25
Pyridoxine hydrochloride	58-56-0 200-386-2		>= 0.1 - < 1

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11514380-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of the skin.  
  
Causes serious eye damage.  
May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
11514380-00002

Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Sulphur oxides  
Metal oxides  
Chlorine compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11514380-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11514380-00002 Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

dusts non-specific	4 mg/m <sup>3</sup> Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable dust) Basis: IE OEL
	10 mg/m <sup>3</sup> Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable dust) Basis: IE OEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Manganese sulfate, monohydrate	10034-96-5	TWA (inhalable fraction)	0.2 mg/m <sup>3</sup> (Manganese)	2017/164/EU
Further information: Indicative				
		TWA (Respirable fraction)	0.05 mg/m <sup>3</sup> (Manganese)	2017/164/EU
Further information: Indicative				
		OELV - 8 hrs (TWA) (respirable)	0.05 mg/m <sup>3</sup> (Manganese)	IE OEL
		OELV - 8 hrs (TWA) (inhalable fraction)	0.2 mg/m <sup>3</sup> (Manganese)	IE OEL
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m <sup>3</sup> (OEB 1)	Internal
Riboflavin 5'- (sodium hydrogen phosphate)	130-40-5	TWA	100 ug/m <sup>3</sup> (OEB 2)	Internal
Colecalciferol	67-97-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal
Pyridoxine hydrochloride	58-56-0	TWA	OEB 3 (>= 10 < 100 µg/m <sup>3</sup> )	Internal

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Nicotinic acid	Workers	Inhalation	Long-term systemic effects	0.5 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic	0.14 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11514380-00002 Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

			effects	bw/day
	Consumers	Inhalation	Long-term systemic effects	0.25 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.14 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.14 mg/kg bw/day
Manganese sulfate, monohydrate	Workers	Inhalation	Long-term systemic effects	0.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.00414 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.043 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.0021 mg/kg bw/day
Sodium chloride	Workers	Inhalation	Long-term systemic effects	2068.62 mg/m3
	Workers	Inhalation	Acute systemic effects	2068.62 mg/m3
	Workers	Skin contact	Long-term systemic effects	295.52 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	295.52 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	443.28 mg/m3
	Consumers	Inhalation	Acute systemic effects	443.28 mg/m3
	Consumers	Skin contact	Long-term systemic effects	126.65 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	126.65 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	126.65 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	126.65 mg/kg bw/day
(dl)-a-Tocopheryl acetate	Workers	Inhalation	Long-term systemic effects	73.5 mg/m3
	Workers	Skin contact	Long-term systemic effects	416.6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	21.7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	250 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12.5 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Citric acid	Fresh water	0.44 mg/l
	Marine water	0.044 mg/l
	Sewage treatment plant	1000 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11514380-00002 Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

	Fresh water sediment	34.6 mg/kg dry weight (d.w.)
	Marine sediment	3.46 mg/kg dry weight (d.w.)
	Soil	33.1 mg/kg dry weight (d.w.)
Nicotinic acid	Fresh water	0.077 mg/l
	Freshwater - intermittent	0.77 mg/l
	Marine water	0.008 mg/l
	Sewage treatment plant	8.8 mg/l
	Fresh water sediment	0.122 mg/kg dry weight (d.w.)
	Marine sediment	0.012 mg/kg dry weight (d.w.)
	Soil	0.043 mg/kg dry weight (d.w.)
Manganese sulfate, monohydrate	Fresh water	0.0128 mg/l
	Marine water	0.0004 mg/l
	Intermittent use/release	0.03 mg/l
	Sewage treatment plant	56 mg/l
	Fresh water sediment	0.0114 mg/kg
	Marine sediment	0.00114 mg/kg
	Soil	25.1 mg/kg
Sodium chloride	Fresh water	5 mg/l
	Sewage treatment plant	500 mg/l
	Soil	4.86 mg/kg dry weight (d.w.)
(dl)-a-Tocopheryl acetate	Fresh water	0.27 mg/l
	Freshwater - intermittent	0.27 mg/l
	Marine water	0.027 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	212000 mg/kg dry weight (d.w.)
	Marine sediment	21200 mg/kg dry weight (d.w.)
	Soil	74800 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions,

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
11514380-00002

Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

### Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Respiratory protection : Use appropriate degowning techniques to remove potentially contaminated clothing.  
If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Equipment should conform to I.S. EN 143  
Particulates type (P)

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : powder

Colour : yellow, orange

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

---

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11514380-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

---

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	Not applicable
Particle characteristics		
Particle size	:	No data available

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	Not applicable
Molecular weight	:	No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
---------------------	---	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Multivitamin (with Dextrose Monohydrate) Formulation

Version Revision Date: SDS Number: Date of last issue: 25.02.2025  
2.0 14.04.2025 11514380-00002 Date of first issue: 25.02.2025

## 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

## 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

## Acute toxicity

|| Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

## Components:

### Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Zinc sulphate monohydrate:**

Acute oral toxicity	: LD50 (Rat): > 1,000 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
11514380-00002

Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

### Manganese sulfate, monohydrate:

Acute oral toxicity : LD50 (Rat): 2,150 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.45 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### Nicotinic acid:

Acute oral toxicity : LD50 (Rat, female): 4,500 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline

Acute inhalation toxicity : LC50 (Rat): > 3.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
Remarks: The test was conducted according to guideline

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: The test was conducted according to guideline

### Retinyl acetate:

Acute oral toxicity : LD50 (Rat): 4,790 mg/kg

### (dl)-a-Tocopheryl acetate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Menadione sodium bisulfite:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

### Riboflavin 5'-(sodium hydrogen phosphate):

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

### Colecalciferol:

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg  
Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg  
Method: Expert judgement

### Pyridoxine hydrochloride:

Acute oral toxicity : LD50 (Rat): 4,000 mg/kg

### Skin corrosion/irritation

|| Not classified based on available information.

### Components:

#### Citric acid:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Zinc sulphate monohydrate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### Manganese sulfate, monohydrate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Nicotinic acid:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : The test was conducted equivalent or similar to guideline

#### Retinyl acetate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Multivitamin (with Dextrose Monohydrate) Formulation

Version Revision Date: SDS Number: Date of last issue: 25.02.2025  
2.0 14.04.2025 11514380-00002 Date of first issue: 25.02.2025

### (dl)- $\alpha$ -Tocopheryl acetate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Menadione sodium bisulfite:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431  
Remarks : The test was conducted according to guideline  
Based on data from similar materials

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Remarks : The test was conducted according to guideline  
Based on data from similar materials

Result : Skin irritation

## **Pyridoxine hydrochloride:**

Species : Rabbit  
Result : No skin irritation

## **Serious eye damage/eye irritation**

Causes serious eye damage.

## **Components:**

### Citric acid:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

## **Zinc sulphate monohydrate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

### **Manganese sulfate, monohydrate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

## **Nicotinic acid:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Multivitamin (with Dextrose Monohydrate) Formulation

Version Revision Date: SDS Number: Date of last issue: 25.02.2025  
2.0 14.04.2025 11514380-00002 Date of first issue: 25.02.2025

Remarks : The test was conducted according to guideline

## **Retinyl acetate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### (dl)- $\alpha$ -Tocopheryl acetate:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### **Menadione sodium bisulfite:**

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Remarks : The test was conducted according to guideline  
Based on data from similar materials

Species : Tissue Culture  
Method : OECD Test Guideline 492  
Remarks : The test was conducted according to guideline  
Based on data from similar materials

Result : Irritation to eyes, reversing within 21 days

## Colecalciferol:

Species : Rabbit  
Result : No eye irritation

### **Pyridoxine hydrochloride:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

## Skin sensitisation

|| Not classified based on available information.

## Respiratory sensitisation

|| Not classified based on available information.

## Components:

### **Zinc sulphate monohydrate:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11514380-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

Remarks : Based on data from similar materials

### Manganese sulfate, monohydrate:

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Result : negative  
Remarks : Based on data from similar materials

### Nicotinic acid:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline

### Retinyl acetate:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### (dl)-a-Tocopheryl acetate:

Test Type : Draize Test  
Exposure routes : Skin contact  
Species : Humans  
Result : negative

### Colecalciferol:

Test Type : Maurer optimisation test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### Pyridoxine hydrochloride:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Germ cell mutagenicity

||| Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

### Components:

#### **Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Zinc sulphate monohydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative  
Remarks: Based on data from similar materials

#### **Manganese sulfate, monohydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

#### **Nicotinic acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

Result: negative

Remarks: The test was conducted according to guideline

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: The test was conducted according to guideline

Genotoxicity in vivo :

- Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
- Species: Rat
- Application Route: Ingestion
- Method: OECD Test Guideline 475
- Result: negative
- Remarks: The test was conducted according to guideline

### Retinyl acetate:

Genotoxicity in vitro :

- Test Type: Bacterial reverse mutation assay (AMES)
- Result: negative

Genotoxicity in vivo :

- Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
- Species: Mouse
- Application Route: Ingestion
- Method: OECD Test Guideline 474
- Result: negative

### (dl)-a-Tocopheryl acetate:

Genotoxicity in vitro :

- Test Type: Chromosome aberration test in vitro
- Method: OECD Test Guideline 473
- Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo :

- Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
- Species: Mouse
- Application Route: Ingestion
- Result: negative

### Menadione sodium bisulfite:

Genotoxicity in vitro :

- Test Type: Bacterial reverse mutation assay (AMES)
- Method: OECD Test Guideline 471
- Result: negative

Remarks: The test was conducted according to guideline

Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

### Riboflavin 5'-(sodium hydrogen phosphate):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

### Colecalciferol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: In vivo mammalian alkaline comet assay  
Species: Rat  
Application Route: Ingestion  
Result: positive

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Pyridoxine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

### Carcinogenicity

|| Not classified based on available information.

### Components:

#### Zinc sulphate monohydrate:

Species : Mouse

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

Application Route : Ingestion  
Exposure time : 1 Years  
Result : negative  
Remarks : Based on data from similar materials

### **Manganese sulfate, monohydrate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

### **(dl)-a-Tocopheryl acetate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative

### **Reproductive toxicity**

||| May damage the unborn child.

### **Components:**

#### **Citric acid:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Zinc sulphate monohydrate:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Ingestion  
Result: negative

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

Remarks: Based on data from similar materials

#### **Manganese sulfate, monohydrate:**

Effects on fertility : Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Nicotinic acid:**

Effects on foetal development : Test Type: Embryo-foetal development

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Multivitamin (with Dextrose Monohydrate) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 25.02.2025
2.0	14.04.2025	11514380-00002	Date of first issue: 25.02.2025

Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: The test was conducted according to guideline

## **Retinyl acetate:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Monkey  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### (dl)- $\alpha$ -Tocopheryl acetate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: negative

### **Pyridoxine hydrochloride:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

## STOT - single exposure

Not classified based on available information.

## **Components:**

### Citric acid:

Assessment : May cause respiratory irritation.

## STOT - repeated exposure

|| May cause damage to organs through prolonged or repeated exposure.

## Components:

## Manganese sulfate, monohydrate:

Target Organs : Central nervous system, Respiratory Tract, Cardio-vascular

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

**Assessment** : Causes damage to organs through prolonged or repeated exposure. system

### Nicotinic acid:

**Assessment** : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Retinyl acetate:

Exposure routes : Ingestion  
Target Organs : Liver  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Colecalciferol:

Exposure routes : Ingestion  
Target Organs : Kidney, Blood, Bone  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### Citric acid:

Species : Rat  
NOAEL : 4,000 mg/kg  
LOAEL : 8,000 mg/kg  
Application Route : Ingestion  
Exposure time : 10 Days

##### Zinc sulphate monohydrate:

Species : Rat  
NOAEL : 234 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

##### Manganese sulfate, monohydrate:

Species : Rat, male  
NOAEL : 1,700 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

##### Nicotinic acid:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11514380-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

---

Species	:	Rat
NOAEL	:	50 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days
Method	:	OECD Test Guideline 407
Remarks	:	The test was conducted according to guideline

### Retinyl acetate:

Species	:	Rat
NOAEL	:	1.43 - 3.47 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

### (dl)-a-Tocopheryl acetate:

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

### Riboflavin 5'-(sodium hydrogen phosphate):

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

### Colecalciferol:

Species	:	Rat
NOAEL	:	0.06 mg/kg
LOAEL	:	0.3 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

### Aspiration toxicity

|| Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

|| Not classified based on available information.

### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
------------	---	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

levels of 0.1% or higher.

### Experience with human exposure

#### Components:

##### **Retinyl acetate:**

Ingestion : Symptoms: liver impairment  
Remarks: Based on data from similar materials  
Symptoms: Embryo-foetal toxicity  
Remarks: Based on data from similar materials

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

##### **Zinc sulphate monohydrate:**

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0.384 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.192 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (fresh water algae)): 0.373 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 34.5 µg/l  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 205.2 µg/l  
Species: Jordanella floridae (flagfish)  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 415.7 µg/l  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

### Manganese sulfate, monohydrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

ErC50 (Desmodesmus subspicatus (green algae)): 61 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC : 560 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: 1.69 mg/l  
Exposure time: 65 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 10 - 100 mg/l  
Exposure time: 7 d  
Species: Ceriodaphnia dubia (water flea)

### Nicotinic acid:

Toxicity to fish : LC50 (Salmo trutta (brown trout)): 520 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 77 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: The test was conducted equivalent or similar to guideline

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 37.356 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

Method: OECD Test Guideline 201  
Remarks: The test was conducted equivalent or similar to guideline

EC10 (Desmodesmus subspicatus (green algae)): 12.098 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted equivalent or similar to guideline

Toxicity to microorganisms : EC10 (Pseudomonas putida): 88 mg/l  
Exposure time: 16 h  
Method: OECD Test Guideline 209  
Remarks: The test was conducted equivalent or similar to guideline

### Retinyl acetate:

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 46 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 180 min  
Method: OECD Test Guideline 209

### (dl)-a-Tocopheryl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 927 mg/l  
Exposure time: 30 min  
Method: ISO 8192

Toxicity to fish (Chronic tox- : NOEC: 100 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11514380-00002 Date of last issue: 25.02.2025 Date of first issue: 25.02.2025

---

icity) Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

### Menadione sodium bisulfite:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): >0,01 - 0,1  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): >0,001 - 0,01  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### Riboflavin 5'-(sodium hydrogen phosphate):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 64.3 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 47.4 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### Colecalciferol:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 100 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11514380-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

aquatic invertebrates	Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201

### **Pyridoxine hydrochloride:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h

## 12.2 Persistence and degradability

### **Components:**

#### **Citric acid:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

#### **Nicotinic acid:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 14 d Method: OECD Test Guideline 301E Remarks: The test was conducted according to guideline
------------------	--

#### **Retinyl acetate:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 15 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

#### **(dl)-a-Tocopheryl acetate:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 21.7 - 31 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	--

#### **Menadione sodium bisulfite:**

Biodegradability	: Result: Not readily biodegradable. Method: OECD Test Guideline 302C Remarks: The test was conducted according to guideline
------------------	--

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Multivitamin (with Dextrose Monohydrate) Formulation

Version Revision Date: SDS Number: Date of last issue: 25.02.2025  
2.0 14.04.2025 11514380-00002 Date of first issue: 25.02.2025

Based on data from similar materials

### Riboflavin 5'-(sodium hydrogen phosphate):

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

## Colecalciferol:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: <= 7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

## **Pyridoxine hydrochloride:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 94 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

### 12.3 Bioaccumulative potential

## **Components:**

## Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72

## **Nicotinic acid:**

Partition coefficient: n-octanol/water : log Pow: -2.34  
Method: OECD Test Guideline 117  
Remarks: The test was conducted according to guideline

## Retinyl acetate:

Partition coefficient: n-octanol/water : log Pow: 9.4  
Method: OECD Test Guideline 117

### **Menadione sodium bisulfite:**

Partition coefficient: n-octanol/water : log Pow: -1.56  
Remarks: Calculation

### Riboflavin 5'-(sodium hydrogen phosphate):

Partition coefficient: n-octanol/water : log Pow: -0.651 Remarks: Calculation

## Colecalciferol:

Partition coefficient: n-octanol/water : log Pow: > 6.2  
Method: OECD Test Guideline 107

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

---

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11514380-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

---

### Pyridoxine hydrochloride:

Partition coefficient: n-octanol/water : log Pow: 4.32

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

**IMDG** : UN 3077

**IATA** : UN 3077

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zinc sulphate monohydrate, Menadione sodium bisulfite)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zinc sulphate monohydrate, Menadione sodium bisulfite)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zinc sulphate monohydrate, Menadione sodium bisulfite)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zinc sulphate monohydrate, Menadione sodium bisulfite)

**IATA** : Environmentally hazardous substance, solid, n.o.s.  
(Zinc sulphate monohydrate, Menadione sodium bisulfite)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M7

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11514380-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

**Hazard Identification Number** : 90  
**Labels** : 9

### IMDG

**Packing group** : III  
**Labels** : 9  
**EmS Code** : F-A, S-F

### IATA (Cargo)

**Packing instruction (cargo aircraft)** : 956  
**Packing instruction (LQ)** : Y956  
**Packing group** : III  
**Labels** : Miscellaneous

### IATA (Passenger)

**Packing instruction (passenger aircraft)** : 956  
**Packing instruction (LQ)** : Y956  
**Packing group** : III  
**Labels** : Miscellaneous

## 14.5 Environmental hazards

### ADN

**Environmentally hazardous** : yes

### ADR

**Environmentally hazardous** : yes

### RID

**Environmentally hazardous** : yes

### IMDG

**Marine pollutant** : yes

### IATA (Passenger)

**Environmentally hazardous** : yes

### IATA (Cargo)

**Environmentally hazardous** : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

**Remarks** : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

REACH - List of substances subject to authorisation (Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

	Quantity 1	Quantity 2	
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Multivitamin (with Dextrose Monohydrate) Formulation

Version Revision Date: SDS Number: Date of last issue: 25.02.2025  
2.0 14.04.2025 11514380-00002 Date of first issue: 25.02.2025

## **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

## Full text of H-Statements

- H300 : Fatal if swallowed.
- H302 : Harmful if swallowed.
- H310 : Fatal in contact with skin.
- H315 : Causes skin irritation.
- H318 : Causes serious eye damage.
- H319 : Causes serious eye irritation.
- H330 : Fatal if inhaled.
- H335 : May cause respiratory irritation.
- H360D : May damage the unborn child.
- H372 : Causes damage to organs through prolonged or repeated exposure.
- H400 : Very toxic to aquatic life.
- H410 : Very toxic to aquatic life with long lasting effects.
- H411 : Toxic to aquatic life with long lasting effects.
- H412 : Harmful to aquatic life with long lasting effects.
- H413 : May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
IE OEL	: Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2017/164/EU / TWA	: Limit Value - eight hours
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0      Revision Date: 14.04.2025      SDS Number: 11514380-00002      Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Eye Dam. 1	H318
Repr. 1A	H360D
STOT RE 2	H373
Aquatic Chronic 2	H411

### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Multivitamin (with Dextrose Monohydrate) Formulation

Version  
2.0

Revision Date:  
14.04.2025

SDS Number:  
11514380-00002

Date of last issue: 25.02.2025  
Date of first issue: 25.02.2025

---