

SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11513636-00002 Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Multivitamin (with Dextrose Monohydrate) Formulation
Product code : Prevensa Mivisol, Mivisol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product
Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
20 Spartan Road
1619 Spartan, South Africa
Telephone : +27119239300
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1 : H318: Causes serious eye damage.
Reproductive toxicity, Category 1A : H360D: May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 2 : H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 2 : H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11513636-00002 Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

Signal word	:	Danger
Hazard statements	:	H318 Causes serious eye damage. H360D May damage the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P201 Obtain special instructions before use. P260 Do not breathe dust. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

Zinc sulphate monohydrate
Manganese sulfate, monohydrate
Retinyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Citric acid	77-92-9 201-069-1 607-750-00-3	Eye Irrit. 2; H319 STOT SE 3; H335	>= 1 - < 10
Zinc sulphate monohydrate	7446-19-7 030-006-00-9	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400	>= 3 - < 10

SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

		Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Manganese sulfate, monohydrate	10034-96-5	Eye Dam. 1; H318 STOT RE 1; H372 (Central nervous system, Respiratory Tract, Cardio- vascular system) Aquatic Chronic 2; H411	>= 2,5 - < 3
Nicotinic acid	59-67-6 200-441-0	Eye Irrit. 2; H319	>= 1 - < 10
Retinyl acetate	127-47-9 204-844-2	Repr. 1A; H360D STOT RE 1; H372 (Liver) Aquatic Chronic 3; H412	>= 0,3 - < 1
(dl)-a-Tocopheryl acetate	7695-91-2 231-710-0		>= 0,1 - < 1
Menadione sodium bisulfite	130-37-0 204-987-0 607-618-00-5	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,25 - < 1
Riboflavin 5'-(sodium hydrogen phosphate)	130-40-5 204-988-6		>= 0,1 - < 1
Colecalciferol	67-97-0 200-673-2 603-180-00-4	Acute Tox. 2; H300 Acute Tox. 2; H330 Acute Tox. 2; H310 STOT RE 1; H372 (Kidney, Blood, Bone) Aquatic Chronic 4; H413	>= 0,1 - < 0,25
Pyridoxine hydrochloride	58-56-0 200-386-2		>= 0,1 - < 1

For explanation of abbreviations see section 16.

**Multivitamin (with Dextrose Monohydrate)
Formulation**Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025**SECTION 4: First aid measures****4.1 Description of first aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of the skin.

Causes serious eye damage.
May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam

**Multivitamin (with Dextrose Monohydrate)
Formulation**Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
Metal oxides
Chlorine compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are re-

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

leased into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types:

SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0

Revision Date: 14.04.2025

SDS Number: 11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Manganese sulfate, monohydrate	10034-96-5	OEL-RL	0,2 mg/m ³ (Manganese)	ZA OEL	
		Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
		TWA (inhalable fraction)	0,2 mg/m ³ (Manganese)	2017/164/EU	
		TWA (Respirable fraction)	0,05 mg/m ³ (Manganese)	2017/164/EU	
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 ug/m ³ (OEB 1)	Internal	
Riboflavin 5'- (sodium hydrogen phosphate)	130-40-5	TWA	100 ug/m ³ (OEB 2)	Internal	
Colecalciferol	67-97-0	TWA	5 µg/m ³ (OEB 4)	Internal	
		Wipe limit	50 µg/100 cm ²	Internal	
Pyridoxine hydrochloride	58-56-0	TWA	OEB 3 (>= 10 < 100 µg/m ³)	Internal	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Nicotinic acid	Workers	Inhalation	Long-term systemic effects	0,5 mg/m ³
	Workers	Skin contact	Long-term systemic effects	0,14 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,25 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	0,14 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,14 mg/kg bw/day
Manganese sulfate, monohydrate	Workers	Inhalation	Long-term systemic effects	0,2 mg/m ³
	Workers	Skin contact	Long-term systemic	0,00414

SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

			effects	mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,043 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,0021 mg/kg bw/day
Sodium chloride	Workers	Inhalation	Long-term systemic effects	2068,62 mg/m3
	Workers	Inhalation	Acute systemic effects	2068,62 mg/m3
	Workers	Skin contact	Long-term systemic effects	295,52 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	295,52 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	443,28 mg/m3
	Consumers	Inhalation	Acute systemic effects	443,28 mg/m3
	Consumers	Skin contact	Long-term systemic effects	126,65 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	126,65 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	126,65 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	126,65 mg/kg bw/day
(dl)-a-Tocopheryl acetate	Workers	Inhalation	Long-term systemic effects	73,5 mg/m3
	Workers	Skin contact	Long-term systemic effects	416,6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	21,7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	250 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Citric acid	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34,6 mg/kg dry weight (d.w.)
	Marine sediment	3,46 mg/kg dry weight (d.w.)
	Soil	33,1 mg/kg dry weight (d.w.)
Nicotinic acid	Fresh water	0,077 mg/l
	Freshwater - intermittent	0,77 mg/l
	Marine water	0,008 mg/l
	Sewage treatment plant	8,8 mg/l
	Fresh water sediment	0,122 mg/kg dry weight (d.w.)

Multivitamin (with Dextrose Monohydrate) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

	Marine sediment	0,012 mg/kg dry weight (d.w.)
	Soil	0,043 mg/kg dry weight (d.w.)
Manganese sulfate, monohydrate	Fresh water	0,0128 mg/l
	Marine water	0,0004 mg/l
	Intermittent use/release	0,03 mg/l
	Sewage treatment plant	56 mg/l
	Fresh water sediment	0,0114 mg/kg
	Marine sediment	0,00114 mg/kg
	Soil	25,1 mg/kg
Sodium chloride	Fresh water	5 mg/l
	Sewage treatment plant	500 mg/l
	Soil	4,86 mg/kg dry weight (d.w.)
(dl)-a-Tocopheryl acetate	Fresh water	0,27 mg/l
	Freshwater - intermittent	0,27 mg/l
	Marine water	0,027 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	212000 mg/kg dry weight (d.w.)
	Marine sediment	21200 mg/kg dry weight (d.w.)
	Soil	74800 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11513636-00002 Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance : powder

Colour : yellow, orange

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

 Water solubility : No data available

 Partition coefficient: n-octanol/water : Not applicable

 Auto-ignition temperature : No data available

 Decomposition temperature : No data available

 Viscosity

 Viscosity, kinematic : Not applicable

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

Explosive properties : Not explosive
Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight : No data available
Particle size : No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:**Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5.400 mg/kg
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Zinc sulphate monohydrate:

Acute oral toxicity : LD50 (Rat): > 1.000 mg/kg
Remarks: Based on data from similar materials
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Manganese sulfate, monohydrate:

Acute oral toxicity : LD50 (Rat): 2.150 mg/kg
Remarks: Based on data from similar materials
Acute inhalation toxicity : LC50 (Rat): > 4,45 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Nicotinic acid:

Acute oral toxicity : LD50 (Rat, female): 4.500 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted equivalent or similar to guideline
Acute inhalation toxicity : LC50 (Rat): > 3,8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Remarks: The test was conducted according to guideline
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0

Revision Date: 14.04.2025

SDS Number: 11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

Remarks: The test was conducted according to guideline

Retinyl acetate:

Acute oral toxicity : LD50 (Rat): 4.790 mg/kg

(dl)-a-Tocopheryl acetate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 3.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity**Menadione sodium bisulfite:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Riboflavin 5'-(sodium hydrogen phosphate):

Acute oral toxicity : LD50 (Rat): > 20.000 mg/kg

Colecalciferol:

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 0,05 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgementAcute dermal toxicity : Acute toxicity estimate: 50 mg/kg
Method: Expert judgement**Pyridoxine hydrochloride:**

Acute oral toxicity : LD50 (Rat): 4.000 mg/kg

Skin corrosion/irritation

II Not classified based on available information.

Components:**Citric acid:**Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation**Zinc sulphate monohydrate:**Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Multivitamin (with Dextrose Monohydrate) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

Manganese sulfate, monohydrate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Nicotinic acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : The test was conducted equivalent or similar to guideline

Retinyl acetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

(dl)-a-Tocopheryl acetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Menadione sodium bisulfite:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431
Remarks : The test was conducted according to guideline
Based on data from similar materials

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Remarks : The test was conducted according to guideline
Based on data from similar materials

Result : Skin irritation

Pyridoxine hydrochloride:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

|| Causes serious eye damage.

Components:

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Zinc sulphate monohydrate:

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Manganese sulfate, monohydrate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Nicotinic acid:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days
Remarks : The test was conducted according to guideline

Retinyl acetate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

(dl)-a-Tocopheryl acetate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Menadione sodium bisulfite:

Species : Bovine cornea
Method : OECD Test Guideline 437
Remarks : The test was conducted according to guideline
Based on data from similar materials

Species : Tissue Culture
Method : OECD Test Guideline 492
Remarks : The test was conducted according to guideline
Based on data from similar materials

Result : Irritation to eyes, reversing within 21 days

Colecalciferol:

Species : Rabbit
Result : No eye irritation

Pyridoxine hydrochloride:

Species : Rabbit
Result : No eye irritation

**Multivitamin (with Dextrose Monohydrate)
Formulation**Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Zinc sulphate monohydrate:**

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : negative
Remarks : Based on data from similar materials

Manganese sulfate, monohydrate:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact
Result : negative
Remarks : Based on data from similar materials

Nicotinic acid:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : The test was conducted equivalent or similar to guideline

Retinyl acetate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

(dl)-a-Tocopheryl acetate:

Test Type : Draize Test
Exposure routes : Skin contact
Species : Humans
Result : negative

Colecalciferol:

Test Type : Maurer optimisation test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

**Multivitamin (with Dextrose Monohydrate)
Formulation**Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025**Pyridoxine hydrochloride:**

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Zinc sulphate monohydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative
Remarks: Based on data from similar materials

Manganese sulfate, monohydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

Nicotinic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: The test was conducted according to guideline

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: The test was conducted according to guideline

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative
Remarks: The test was conducted according to guideline

Retinyl acetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

(dl)-a-Tocopheryl acetate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Menadione sodium bisulfite:

Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted according to guideline
Based on data from similar materials

Riboflavin 5'-(sodium hydrogen phosphate):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Colecalciferol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Test Type: In vivo mammalian alkaline comet assay
Species: Rat
Application Route: Ingestion
Result: positive

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Pyridoxine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Carcinogenicity

|| Not classified based on available information.

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0

Revision Date: 14.04.2025

SDS Number: 11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025**Components:****Zinc sulphate monohydrate:**

Species : Mouse
Application Route : Ingestion
Exposure time : 1 Years
Result : negative
Remarks : Based on data from similar materials

Manganese sulfate, monohydrate:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

(dl)-a-Tocopheryl acetate:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Reproductive toxicity

|| May damage the unborn child.

Components:**Citric acid:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Zinc sulphate monohydrate:

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Manganese sulfate, monohydrate:

Effects on fertility : Species: Rat
Application Route: Ingestion
Result: negative

**Multivitamin (with Dextrose Monohydrate)
Formulation**Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025**Nicotinic acid:**

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: The test was conducted according to guideline

Retinyl acetate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Monkey
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

(dl)-a-Tocopheryl acetate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

Pyridoxine hydrochloride:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

|| Not classified based on available information.

Components:**Citric acid:**

Assessment : May cause respiratory irritation.

STOT - repeated exposure

|| May cause damage to organs through prolonged or repeated exposure.

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0

Revision Date: 14.04.2025

SDS Number: 11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025**Components:****Manganese sulfate, monohydrate:**

Target Organs : Central nervous system, Respiratory Tract, Cardio-vascular system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Nicotinic acid:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Retinyl acetate:

Exposure routes : Ingestion
Target Organs : Liver
Assessment : Causes damage to organs through prolonged or repeated exposure.

Colecalciferol:

Exposure routes : Ingestion
Target Organs : Kidney, Blood, Bone
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity**Components:****Citric acid:**

Species : Rat
NOAEL : 4.000 mg/kg
LOAEL : 8.000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days

Zinc sulphate monohydrate:

Species : Rat
NOAEL : 234 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Manganese sulfate, monohydrate:

Species : Rat, male
NOAEL : 1.700 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

**Multivitamin (with Dextrose Monohydrate)
Formulation**Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025**Nicotinic acid:**

Species : Rat
NOAEL : 50 mg/kg
LOAEL : 250 mg/kg
Application Route : Ingestion
Exposure time : 28 Days
Method : OECD Test Guideline 407
Remarks : The test was conducted according to guideline

Retinyl acetate:

Species : Rat
NOAEL : 1,43 - 3,47 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

(dl)-a-Tocopheryl acetate:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Riboflavin 5'-(sodium hydrogen phosphate):

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Colecalciferol:

Species : Rat
NOAEL : 0,06 mg/kg
LOAEL : 0,3 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Retinyl acetate:**

Ingestion : Symptoms: liver impairment
Remarks: Based on data from similar materials
Symptoms: Embryo-foetal toxicity
Remarks: Based on data from similar materials

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11513636-00002 Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

SECTION 12: Ecological information**12.1 Toxicity****Components:****Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.535 mg/l
Exposure time: 24 h

Zinc sulphate monohydrate:

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,384 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,192 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (fresh water algae)): 0,373 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 34,5 µg/l
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 205,2 µg/l
Species: Jordanella floridae (flagfish)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 415,7 µg/l
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Manganese sulfate, monohydrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h

Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

ErC50 (Desmodesmus subspicatus (green algae)): 61 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC : 560 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: 1,69 mg/l
Exposure time: 65 d
Species: Oncorhynchus mykiss (rainbow trout)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 10 - 100 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia (water flea)

Nicotinic acid:

Toxicity to fish : LC50 (Salmo trutta (brown trout)): 520 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 77 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: The test was conducted equivalent or similar to guideline

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 37,356 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: The test was conducted equivalent or similar to guideline

EC10 (Desmodesmus subspicatus (green algae)): 12,098 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: The test was conducted equivalent or similar to guideline

Toxicity to microorganisms : EC10 (Pseudomonas putida): 88 mg/l
Exposure time: 16 h
Method: OECD Test Guideline 209
Remarks: The test was conducted equivalent or similar to guideline

**Multivitamin (with Dextrose Monohydrate)
Formulation**Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025**Retinyl acetate:**

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 46 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Exposure time: 180 min
Method: OECD Test Guideline 209

(dl)-a-Tocopheryl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 927 mg/l
Exposure time: 30 min
Method: ISO 8192

Toxicity to fish (Chronic toxicity) : NOEC: 100 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Menadione sodium bisulfite:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: The test was conducted according to guideline
Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): >0,01 - 0,1
Exposure time: 72 h
Test substance: Water Accommodated Fraction

**Multivitamin (with Dextrose Monohydrate)
Formulation**Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

Method: OECD Test Guideline 201

Remarks: The test was conducted according to guideline
Based on data from similar materialsNOEC (Desmodesmus subspicatus (green algae)): >0,001 -
0,01

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: The test was conducted according to guideline
Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Riboflavin 5'-(sodium hydrogen phosphate):Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 64,3 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 47,4 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials**Colecalciferol:**Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202Toxicity to algae/aquatic plants : EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201**Pyridoxine hydrochloride:**Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Multivitamin (with Dextrose Monohydrate) Formulation

Version
2.0Revision Date:
14.04.2025SDS Number:
11513636-00002Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

12.2 Persistence and degradability

Components:

Citric acid:

Biodegradability

: Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Nicotinic acid:

Biodegradability

: Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 14 d
Method: OECD Test Guideline 301E
Remarks: The test was conducted according to guideline

Retinyl acetate:

Biodegradability

: Result: Not readily biodegradable.
Biodegradation: 15 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

(dl)-a-Tocopheryl acetate:

Biodegradability

: Result: Not readily biodegradable.
Biodegradation: 21,7 - 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Menadione sodium bisulfite:

Biodegradability

: Result: Not readily biodegradable.
Method: OECD Test Guideline 302C
Remarks: The test was conducted according to guideline
Based on data from similar materials

Riboflavin 5'-(sodium hydrogen phosphate):

Biodegradability

: Result: Readily biodegradable.
Remarks: Based on data from similar materials

Colecalciferol:

Biodegradability

: Result: Not readily biodegradable.
Biodegradation: <= 7 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Pyridoxine hydrochloride:

Biodegradability

: Result: Readily biodegradable.
Biodegradation: 94 %

SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0

Revision Date: 14.04.2025

SDS Number: 11513636-00002

Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

Exposure time: 28 d
Method: OECD Test Guideline 301E

12.3 Bioaccumulative potential

Components:

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1,72

Nicotinic acid:

Partition coefficient: n-octanol/water : log Pow: -2,34
Method: OECD Test Guideline 117
Remarks: The test was conducted according to guideline

Retinyl acetate:

Partition coefficient: n-octanol/water : log Pow: 9,4
Method: OECD Test Guideline 117

Menadione sodium bisulfite:

Partition coefficient: n-octanol/water : log Pow: -1,56
Remarks: Calculation

Riboflavin 5'-(sodium hydrogen phosphate):

Partition coefficient: n-octanol/water : log Pow: -0,651
Remarks: Calculation

Colecalciferol:

Partition coefficient: n-octanol/water : log Pow: > 6,2
Method: OECD Test Guideline 107

Pyridoxine hydrochloride:

Partition coefficient: n-octanol/water : log Pow: 4,32

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

**Multivitamin (with Dextrose Monohydrate)
Formulation**

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc sulphate monohydrate, Menadione sodium bisulfite)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc sulphate monohydrate, Menadione sodium bisulfite)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc sulphate monohydrate, Menadione sodium bisulfite)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc sulphate monohydrate, Menadione sodium bisulfite)
IATA	: Environmentally hazardous substance, solid, n.o.s. (Zinc sulphate monohydrate, Menadione sodium bisulfite)

14.3 Transport hazard class(es)

Class	Subsidiary risks
-------	------------------

SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11513636-00002 Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN
Environmentally hazardous : yes

ADR
Environmentally hazardous : yes

RID
Environmentally hazardous : yes

SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11513636-00002 Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H300 : Fatal if swallowed.
H302 : Harmful if swallowed.
H310 : Fatal in contact with skin.
H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H330 : Fatal if inhaled.
H335 : May cause respiratory irritation.
H360D : May damage the unborn child.
H372 : Causes damage to organs through prolonged or repeated exposure.
H400 : Very toxic to aquatic life.

Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11513636-00002	Date of last issue: 25.02.2025 Date of first issue: 25.02.2025
----------------	------------------------------	-------------------------------	---

H410 : Very toxic to aquatic life with long lasting effects.
 H411 : Toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.
 H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
ZA OEL	: South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits
2017/164/EU / TWA	: Limit Value - eight hours
ZA OEL / OEL-RL	: Occupational Exposure Limit Restricted limit - 8- hour exposure or equivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN

SAFETY DATA SHEET



Multivitamin (with Dextrose Monohydrate) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11513636-00002 Date of last issue: 25.02.2025
Date of first issue: 25.02.2025

- United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Eye Dam. 1	H318
Repr. 1A	H360D
STOT RE 2	H373
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN