

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024 Date of first issue: 23.12.2024

SECTION 1: IDENTIFICATION

Product name : Niclosamide (50%) Formulation
Product code : Aquabosso™ Molu, Aquabosso Molu

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)
Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia
Telephone : 1 800 033 461
Emergency telephone number : Poisons Information Centre: Phone 13 11 26
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Carcinogenicity (Inhalation) : Category 1A
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Lungs)

GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H350 May cause cancer by inhalation.
H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:**

SAFETY DATA SHEET



Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498544-00002 | Date of last issue: 23.12.2024 Date of first issue: 23.12.2024 |
|----------------|------------------------------|-------------------------------|---|

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|-------------------------------|------------|-----------------------|
| Niclosamide ethanolamine salt | 1420-04-8 | >= 30 -< 60 |
| Calcium carbonate | 471-34-1 | >= 30 -< 60 |
| Cristobalite | 14464-46-1 | >= 1 -< 10 |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024 Date of first issue: 23.12.2024

| | |
|---|--|
| Most important symptoms and effects, both acute and delayed | Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Harmful if swallowed. May cause cancer by inhalation. May cause damage to organs through prolonged or repeated exposure if inhaled. |
| Protection of first-aiders | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | Treat symptomatically and supportively. |

SECTION 5. FIREFIGHTING MEASURES

| | |
|---|---|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire-fighting | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides Nitrogen oxides (NO _x) Chlorine compounds Sulphur oxides Metal oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |
| Hazchem Code | : 2Z |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|---|--|

SAFETY DATA SHEET



Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498544-00002 | Date of last issue: 23.12.2024 Date of first issue: 23.12.2024 |
|----------------|------------------------------|-------------------------------|---|

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024 Date of first issue: 23.12.2024

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------------------------|---|-------------------------------------|--|----------|
| Niclosamide ethanolamine salt | 1420-04-8 | TWA | >= 10 < 100 µg/m3 (OEB 3) | Internal |
| Calcium carbonate | 471-34-1 | TWA | 10 mg/m3 (Calcium carbonate) | AU OEL |
| Cristobalite | 14464-46-1 | TWA (Respirable dust) | 0.05 mg/m3 | AU OEL |
| | Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans | | | |
| | | TWA (Respirable particulate matter) | 0.025 mg/m3 (Silica) | ACGIH |

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions,

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|---|
| Appearance | : powder |
| Colour | : yellow |
| Odour | : characteristic |
| Odour Threshold | : No data available |
| pH | : No data available |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point | : Not applicable |
| Evaporation rate | : Not applicable |
| Flammability (solid, gas) | : May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : Not applicable |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapour pressure | : Not applicable |
| Relative vapour density | : Not applicable |
| Relative density | : No data available |
| Density | : No data available |
| Solubility(ies) | |
| Water solubility | : No data available |

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

| | | |
|--|---|--|
| Partition coefficient: n-octanol/water | : | Not applicable |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, kinematic | : | Not applicable |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |
| Particle characteristics | | |
| Particle size | : | No data available |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. |
| Conditions to avoid | : | Heat, flames and sparks. Avoid dust formation. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

| | | |
|-----------------|---|--|
| Exposure routes | : | Inhalation Skin contact Ingestion Eye contact |
|-----------------|---|--|

Acute toxicity

Harmful if swallowed.

Product:

| | | |
|---------------------|---|--|
| Acute oral toxicity | : | Acute toxicity estimate: 1,000 mg/kg Method: Calculation method |
|---------------------|---|--|

Components:

Niclosamide ethanolamine salt:

Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

Acute oral toxicity : LD50 (Rat): 500 mg/kg

Calcium carbonate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Cristobalite:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Calcium carbonate:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Calcium carbonate:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024 Date of first issue: 23.12.2024

Respiratory sensitisation

Not classified based on available information.

Components:

Calcium carbonate:

| | | |
|-----------------|---|-------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Exposure routes | : | Skin contact |
| Species | : | Mouse |
| Method | : | OECD Test Guideline 429 |
| Result | : | negative |

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Niclosamide ethanolamine salt:

| | | |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| Genotoxicity in vivo | : | Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative |

Calcium carbonate:

| | | |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative |
| | | Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative |
| | | Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative |

Carcinogenicity

May cause cancer by inhalation.

Components:

Cristobalite:

| | | |
|-------------------|---|-----------------------------|
| Species | : | Humans |
| Application Route | : | inhalation (dust/mist/fume) |
| Result | : | positive |

Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

Reproductive toxicity

Not classified based on available information.

Components:**Niclosamide ethanolamine salt:**

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Calcium carbonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Components:**Cristobalite:**

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Lungs
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

Repeated dose toxicity

Components:

Niclosamide ethanolamine salt:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat |
| NOAEL | : | > 100 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 90 Days |
| Remarks | : | Based on data from similar materials |

Calcium carbonate:

| | | |
|-------------------|---|-------------------------|
| Species | : | Rat |
| NOAEL | : | > 1,000 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 28 Days |
| Method | : | OECD Test Guideline 422 |

Cristobalite:

| | | |
|-------------------|---|-----------------------------|
| Species | : | Humans |
| LOAEL | : | 0.053 mg/m ³ |
| Application Route | : | inhalation (dust/mist/fume) |

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Niclosamide ethanolamine salt:

| | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0179 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia longispina (water flea)): 0.0164 mg/l Exposure time: 96 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Skeletonema costatum (marine diatom)): 0.071 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.032 mg/l Exposure time: 21 d |

Calcium carbonate:

| | | |
|------------------|---|---|
| Toxicity to fish | : | LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h |
|------------------|---|---|

Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOELR (Pseudokirchneriella subcapitata (green algae)): 50 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC: 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Cristobalite:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Niclosamide ethanolamine salt:**

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.86
Remarks: Calculation

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024 Date of first issue: 23.12.2024

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Niclosamide ethanolamine salt)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Niclosamide ethanolamine salt)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Niclosamide ethanolamine salt)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498544-00002 Date of last issue: 23.12.2024 Date of first issue: 23.12.2024

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Niclosamide ethanolamine salt)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Environmentally hazardous : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Revision Date : 14.04.2025
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---------------------------------|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498544-00002 | Date of last issue: 23.12.2024 |
| | | | Date of first issue: 23.12.2024 |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SAFETY DATA SHEET



Niclosamide (50%) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11498544-00002

Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

AU / EN