

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Niclosamide (50%) Formulation

Product code : Aquabosso™ Molu, Aquabosso Molu

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : powder

Colour : yellow

Odour : characteristic

Harmful if swallowed. May cause cancer by inhalation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Acute toxicity (Oral) : Category 4

Carcinogenicity (Inhalation) : Category 1A

Specific target organ toxicity - repeated exposure : Category 2

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

### GHS label elements

Hazard pictograms	:	Three red diamond-shaped hazard pictograms. The first shows a person with a cracked skull, indicating a health hazard. The second shows an exclamation mark inside a triangle, indicating danger. The third shows a dead tree and a dead fish, indicating an environmental hazard.
Signal word	:	Danger
Hazard statements	:	<p>H302 Harmful if swallowed. H350 May cause cancer by inhalation. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p><b>Prevention:</b> P203 Obtain, read and follow all safety instructions before use. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.</p> <p><b>Response:</b> P301 + P317 + P330 IF SWALLOWED: Get medical help. Rinse mouth. P318 IF exposed or concerned, get medical advice. P391 Collect spillage.</p> <p><b>Storage:</b> P405 Store locked up.</p> <p><b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.</p>

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Harmful if swallowed. May cause cancer by inhalation. May cause damage to organs through prolonged or repeated exposure.

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 2 %

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Niclosamide ethanolamine salt	1420-04-8	>= 50 -< 70
Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	9084-06-4	>= 1 -< 10
Cristobalite	14464-46-1	>= 1 -< 10

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
Harmful if swallowed.  
May cause cancer by inhalation.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Chlorine compounds  
Sulphur oxides  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Niclosamide ethanolamine salt	1420-04-8	TWA	>= 10 < 100 µg/m3 (OEB 3)	Internal
Cristobalite	14464-46-1	TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

### Engineering measures

: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type  
Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

### Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : yellow

Odour : characteristic

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11498548-00002      Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

---

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

### Particle characteristics

Particle size : No data available

## 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Harmful if swallowed.

### Product:

Acute oral toxicity : Acute toxicity estimate: 980.39 mg/kg  
Method: Calculation method

### Components:

#### **Niclosamide ethanolamine salt:**

Acute oral toxicity : LD50 (Rat): 500 mg/kg

#### **Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

#### **Cristobalite:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

#### **Skin corrosion/irritation**

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

### Components:

#### **Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

#### **Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

Not classified based on available information.

##### **Respiratory sensitisation**

Not classified based on available information.

### Components:

#### **Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Niclosamide ethanolamine salt:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative

#### **Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
-----------------------	---	----------------------------------------------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

Result: negative

### Carcinogenicity

May cause cancer by inhalation.

#### Components:

##### Cristobalite:

Species	:	Humans
Application Route	:	inhalation (dust/mist/fume)
Result	:	positive
Carcinogenicity - Assessment	:	Positive evidence from human epidemiological studies (inhalation)

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### Niclosamide ethanolamine salt:

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

##### Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

---

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### **Cristobalite:**

Exposure routes	:	inhalation (dust/mist/fume)
Target Organs	:	Lungs
Assessment	:	Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

#### Repeated dose toxicity

#### Components:

##### **Niclosamide ethanolamine salt:**

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

##### **Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Species	:	Rat
NOAEL	:	>= 1,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	42 Days
Method	:	OECD Test Guideline 422

##### **Cristobalite:**

Species	:	Humans
LOAEL	:	0.053 mg/m3
Application Route	:	inhalation (dust/mist/fume)

#### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Components:

##### **Niclosamide ethanolamine salt:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0179 mg/l Exposure time: 96 h
------------------	---	--------------------------------------------------------------------------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia longispina (water flea)): 0.0164 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 0.071 mg/l Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.032 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	10

### Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	------------------------------------------------------------------------------------------------------------

### Cristobalite:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Components:

##### Niclosamide ethanolamine salt:

Bioaccumulation	:	Species: Fish Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials
Partition coefficient: n-octanol/water	:	log Pow: 3.86 Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Niclosamide ethanolamine salt)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Niclosamide ethanolamine salt)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Niclosamide ethanolamine salt)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

### GB 6944/12268

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Niclosamide ethanolamine salt)
Class	:	9
Packing group	:	III
Labels	:	9
Marine pollutant	:	yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	-------------------------------------------------------------------------------------------------------------------------------------------------------------

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	:	Not listed
---------------------------------------------------------------------------------	---	------------

Hazardous Chemicals for Priority Management under SAWS	:	Not listed
--------------------------------------------------------	---	------------

Catalogue of Specially Controlled Hazardous Chemicals	:	Not listed
-------------------------------------------------------	---	------------

List of Explosive Precursors	:	Not listed
------------------------------	---	------------

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals	:	Not listed
-------------------------------------	---	------------

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	:	Not listed
-----------------------------------------------------------------	---	------------

#### Regulation on the Administration of Precursor Chemicals

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version 2.0 Revision Date: 2025/04/14 SDS Number: 11498548-00002 Date of last issue: 2024/12/23 Date of first issue: 2024/12/23

---

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/04/14

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Niclosamide (50%) Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11498548-00002

Date of last issue: 2024/12/23  
Date of first issue: 2024/12/23

---

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN