

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498572-00002 Date of last issue: 23.12.2024 Date of first issue: 23.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Niclosamide (50%) Formulation
Product code : Aquabosso™ Molu, Aquabosso Molu

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product
Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Walton Manor, Walton
MK7 7AJ Milton Keynes - United Kingdom
Telephone : +1-908-740-4000
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

| | |
|--|--|
| Acute toxicity, Category 4 | H302: Harmful if swallowed. |
| Carcinogenicity, Category 1A | H350i: May cause cancer by inhalation. |
| Specific target organ toxicity - repeated exposure, Category 2 | H373: May cause damage to organs through prolonged or repeated exposure. |
| Short-term (acute) aquatic hazard, Category 1 | H400: Very toxic to aquatic life. |
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11498572-00002

Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms



Signal word

: Danger

Hazard statements

: H302 Harmful if swallowed.
H350i May cause cancer by inhalation.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.
P260 Do not breathe dust.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Hazardous components which must be listed on the label:

Niclosamide ethanolamine salt

Cristobalite

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 2 %

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. | Classification | Concentration |
|---------------|---------|----------------|---------------|
|---------------|---------|----------------|---------------|

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11498572-00002

Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

| | EC-No. Index-No. Registration number | | (% w/w) |
|--|--|--|--------------|
| Niclosamide ethanolamine salt | 1420-04-8 215-811-7 | Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 | >= 50 - < 70 |
| Cristobalite | 14464-46-1 238-455-4 | Carc. 1A; H350i STOT RE 1; H372 (Lungs) | >= 1 - < 10 |
| Substances with a workplace exposure limit : | | | |
| Calcium carbonate | 471-34-1 207-439-9 | | >= 30 - < 50 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498572-00002 | Date of last issue: 23.12.2024 Date of first issue: 23.12.2024 |
|----------------|------------------------------|-------------------------------|---|

| | |
|-------|---|
| Risks | : Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Harmful if swallowed. May cause cancer by inhalation. May cause damage to organs through prolonged or repeated exposure. |
|-------|---|

4.3 Indication of any immediate medical attention and special treatment needed

| | |
|-----------|---|
| Treatment | : Treat symptomatically and supportively. |
|-----------|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
|------------------------------|--|

| | |
|--------------------------------|---------------|
| Unsuitable extinguishing media | : None known. |
|--------------------------------|---------------|

5.2 Special hazards arising from the substance or mixture

| | |
|---------------------------------------|---|
| Specific hazards during fire-fighting | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. |
|---------------------------------------|---|

| | |
|-------------------------------|---|
| Hazardous combustion products | : Carbon oxides Nitrogen oxides (NO _x) Chlorine compounds Sulphur oxides Metal oxides |
|-------------------------------|---|

5.3 Advice for firefighters

| | |
|---|---|
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11498572-00002

Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498572-00002 | Date of last issue: 23.12.2024 Date of first issue: 23.12.2024 |
|----------------|------------------------------|-------------------------------|---|

| | |
|--|--|
| | <p>Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.</p> <p>Hygiene measures</p> <p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.</p> <p>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p> |
|--|--|

7.2 Conditions for safe storage, including any incompatibilities

| | |
|---|--|
| Requirements for storage areas and containers | : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations. |
| Advice on common storage | : Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases |

7.3 Specific end use(s)

| | |
|-----------------|---------------------|
| Specific use(s) | : No data available |
|-----------------|---------------------|

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind

10 mg/m³

Value type (Form of exposure): TWA (Inhalable)

Basis: GB EH40

4 mg/m³

Value type (Form of exposure): TWA (Respirable fraction)

Basis: GB EH40

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|-----------------------------|-----------|-------------------------------|---------------------------------------|----------|
| Niclosamide ethanamine salt | 1420-04-8 | TWA | >= 10 < 100 µg/m ³ (OEB 3) | Internal |
| Calcium carbonate | 471-34-1 | TWA (inhalable dust) | 10 mg/m ³ | GB EH40 |
| | | TWA (Respirable) | 4 mg/m ³ | GB EH40 |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498572-00002 Date of last issue: 23.12.2024 Date of first issue: 23.12.2024

| | | | | |
|---|------------|-----------------------|--------------------------------|------------|
| Cristobalite | 14464-46-1 | TWA (Respirable dust) | 0.1 mg/m ³ (Silica) | GB EH40 |
| Further information: Capable of causing cancer and/or heritable genetic damage. | | | | |
| | | TWA (Respirable dust) | 0.1 mg/m ³ | 2004/37/EC |
| Further information: Carcinogens or mutagens | | | | |

Derived No Effect Level (DNEL)

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|-------------------|-----------|-----------------|----------------------------|------------------------|
| Calcium carbonate | Workers | Inhalation | Long-term systemic effects | 6.36 mg/m ³ |
| | Consumers | Ingestion | Acute systemic effects | 6.1 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 1.06 mg/m ³ |
| | Consumers | Ingestion | Long-term systemic effects | 6.1 mg/kg bw/day |

Predicted No Effect Concentration (PNEC)

| Substance name | Environmental Compartment | Value |
|-------------------|---------------------------|----------|
| Calcium carbonate | Sewage treatment plant | 100 mg/l |

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498572-00002 | Date of last issue: 23.12.2024 Date of first issue: 23.12.2024 |
|----------------|------------------------------|-------------------------------|---|

| | |
|------------------------|--|
| Respiratory protection | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to BS EN 143 |
| Filter type | : Particulates type (P) |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Appearance | : powder |
| Colour | : yellow |
| Odour | : characteristic |
| Odour Threshold | : No data available |
| pH | : No data available |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point | : Not applicable |
| Evaporation rate | : Not applicable |
| Flammability (solid, gas) | : May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : Not applicable |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapour pressure | : Not applicable |
| Relative vapour density | : Not applicable |
| Relative density | : No data available |
| Density | : No data available |
| Solubility(ies) | |
| Water solubility | : No data available |
| Partition coefficient: n-octanol/water | : Not applicable |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498572-00002 | Date of last issue: 23.12.2024 Date of first issue: 23.12.2024 |
|----------------|------------------------------|-------------------------------|---|

Viscosity : Not applicable
Viscosity, kinematic

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight : No data available

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,000 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11498572-00002

Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

Method: Calculation method

Components:

Niclosamide ethanolamine salt:

Acute oral toxicity : LD50 (Rat): 500 mg/kg

Cristobalite:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on data from similar materials

Calcium carbonate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Calcium carbonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Calcium carbonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11498572-00002

Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Calcium carbonate:

| | | |
|-----------------|---|-------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Exposure routes | : | Skin contact |
| Species | : | Mouse |
| Method | : | OECD Test Guideline 429 |
| Result | : | negative |

Germ cell mutagenicity

Not classified based on available information.

Components:

Niclosamide ethanolamine salt:

| | | |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| Genotoxicity in vivo | : | Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative |

Calcium carbonate:

| | | |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative |
| | | Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative |
| | | Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative |

Carcinogenicity

May cause cancer by inhalation.

Components:

Cristobalite:

| | | |
|-------------------|---|-----------------------------|
| Species | : | Humans |
| Application Route | : | inhalation (dust/mist/fume) |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498572-00002 | Date of last issue: 23.12.2024 Date of first issue: 23.12.2024 |
|----------------|------------------------------|-------------------------------|---|

| | | |
|------------------------------|---|---|
| Result | : | positive |
| Carcinogenicity - Assessment | : | Positive evidence from human epidemiological studies (inhalation) |

Reproductive toxicity

Not classified based on available information.

Components:

Niclosamide ethanolamine salt:

| | | |
|-------------------------------|---|---|
| Effects on foetal development | : | Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials |
| | : | Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials |

Calcium carbonate:

| | | |
|-------------------------------|---|---|
| Effects on fertility | : | Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative |
| Effects on foetal development | : | Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative |

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Cristobalite:

| | | |
|-----------------|---|---|
| Exposure routes | : | inhalation (dust/mist/fume) |
| Target Organs | : | Lungs |
| Assessment | : | Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498572-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

Repeated dose toxicity

Components:

Niclosamide ethanolamine salt:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat |
| NOAEL | : | > 100 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 90 Days |
| Remarks | : | Based on data from similar materials |

Cristobalite:

| | | |
|-------------------|---|-----------------------------|
| Species | : | Humans |
| LOAEL | : | 0.053 mg/m ³ |
| Application Route | : | inhalation (dust/mist/fume) |

Calcium carbonate:

| | | |
|-------------------|---|-------------------------|
| Species | : | Rat |
| NOAEL | : | > 1,000 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 28 Days |
| Method | : | OECD Test Guideline 422 |

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Niclosamide ethanolamine salt:

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0179 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia longispina (water flea)): 0.0164 mg/l Exposure time: 96 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Skeletonema costatum (marine diatom)): 0.071 mg/l Exposure time: 96 h |

| | | |
|-----------------------------------|---|----|
| M-Factor (Acute aquatic toxicity) | : | 10 |
|-----------------------------------|---|----|

| | | |
|--|---|--|
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0.032 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) |
|--|---|--|

| | | |
|---------------------------|---|----|
| M-Factor (Chronic aquatic | : | 10 |
|---------------------------|---|----|

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version Revision Date: SDS Number: Date of last issue: 23.12.2024
2.0 14.04.2025 11498572-00002 Date of first issue: 23.12.2024

|| toxicity)

Cristobalite:

| | |
|---|---|
| Toxicity to fish | : <p>LC50 (Danio rerio (zebra fish)): > 100 mg/l</p> <p>Exposure time: 96 h</p> <p>Remarks: Based on data from similar materials</p> |
| Toxicity to daphnia and other aquatic invertebrates | : <p>EC50 (Daphnia magna (Water flea)): > 100 mg/l</p> <p>Exposure time: 48 h</p> <p>Remarks: Based on data from similar materials</p> |

Calcium carbonate:

| | |
|---|--|
| Toxicity to fish | : <p>LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203</p> |
| Toxicity to daphnia and other aquatic invertebrates | : <p>EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202</p> |
| Toxicity to algae/aquatic plants | : <p>NOELR (Pseudokirchneriella subcapitata (green algae)): 50 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201</p> |
| | EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : <p>NOEC : 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209</p> |
| | EC50 : > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

Niclosamide ethanolamine salt:

|| Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): < 500

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498572-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024



Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.86
Remarks: Calculation

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498572-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

N.O.S.
(Niclosamide ethanolamine salt)

| | | |
|-------------|---|--|
| ADR | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Niclosamide ethanolamine salt) |
| RID | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Niclosamide ethanolamine salt) |
| IMDG | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Niclosamide ethanolamine salt) |
| IATA | : | Environmentally hazardous substance, solid, n.o.s. (Niclosamide ethanolamine salt) |

14.3 Transport hazard class(es)

| | Class | Subsidiary risks |
|-------------|-------|------------------|
| ADN | : | 9 |
| ADR | : | 9 |
| RID | : | 9 |
| IMDG | : | 9 |
| IATA | : | 9 |

14.4 Packing group

| | | |
|------------------------------|---|----------|
| ADN | | |
| Packing group | : | III |
| Classification Code | : | M7 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |
| ADR | | |
| Packing group | : | III |
| Classification Code | : | M7 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |
| Tunnel restriction code | : | (-) |
| RID | | |
| Packing group | : | III |
| Classification Code | : | M7 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |
| IMDG | | |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |
| IATA (Cargo) | | |
| Packing instruction (cargo) | : | 956 |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 2.0 | Revision Date: 14.04.2025 | SDS Number: 11498572-00002 | Date of last issue: 23.12.2024 Date of first issue: 23.12.2024 |
|----------------|------------------------------|-------------------------------|---|

aircraft)

Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11498572-00002 Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

UK REACH List of substances subject to authorisation : Not applicable
(Annex XIV)

GB Export and import of hazardous chemicals - Prior
Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)

| | | Quantity 1 | Quantity 2 |
|----|--------------------------|------------|------------|
| E1 | ENVIRONMENTAL HAZARDS | 100 t | 200 t |

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H302 : Harmful if swallowed.
H350i : May cause cancer by inhalation.
H372 : Causes damage to organs through prolonged or repeated exposure if inhaled.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Carc. : Carcinogenicity
STOT RE : Specific target organ toxicity - repeated exposure
2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
2004/37/EC / TWA : Long term exposure limit
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11498572-00002

Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

| | |
|-------------------|-------|
| Acute Tox. 4 | H302 |
| Carc. 1A | H350i |
| STOT RE 2 | H373 |
| Aquatic Acute 1 | H400 |
| Aquatic Chronic 1 | H410 |

Classification procedure:

| |
|--------------------|
| Calculation method |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Niclosamide (50%) Formulation

Version
2.0

Revision Date:
14.04.2025

SDS Number:
11498572-00002

Date of last issue: 23.12.2024
Date of first issue: 23.12.2024

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN