

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Section 1: Identification

Product identifier : Butafosfan (<1%) Formulation
Product code : Prevensa Megabic,Megabic,Prevensa Megabic Parent

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Skin corrosion/irritation : Category 2
Serious eye damage/eye irritation : Category 1

GHS Label elements, including precautionary statements

Hazard pictograms : 
Signal word : Danger
Hazard statements : H315 Causes skin irritation.
H318 Causes serious eye damage.
Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
Response:

Butafosfan (<1%) Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 11504908-00003	Date of last issue: 31.01.2025 Date of first issue: 22.01.2025
----------------	------------------------------	-------------------------------	---

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Calcium diformate	544-17-2	>= 30 -< 50
Phosphoric acid	7664-38-2	>= 10 -< 20
Citric acid	77-92-9	>= 1 -< 10
L-Malic acid	97-67-6	>= 1 -< 10
Fumaric acid	110-17-8	>= 1 -< 10
Formic acid	64-18-6	>= 2 -< 3
Butafosfan	17316-67-5	>= 0.1 -< 1

Section 4: First-aid measures**Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.
Causes serious eye damage.
Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides
Oxides of phosphorus

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 11504908-00003	Date of last issue: 31.01.2025 Date of first issue: 22.01.2025
----------------	------------------------------	-------------------------------	---

Environmental precautions

Environmental precautions

- : Avoid release to the environment.
- Prevent further leakage or spillage if safe to do so.
- Retain and dispose of contaminated wash water.
- Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up

- : Sweep up or vacuum up spillage and collect in suitable container for disposal.
- Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
- Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures

- : Static electricity may accumulate and ignite suspended dust causing an explosion.
- Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation

Advice on safe handling

- : Use only with adequate ventilation.
- : Do not get on skin or clothing.
- Do not breathe dust.
- Do not swallow.
- Do not get in eyes.
- Wash skin thoroughly after handling.
- Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
- Keep container tightly closed.
- Minimize dust generation and accumulation.
- Keep container closed when not in use.
- Keep away from heat and sources of ignition.
- Take precautionary measures against static discharges.
- Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures

- : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
- When using do not eat, drink or smoke.
- Wash contaminated clothing before re-use.
- The effective operation of a facility should include review of

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
11504908-00003

Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Phosphoric acid	7664-38-2	PEL (long term)	1 mg/m3	SG OEL
		PEL (short term)	3 mg/m3	SG OEL
		TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
Formic acid	64-18-6	PEL (long term)	5 ppm 9.4 mg/m3	SG OEL
		PEL (short term)	10 ppm 19 mg/m3	SG OEL
		TWA	5 ppm	ACGIH

Appropriate engineering control measures

: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

	Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates, acidic, inorganic gas/vapour and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.

Section 9: Physical and chemical properties

Appearance	: powder
Colour	: white
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

Section 10: Stability and reactivity

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Butafosfan (<1%) FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
11504908-00003Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Components:**Calcium diformate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Phosphoric acid:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

L-Malic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on data from similar materials

Fumaric acid:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.306 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Formic acid:

Acute oral toxicity	:	Acute toxicity estimate (Humans): 500 mg/kg Method: Expert judgement
Acute inhalation toxicity	:	LC50 (Rat): 7.4 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials

Butafosfan:

Acute oral toxicity	:	LD50 (Mouse): 16,000 mg/kg
---------------------	---	----------------------------

Skin corrosion/irritation

Causes skin irritation.

Components:**Calcium diformate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Phosphoric acid:

Result	:	Corrosive after 3 minutes to 1 hour of exposure
Remarks	:	Based on national or regional regulation.

Citric acid:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

L-Malic acid:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Fumaric acid:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Formic acid:

Result	:	Corrosive after 3 minutes or less of exposure
--------	---	---

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

||| Remarks : Based on extreme pH

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Calcium diformate:

||| Species : Rabbit
||| Result : Irreversible effects on the eye
||| Method : OECD Test Guideline 405

Phosphoric acid:

||| Species : Rabbit
||| Result : Irreversible effects on the eye

Citric acid:

||| Species : Rabbit
||| Result : Irritation to eyes, reversing within 21 days
||| Method : OECD Test Guideline 405

L-Malic acid:

||| Species : Rabbit
||| Result : Irritation to eyes, reversing within 21 days
||| Method : OECD Test Guideline 405
||| Remarks : Based on data from similar materials

Fumaric acid:

||| Species : Rabbit
||| Result : Irritation to eyes, reversing within 21 days
||| Method : OECD Test Guideline 405

Formic acid:

||| Result : Irreversible effects on the eye
||| Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Calcium diformate:

||| Test Type : Maximisation Test

Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

L-Malic acid:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Fumaric acid:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Formic acid:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Calcium diformate:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	:	Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo) Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

Phosphoric acid:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
-----------------------	---	--

Butafosfan (<1%) FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
11504908-00003Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Citric acid:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

L-Malic acid:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Fumaric acid:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Formic acid:

Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo) Application Route: Ingestion Method: OECD Test Guideline 477 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Formic acid:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative
Remarks	: Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**Calcium diformate:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

Phosphoric acid:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	: Test Type: Combined repeated dose toxicity study with the

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

ment

reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Citric acid:

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

L-Malic acid:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Formic acid:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:

Citric acid:

Assessment : May cause respiratory irritation.

Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Calcium diformate:**

Species	:	Rat
NOAEL	:	3,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

Phosphoric acid:

Species	:	Rat
NOAEL	:	250 mg/kg
Application Route	:	Ingestion
Exposure time	:	40 - 52 Days
Method	:	OECD Test Guideline 422

Citric acid:

Species	:	Rat
NOAEL	:	4,000 mg/kg
LOAEL	:	8,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	10 Days

L-Malic acid:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	104 Weeks
Remarks	:	Based on data from similar materials

Fumaric acid:

Species	:	Rat
NOAEL	:	600 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

Formic acid:

Species	:	Rat
NOAEL	:	400 mg/kg
Application Route	:	Ingestion
Exposure time	:	52 Weeks
Remarks	:	Based on data from similar materials

Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Aspiration toxicity

Not classified based on available information.

Section 12: Ecological information**Toxicity****Components:****Calcium diformate:**

Toxicity to fish	: LC0 (Danio rerio (zebra fish)): >= 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Method: EPA-660/3-75-009 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
	NOEC (Pseudokirchneriella subcapitata (green algae)): 500 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): >= 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	: NOEC: >= 22.1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials

Phosphoric acid:

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025 Date of first issue: 22.01.2025

Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l
Exposure time: 24 h

L-Malic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test substance: Neutralised product
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Test substance: Neutralised product
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Fumaric acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

aquatic invertebrates	Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 300 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Formic acid:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 130 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 365 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,240 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	EC10 (Pseudokirchneriella subcapitata (green algae)): 295 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: NOEC: 72 mg/l Exposure time: 13 d

Butafosfan:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025 Date of first issue: 22.01.2025

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

Components:

Calcium diformate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 86 %
Exposure time: 28 d
Method: OECD Test Guideline 306
Remarks: Based on data from similar materials

Citric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Fumaric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 67.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Formic acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Calcium diformate:

Partition coefficient: n-octanol/water : log Pow: -2.3 - -1.9
Remarks: Based on data from similar materials

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72

L-Malic acid:

Partition coefficient: n-octanol/water : log Pow: -1.68
Remarks: Calculation

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Fumaric acid:

Partition coefficient: n-octanol/water : log Pow: 0.46

Formic acid:

Partition coefficient: n-octanol/water : log Pow: -2.1

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3453
UN proper shipping name : PHOSPHORIC ACID, SOLID MIXTURE
Transport hazard class(es) : 8
Packing group : III
Labels : 8
Environmental hazards : no

IATA-DGR

UN/ID No. : UN 3453
UN proper shipping name : Phosphoric acid, solid Mixture
Transport hazard class(es) : 8
Packing group : III
Labels : Corrosive
Packing instruction (cargo aircraft) : 864
Packing instruction (passenger aircraft) : 860

IMDG-Code

UN number : UN 3453
Proper shipping name : PHOSPHORIC ACID, SOLID MIXTURE
Transport hazard class(es) : 8
Packing group : III
Labels : 8
EmS Code : F-A, S-B

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11504908-00003 Date of last issue: 31.01.2025
Date of first issue: 22.01.2025

Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit

SAFETY DATA SHEET



Butafosfan (<1%) Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 11504908-00003	Date of last issue: 31.01.2025 Date of first issue: 22.01.2025
----------------	------------------------------	-------------------------------	---

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN