

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	2025/05/09	11441534-00004	2025/04/14
			Date of first issue: 2024/09/23

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lufenuron Premix Formulation

Product code : IMVIXA Premix

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Central nervous system, Lungs, Liver, Stomach)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	2025/05/09	11441534-00004	2025/04/14
			Date of first issue: 2024/09/23

H360D May damage the unborn child.
H372 Causes damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 60 -<= 100
Lufenuron (ISO)	103055-07-8	>= 10 -< 25

4. FIRST AID MEASURES

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
3.1	2025/05/09	11441534-00004	2025/04/14
			Date of first issue: 2024/09/23

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May cause an allergic skin reaction. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.

Lufenuron Premix Formulation

Version 3.1 Revision Date: 2025/05/09 SDS Number: 11441534-00004 Date of last issue: 2025/04/14
 Date of first issue: 2024/09/23

Take precautionary measures against static discharges.
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.

Materials to avoid : Store in accordance with the particular national regulations.
 Do not store with the following product types:
 Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	NAB	10 mg/m ³	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			
		TWA	10 mg/m ³	ACGIH
Lufenuron (ISO)	103055-07-8	TWA	200 µg/m ³ (OEB 2)	Internal
	Further information: DSEN			
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work-

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

ing place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	White to light yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Components:**Starch:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

Lufenuron (ISO):

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
		LD50 (Mouse): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 2,350 mg/m3 Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Lufenuron (ISO):**

Species	:	Rabbit
Method	:	Draize Test
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Starch:**

Species	:	Rabbit
Result	:	No eye irritation

Lufenuron (ISO):

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Draize Test

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Starch:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

Lufenuron (ISO):

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: May cause sensitisation by skin contact.
Result	: Sensitiser

Germ cell mutagenicity

Not classified based on available information.

Components:**Starch:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Lufenuron (ISO):

Genotoxicity in vitro	: Test Type: Ames test Result: negative
-----------------------	--

Test Type: Mouse Lymphoma
Test system: Chinese hamster cells
Result: negative

Test Type: Cytogenetic assay
Test system: Chinese hamster ovary cells
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: negative

Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative
----------------------	--

Test Type: Unscheduled DNA synthesis test (UDS) in testicular cells
Species: Rat
Result: negative

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

Carcinogenicity

Not classified based on available information.

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

Components:**Lufenuron (ISO):**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	18 month(s)
Result	:	negative

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

Reproductive toxicity

May damage the unborn child.

Components:**Lufenuron (ISO):**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 8.3 mg/kg wet weight Early Embryonic Development: NOAEL: 20.9 mg/kg body weight Result: Animal testing did not show any effects on fertility.
----------------------	---	---

Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 500 mg/kg body weight Developmental Toxicity: NOAEL: 1,000 mg/kg body weight Symptoms: No adverse effects Remarks: No significant adverse effects were reported
-------------------------------	---	---

	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion General Toxicity Maternal: NOAEL: 20.9 mg/kg body weight Embryo-foetal toxicity: 8.3 mg/kg body weight Result: foetal abnormalities
--	---	---

Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	--

STOT - single exposure

Not classified based on available information.

Components:**Lufenuron (ISO):**

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
------------	---	--

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

STOT - repeated exposure

Causes damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.

Components:**Lufenuron (ISO):**

Exposure routes	: Oral
Target Organs	: Central nervous system, Lungs, Liver, Stomach
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity**Components:****Starch:**

Species	: Rat
NOAEL	: $\geq 2,000$ mg/kg
Application Route	: Skin contact
Exposure time	: 28 Days
Method	: OECD Test Guideline 410

Lufenuron (ISO):

Species	: Rat
NOAEL	: 5.34 mg/kg
Application Route	: oral (feed)
Exposure time	: 4 Months
Target Organs	: Central nervous system, digestive system
Symptoms	: central nervous system effects

Species	: Rat
NOAEL	: 1.93 mg/kg
Application Route	: oral (feed)
Exposure time	: 2 yr
Symptoms	: central nervous system effects, Convulsions

Species	: Mouse
NOAEL	: 2.12 mg/kg
Application Route	: oral (feed)
Exposure time	: 18 Months
Target Organs	: Central nervous system, Liver, Prostate
Symptoms	: central nervous system effects, Convulsions

Species	: Dog
NOAEL	: 7.02 mg/kg
Application Route	: oral (feed)
Exposure time	: 1 yr
Target Organs	: Central nervous system, Liver, Lungs
Symptoms	: Convulsions, Fatality, Irregularities

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Lufenuron (ISO):**

General Information : Remarks: May be harmful if swallowed.
May cause neurotoxic effects.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Lufenuron (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 73,100 µg/l Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Oncorhynchus mykiss (rainbow trout)): > 29,000 µg/l Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Oncorhynchus mykiss (rainbow trout)): 370 µg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 0.042 µg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 EC50 (Daphnia magna (Water flea)): 0.41 µg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 209 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Scenedesmus subspicatus): 17 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 80 µg/l Exposure time: 33 d Method: OECD Test Guideline 210

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

NOEC (Oncorhynchus mykiss (rainbow trout)): 20 µg/l
Exposure time: 359 d
Method: OECD Test Guideline 229

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 8.38 µg/l
aquatic invertebrates (Chronic toxicity)
Exposure time: 21 d
Method: OECD Test Guideline 211

NOEC (Daphnia magna (Water flea)): 90 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

NOEC (Chironomus riparius (harlequin fly)): 2 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Lufenuron (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 28
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.12

Mobility in soil**Components:****Lufenuron (ISO):**

Distribution among environmental compartments : log Koc: 5.38
Method: OECD Test Guideline 106

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lufenuron (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Lufenuron (ISO))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lufenuron (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/05/09

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

ID OEL / NAB : Long term exposure limit

Lufenuron Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/04/14
3.1	2025/05/09	11441534-00004	Date of first issue: 2024/09/23

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN