

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

---

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Metal Sulfates Formulation  
Product code : Minebloom

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product  
Recommended restrictions on use : Not applicable

### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Kilsheelan  
Clonmel Tipperary, IE  
Telephone : 353-51-601000  
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

### 1.4 Emergency telephone number

+1-908-423-6000

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Carcinogenicity, Category 1B	H350i: May cause cancer by inhalation.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--



Signal word :

Danger

Hazard statements :

H302 + H332 Harmful if swallowed or if inhaled.  
H318 Causes serious eye damage.  
H350i May cause cancer by inhalation.  
H360FD May damage fertility. May damage the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P260 Do not breathe dust.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

Calcium bis(dihydrogenorthophosphate)

Disodium octaborate tetrahydrate

Manganese sulfate

Sodium selenite

Cobalt Chloride

EUH208 Contains Sodium selenite, Cobalt Chloride. May produce an allergic reaction.

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

May form explosive dust-air mixture during processing, handling or other means.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Calcium bis(dihydrogenorthophosphate)	7758-23-8 231-837-1	Eye Dam. 1; H318	>= 20 - < 30
Ethylene diamine tetraacetic acid	60-00-4 200-449-4 607-429-00-8	Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 1 - < 10
Sulfuric acid, iron(2+) salt (1:1), monohydrate	17375-41-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319  Acute toxicity esti- mate  Acute oral toxicity: 500 mg/kg	>= 1 - < 10
Disodium octaborate tetrahydrate	12280-03-4 234-541-0 005-020-00-3 01-2119490860-33	Repr. 1B; H360FD	>= 1 - < 10
Manganese sulfate	10034-96-5	Eye Dam. 1; H318 STOT RE 1; H372 (Brain) Aquatic Chronic 2; H411	>= 1 - < 2,5
Copper(II) sulfate, pentahydrate	7758-99-8 029-023-00-4	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1  Acute toxicity esti-	>= 1 - < 2,5

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0 Revision Date: 22.09.2025 SDS Number: 11579024-00001 Date of last issue: - Date of first issue: 22.09.2025

		mate  Acute oral toxicity: 481 mg/kg	
Zinc sulphate monohydrate	7446-19-7  030-006-00-9	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2,5
Sodium selenite	10102-18-8 233-267-9 034-003-00-3	Acute Tox. 1; H300 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH031  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  Acute toxicity esti- mate  Acute oral toxicity: 4,8 mg/kg	>= 0,25 - < 1
Cobalt Chloride	7646-79-9 231-589-4 027-004-00-5	Acute Tox. 4; H302 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350i Repr. 1B; H360F STOT RE 1; H372 (Thyroid, Heart, Blood, Respiratory Tract) Aquatic Acute 1; H400	>= 0,025 - < 0,1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

		Aquatic Chronic 1; H410	
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
		specific concentration limit Carc. 1B; H350i >= 0,01 %	
		Acute toxicity estimate	
		Acute oral toxicity: 537 mg/kg	

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

---

Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed or if inhaled.  
Causes serious eye damage.  
May cause cancer by inhalation.  
May damage fertility. May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
  
May produce an allergic reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Sulphur oxides  
Metal oxides  
Oxides of phosphorus  
Chlorine compounds  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.  
Add excess liquid to allow the material to enter into solution.  
Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

Advice on safe handling	: Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

### 7.3 Specific end use(s)

Specific use(s)	: No data available
-----------------	---------------------

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Dust	5 mg/m <sup>3</sup> Value type (Form of exposure): TWA (respirable dust) Basis: FOR-2011-12-06-1358
------	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

10 mg/m<sup>3</sup>

Value type (Form of exposure): TWA (total dust)

Basis: FOR-2011-12-06-1358

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Silicon dioxide	7631-86-9	TWA (respirable dust)	1,5 mg/m <sup>3</sup> (Silica)	FOR-2011-12-06-1358
Sulfuric acid, iron(2+) salt (1:1), monohydrate	17375-41-6	TWA	1 mg/m <sup>3</sup> (Iron)	FOR-2011-12-06-1358
Sodium molybdate (VI) dihydrate	10102-40-6	TWA	5 mg/m <sup>3</sup> (Molybdenum)	FOR-2011-12-06-1358
Manganese sulfate	10034-96-5	TWA (inhalable fraction)	0,2 mg/m <sup>3</sup> (Manganese)	FOR-2011-12-06-1358
		TWA (respirable fraction)	0,05 mg/m <sup>3</sup> (Manganese)	FOR-2011-12-06-1358
		TWA (inhalable fraction)	0,2 mg/m <sup>3</sup> (Manganese)	2017/164/EU
		Further information: Indicative		
		TWA (Respirable fraction)	0,05 mg/m <sup>3</sup> (Manganese)	2017/164/EU
		Further information: Indicative		
Sodium selenite	10102-18-8	TWA	0,05 mg/m <sup>3</sup> (selenium)	FOR-2011-12-06-1358
		Further information: Substances considered to evoke allergies when coming into touch with the eyes or airways or evoking allergies after coming into contact with the skin		
		TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Cobalt Chloride	7646-79-9	TWA	0,02 mg/m <sup>3</sup> (Cobalt)	FOR-2011-12-06-1358
		Further information: Substances considered to be carcinogenic, Substances considered to be reprotoxic, Substances considered to evoke allergies when coming into touch with the eyes or airways or evoking allergies after coming into contact with the skin		

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Manganese sulfate	Workers	Inhalation	Long-term systemic effects	0,2 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	2,86 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,043 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	3,33 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,67 mg/kg bw/day
Sulfuric acid, iron(2+)	Workers	Skin contact	Long-term systemic	2,8 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0 Revision Date: 22.09.2025 SDS Number: 11579024-00001 Date of last issue: - Date of first issue: 22.09.2025

salt (1:1), monohydrate			effects	bw/day
	Consumers	Skin contact	Long-term systemic effects	1,4 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,28 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day
Potassium chloride	Workers	Inhalation	Long-term systemic effects	1064 mg/m3
	Workers	Inhalation	Acute systemic effects	5320 mg/m3
	Workers	Skin contact	Long-term systemic effects	303 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	910 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	273 mg/m3
	Consumers	Inhalation	Acute systemic effects	1365 mg/m3
	Consumers	Skin contact	Long-term systemic effects	182 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	910 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	91 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	455 mg/kg bw/day
Silicon dioxide	Workers	Inhalation	Long-term local effects	0,963 mg/m3
Diammonium hydrogenorthophosphate	Workers	Inhalation	Long-term systemic effects	5,9 mg/m3
	Workers	Skin contact	Long-term systemic effects	8,3 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,45 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4,17 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,42 mg/kg bw/day
Ethylene diamine tetraacetic acid	Workers	Inhalation	Long-term systemic effects	2,5 mg/m3
	Workers	Inhalation	Long-term local effects	2,5 mg/m3
	Consumers	Inhalation	Acute local effects	1,5 mg/m3
	Consumers	Ingestion	Long-term local effects	25 mg/kg bw/day
Disodium octaborate tetrahydrate	Workers	Inhalation	Long-term systemic effects	6,9 mg/m3
	Workers	Skin contact	Long-term systemic effects	326 mg/kg bw/day

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

	Consumers	Inhalation	Long-term systemic effects	3,5 mg/m3
	Consumers	Skin contact	Long-term systemic effects	163,3 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,81 mg/kg bw/day
Sodium selenite	Workers	Inhalation	Long-term systemic effects	0,11 mg/m3
	Workers	Skin contact	Long-term systemic effects	15,33 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,033 mg/m3
	Consumers	Skin contact	Long-term systemic effects	9,42 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,00942 mg/kg bw/day
Cobalt Chloride	Workers	Inhalation	Long-term local effects	88,1 µg/m3
	Consumers	Inhalation	Long-term local effects	13,9 µg/m3
	Consumers	Ingestion	Long-term systemic effects	0,120 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Manganese sulfate	Fresh water	1,249 mg/l
	Marine water	0,015 mg/l
	Sewage treatment plant	56 mg/l
	Fresh water sediment	1,587 mg/kg dry weight (d.w.)
	Marine sediment	0,159 mg/kg dry weight (d.w.)
	Soil	40,028 mg/kg dry weight (d.w.)
Potassium chloride	Fresh water	0,1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	10 mg/l
Diammonium hydrogenorthophosphate	Sewage treatment plant	10 mg/l
Ethylene diamine tetraacetic acid	Fresh water	2,2 mg/l
	Marine water	0,22 mg/l
	Intermittent use/release	1,2 mg/l
	Sewage treatment plant	43 mg/l
	Soil	0,72 mg/kg
Disodium octaborate tetrahydrate	Fresh water	2,9 mg/l
	Freshwater - intermittent	13,7 mg/l
	Marine water	2,9 mg/l
	Sewage treatment plant	10 mg/l
	Soil	5,7 mg/kg dry weight (d.w.)
Sodium selenite	Fresh water	0,00585 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0 Revision Date: 22.09.2025 SDS Number: 11579024-00001 Date of last issue: - Date of first issue: 22.09.2025

	Marine water	0,00438 mg/l
	Freshwater - intermittent	0,012 mg/l
	Sewage treatment plant	3,285 mg/l
	Fresh water sediment	18 mg/kg dry weight (d.w.)
	Marine sediment	13,6 mg/kg dry weight (d.w.)
	Soil	0,22 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	2,19 mg/kg food
Cobalt Chloride	Fresh water	0,6 µg/l
	Marine water	2,36 µg/l
	Sewage treatment plant	0,37 mg/l
	Fresh water sediment	9,5 mg/kg
	Marine sediment	9,5 mg/kg
	Soil	10,9 mg/kg

### 8.2 Exposure controls

#### Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

Respiratory protection	: Use appropriate degowning techniques to remove potentially contaminated clothing.
	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Equipment should conform to NS EN 143 : Particulates type (P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	: solid
Form	: powder
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Solubility(ies)	
Water solubility	: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

---

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

---

Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	Not applicable
Particle characteristics Particle size	:	No data available

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	Not applicable
Molecular weight	:	No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
---------------------	---	--

### 10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
---------------------	---	---

### 10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 506,19 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 4,36 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Calcium bis(dihydrogenorthophosphate):**

Acute oral toxicity : LD50 (Rat): 3.986 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Ethylene diamine tetraacetic acid:**

Acute oral toxicity : LD50 (Rat): 4.500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 412  
Remarks: Based on data from similar materials

##### **Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted according to guideline

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

Based on data from similar materials

### Disodium octaborate tetrahydrate:

Acute oral toxicity : LD50 (Rat): 2.550 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 2,01 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Manganese sulfate:

Acute oral toxicity : LD50 (Rat): > 2.000 - 5.000 mg/kg  
Remarks: No test guideline followed

Acute inhalation toxicity : LC50 (Rat): > 4,98 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The test was conducted according to guideline

### Copper(II) sulfate, pentahydrate:

Acute oral toxicity : LD50 (Rat): 481 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Zinc sulphate monohydrate:

Acute oral toxicity : LD50 (Rat): > 1.000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### Sodium selenite:

Acute oral toxicity : LD50 (Rat): 4,8 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,052 - 0,51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0 Revision Date: 22.09.2025 SDS Number: 11579024-00001 Date of last issue: - Date of first issue: 22.09.2025

---

### Cobalt Chloride:

Acute oral toxicity : LD50 (Rat): 537 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Calcium bis(dihydrogenorthophosphate):

Species : Rabbit  
Result : No skin irritation

#### Ethylene diamine tetraacetic acid:

Species : Rabbit  
Result : No skin irritation

#### Sulfuric acid, iron(2+) salt (1:1), monohydrate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : The test was conducted according to guideline

#### Disodium octaborate tetrahydrate:

Species : Rabbit  
Result : No skin irritation

#### Manganese sulfate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : The test was conducted according to guideline

#### Copper(II) sulfate, pentahydrate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Zinc sulphate monohydrate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### Sodium selenite:

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version      Revision Date:      SDS Number:      Date of last issue: -  
1.0      22.09.2025      11579024-00001      Date of first issue: 22.09.2025

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

Result : Skin irritation

## Cobalt Chloride:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

## Components:

## Calcium bis(dihydrogenorthophosphate):

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### **Ethylene diamine tetraacetic acid:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

## Sulfuric acid, iron(2+) salt (1:1), monohydrate:

Result : Irritation to eyes, reversing within 21 days

## Disodium octaborate tetrahydrate:

Species : Rabbit  
Result : No eye irritation

## Manganese sulfate:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
Remarks : The test was conducted according to guideline

### **Copper(II) sulfate, pentahydrate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

## **Zinc sulphate monohydrate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

Remarks : Based on data from similar materials

### Sodium selenite:

Result : Irritation to eyes, reversing within 21 days

### Cobalt Chloride:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Calcium bis(dihydrogenorthophosphate):

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

##### Ethylene diamine tetraacetic acid:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

##### Sulfuric acid, iron(2+) salt (1:1), monohydrate:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : The test was conducted according to guideline

##### Disodium octaborate tetrahydrate:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

Result : negative

### Manganese sulfate:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline  
Based on data from similar materials

### Copper(II) sulfate, pentahydrate:

Test Type : Freund's complete adjuvant test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Zinc sulphate monohydrate:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative  
Remarks : Based on data from similar materials

### Sodium selenite:

Assessment : Probability or evidence of skin sensitisation in humans  
Remarks : Based on national or regional regulation.

### Cobalt Chloride:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : positive  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of high skin sensitisation rate in humans

Exposure routes : inhalation (dust/mist/fume)  
Species : Humans  
Result : positive  
Remarks : Based on data from similar materials

Assessment : May cause sensitisation by inhalation.

### Germ cell mutagenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

---

### Components:

#### **Calcium bis(dihydrogenorthophosphate):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test  
Method: OECD Test Guideline 487  
Result: negative  
Remarks: Based on data from similar materials

#### **Ethylene diamine tetraacetic acid:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

#### **Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted equivalent or similar to  
guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted equivalent or similar to  
guideline

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

---

### Disodium octaborate tetrahydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Manganese sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

### Copper(II) sulfate, pentahydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

---

Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: Directive 67/548/EEC, Annex V, B.12.  
Result: negative

### Zinc sulphate monohydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative  
Remarks: Based on data from similar materials

### Sodium selenite:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

### Cobalt Chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

---

### Carcinogenicity

May cause cancer by inhalation.

### Components:

#### **Ethylene diamine tetraacetic acid:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

#### **Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline  
Based on data from similar materials

#### **Disodium octaborate tetrahydrate:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

#### **Manganese sulfate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

#### **Zinc sulphate monohydrate:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 1 Years  
Result : negative  
Remarks : Based on data from similar materials

#### **Cobalt Chloride:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 105 weeks  
Result : positive  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

Species	:	Mouse
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	105 weeks
Result	:	positive
Remarks	:	Based on data from similar materials
Carcinogenicity - Assessment	:	Sufficient evidence of carcinogenicity in inhalation studies with animals

### Reproductive toxicity

May damage fertility. May damage the unborn child.

#### Components:

##### **Calcium bis(dihydrogenorthophosphate):**

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

##### **Ethylene diamine tetraacetic acid:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

##### **Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: The test was conducted according to guideline
Effects on foetal development	:	Test Type: Combined repeated dose toxicity study with the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

ment reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: The test was conducted according to guideline

### Disodium octaborate tetrahydrate:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### Manganese sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

### Copper(II) sulfate, pentahydrate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### Zinc sulphate monohydrate:

Effects on fertility : Test Type: Fertility  
Species: Rat

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

---

Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Sodium selenite:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Cobalt Chloride:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version Revision Date: SDS Number: Date of last issue: -  
1.0 22.09.2025 11579024-00001 Date of first issue: 22.09.2025

## Components:

## Manganese sulfate:

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Brain
Assessment	: Causes damage to organs through prolonged or repeated exposure.
Remarks	: Based on data from similar materials

### **Copper(II) sulfate, pentahydrate:**

Exposure routes : Ingestion  
Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

## Sodium selenite:

Exposure routes : Ingestion  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

## **Cobalt Chloride:**

Exposure routes	: Ingestion
Target Organs	: Thyroid, Heart, Blood
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Exposure routes	:	inhalation (dust/mist/fume)
Target Organs	:	Respiratory Tract
Assessment	:	Shown to produce significant health concentrations of 0.02 mg/l/6h/d or less.

## Repeated dose toxicity

## Components:

### **Calcium bis(dihydrogenorthophosphate):**

Species : Rat  
NOAEL : > 300 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 407  
Remarks : Based on data from similar materials

### Ethylene diamine tetraacetic acid:

Species : Mouse  
NOAEL :  $\geq 500$  mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

---

### Sulfuric acid, iron(2+) salt (1:1), monohydrate:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

### Disodium octaborate tetrahydrate:

Species	:	Rat
NOAEL	:	> 10 mg/kg
LOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr
Remarks	:	Based on data from similar materials

  

Species	:	Rat
NOAEL	:	> 0,2 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	10 Weeks
Remarks	:	Based on data from similar materials

### Manganese sulfate:

Species	:	Rat, male
NOAEL	:	1.700 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

### Copper(II) sulfate, pentahydrate:

Species	:	Rat
NOAEL	:	17 mg/kg
LOAEL	:	34 mg/kg
Application Route	:	Ingestion
Exposure time	:	92 Days

### Zinc sulphate monohydrate:

Species	:	Rat
NOAEL	:	234 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

### Sodium selenite:

Species	:	Rat
NOAEL	:	0,88 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

### Cobalt Chloride:

Species	:	Rat
LOAEL	:	5,5 mg/kg
Application Route	:	Ingestion
Exposure time	:	8 Weeks
Remarks	:	Based on data from similar materials
Species	:	Rat
LOAEL	:	< 0,01 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	13 Weeks
Remarks	:	Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Not classified based on available information.

### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

### Experience with human exposure

#### Components:

##### Manganese sulfate:

Inhalation	:	Target Organs: Brain Symptoms: Tremors, Lack of coordination Remarks: Based on data from similar materials
------------	---	--

##### Sodium selenite:

Inhalation	:	Target Organs: Respiratory Tract Symptoms: Irritation, Oedema Target Organs: Cardio-vascular system Symptoms: Lowered blood pressure Target Organs: Digestive organs Symptoms: Nausea, Vomiting, Irritability
Ingestion	:	Target Organs: Nervous system Symptoms: Neurological disorders Target Organs: Hair Symptoms: hair loss Target Organs: Skin Symptoms: Rash, Skin disorders Target Organs: Endocrine system

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

###### **Calcium bis(dihydrogenorthophosphate):**

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 : > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

###### **Ethylene diamine tetraacetic acid:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 159 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 625 mg/l Exposure time: 24 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		NOEC (Pseudokirchneriella subcapitata (algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 : 2,4 mg/l Exposure time: 24 h
Toxicity to fish (Chronic toxicity)	:	NOEC: >= 25,7 mg/l Exposure time: 35 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 25 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

### Disodium octaborate tetrahydrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 380,17 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 443,61 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (activated sludge): > 1 mg/l  
Exposure time: 7 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10: 103 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 31,48 mg/l  
Exposure time: 42 d  
Species: Hyalella azteca (Amphipod)

### Manganese sulfate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: No test guideline followed

Toxicity to daphnia and other aquatic invertebrates : EC50 (Hyalella azteca (Amphipod)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: No test guideline followed  
Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

---

ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

Toxicity to microorganisms : NOEC (activated sludge): 560 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: The test was conducted according to guideline

Toxicity to fish (Chronic toxicity) : NOEC: > 1 mg/l  
Exposure time: 65 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 210  
Remarks: The test was conducted equivalent or similar to guideline

### Copper(II) sulfate, pentahydrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0,01 - 0,1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,01 - 0,1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01 - 0,1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials  
  
NOEC (Chlamydomonas reinhardtii (green algae)): > 0,01 - 0,1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 : 7 mg/l

Toxicity to fish (Chronic toxicity) : NOEC: > 0,01 - 0,1 mg/l  
Exposure time: 32 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,01 - 0,1 mg/l  
Exposure time: 7 d  
Species: Ceriodaphnia dubia (water flea)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

### Zinc sulphate monohydrate:

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,384 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,192 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (fresh water algae)): 0,373 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 34,5 µg/l

Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 205,2 µg/l  
Species: Jordanella floridae (flagfish)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 415,7 µg/l  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

### Sodium selenite:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,2 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): > 0,1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Chlamydomonas reinhardtii (green algae)): > 0,1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

M-Factor (Acute aquatic toxicity) : 1  
Toxicity to microorganisms : EC50 (activated sludge): 180 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Toxicity to fish (Chronic toxicity) : NOEC: 0,022 mg/l  
Exposure time: 258 d  
Species: Lepomis macrochirus (Bluegill sunfish)  
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,096 mg/l  
Exposure time: 28 d  
M-Factor (Chronic aquatic toxicity) : 1

### Cobalt Chloride:

Toxicity to fish : LC50 (Oncorhynchus tshawytscha (chinook salmon)): 0,77 mg/l  
Exposure time: 14 d

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 1,33 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Champia parvula (marine algae)): 0,053 mg/l  
Exposure time: 72 h  
EC10 (Lemma minor (common duckweed)): 0,01 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0,748 mg/l  
Exposure time: 16 d  
Species: Danio rerio (zebra fish)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0,01 mg/l  
Exposure time: 28 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

## 12.2 Persistence and degradability

### Components:

#### **Ethylene diamine tetraacetic acid:**

Biodegradability : Result: Inherently biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

Biodegradation: 80 - 90 %  
Exposure time: 28 d

### 12.3 Bioaccumulative potential

#### Components:

##### **Ethylene diamine tetraacetic acid:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,8  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 0,13

##### **Cobalt Chloride:**

Bioaccumulation : Bioconcentration factor (BCF): 724

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

---

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

---

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

<b>ADN</b>	:	UN 3077
<b>ADR</b>	:	UN 3077
<b>RID</b>	:	UN 3077
<b>IMDG</b>	:	UN 3077
<b>IATA</b>	:	UN 3077

### 14.2 UN proper shipping name

<b>ADN</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper(II) sulfate, pentahydrate, Zinc sulphate monohydrate)
<b>ADR</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper(II) sulfate, pentahydrate, Zinc sulphate monohydrate)
<b>RID</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper(II) sulfate, pentahydrate, Zinc sulphate monohydrate)
<b>IMDG</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper(II) sulfate, pentahydrate, Zinc sulphate monohydrate)
<b>IATA</b>	:	Environmentally hazardous substance, solid, n.o.s. (Copper(II) sulfate, pentahydrate, Zinc sulphate monohydrate)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	:	9
<b>ADR</b>	:	9
<b>RID</b>	:	9
<b>IMDG</b>	:	9
<b>IATA</b>	:	9

### 14.4 Packing group

<b>ADN</b>	:	
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9

**ADR**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.09.2025	11579024-00001	Date of first issue: 22.09.2025

---

**Packing group** : III  
**Classification Code** : M7  
**Hazard Identification Number** : 90  
**Labels** : 9  
**Tunnel restriction code** : (-)

### RID

**Packing group** : III  
**Classification Code** : M7  
**Hazard Identification Number** : 90  
**Labels** : 9

### IMDG

**Packing group** : III  
**Labels** : 9  
**EmS Code** : F-A, S-F

### IATA (Cargo)

**Packing instruction (cargo aircraft)** : 956  
**Packing instruction (LQ)** : Y956  
**Packing group** : III  
**Labels** : Miscellaneous

### IATA (Passenger)

**Packing instruction (passenger aircraft)** : 956  
**Packing instruction (LQ)** : Y956  
**Packing group** : III  
**Labels** : Miscellaneous

## 14.5 Environmental hazards

### ADN

**Environmentally hazardous** : yes

### ADR

**Environmentally hazardous** : yes

### RID

**Environmentally hazardous** : yes

### IMDG

**Marine pollutant** : yes

### IATA (Passenger)

**Environmentally hazardous** : yes

### IATA (Cargo)

**Environmentally hazardous** : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

**Remarks** : Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
22.09.2025

SDS Number:  
11579024-00001

Date of last issue: -  
Date of first issue: 22.09.2025

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered:  
Number on list 28: Cobalt Chloride

Number on list 30: Disodium octaborate tetrahydrate

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

: Disodium octaborate tetrahydrate

: Not applicable

: Not applicable

: Not applicable

: Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation (Annex XIV)

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2

ENVIRONMENTAL  
HAZARDS

Quantity 1

200 t

Quantity 2

500 t

### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

### The components of this product are reported in the following inventories:

AICS : not determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

CA. DSL : not determined  
IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H300 : Fatal if swallowed.  
H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H330 : Fatal if inhaled.  
H332 : Harmful if inhaled.  
H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H341 : Suspected of causing genetic defects.  
H350i : May cause cancer by inhalation.  
H360F : May damage fertility.  
H360FD : May damage fertility. May damage the unborn child.  
H372 : Causes damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.  
EUH031 : Contact with acids liberates toxic gas.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Carc. : Carcinogenicity  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Muta. : Germ cell mutagenicity  
Repr. : Reproductive toxicity  
Resp. Sens. : Respiratory sensitisation  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure  
2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

FOR-2011-12-06-1358 : Norway. Occupational Exposure limits  
2017/164/EU / TWA : Limit Value - eight hours  
FOR-2011-12-06-1358 / : Long term exposure limit  
TWA

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Acute Tox. 4	H302
Acute Tox. 4	H332
Eye Dam. 1	H318
Carc. 1B	H350i
Repr. 1B	H360FD
STOT RE 2	H373

### Classification procedure:

Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Metal Sulfates Formulation

Version 1.0	Revision Date: 22.09.2025	SDS Number: 11579024-00001	Date of last issue: - Date of first issue: 22.09.2025
----------------	------------------------------	-------------------------------	--

Aquatic Chronic 2 H411 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN