

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0      Revision Date: 2025/09/22      SDS Number: 11578969-00001      Date of last issue: -  
Date of first issue: 2025/09/22

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Metal Sulfates Formulation

Product code : Minebloom

#### Manufacturer or supplier's details

Company : MSD

Address : Lot F, Loc An Binh Son Industrial Park, Long An Commune,  
Long Thanh District,  
Dong Nai Province, Vietnam 76200

Telephone : 0251 354 5925

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Carcinogenicity : Category 1B

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Brain)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

### GHS label elements

#### Hazard pictograms



#### Signal word

: Danger

#### Hazard statements

: H302 + H332 Harmful if swallowed or if inhaled.  
H316 Causes mild skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H350 May cause cancer.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Brain) through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
2025/09/22

SDS Number:  
11578969-00001

Date of last issue: -  
Date of first issue: 2025/09/22

---

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Calcium bis(dihydrogenorthophosphate)	7758-23-8	>= 15 < 30
Potassium chloride	7447-40-7	>= 5 < 7
Silicon dioxide	7631-86-9	>= 5 < 7
Ethylene diamine tetraacetic acid	60-00-4	>= 5 < 7
Sulfuric acid, iron(2+) salt (1:1), monohydrate	17375-41-6	>= 1,5 < 3
Sodium molybdate (VI) dihydrate	10102-40-6	>= 1,5 < 3
Disodium octaborate tetrahydrate	12280-03-4	>= 1,5 < 3
Manganese sulfate	10034-96-5	>= 1,5 < 2,5
Copper(II) sulfate, pentahydrate	7758-99-8	>= 1,5 < 2,5
Zinc sulphate monohydrate	7446-19-7	>= 1 < 1,5
Sodium selenite	10102-18-8	>= 0,5 < 1
Cobalt Chloride	7646-79-9	>= 0,025 < 0,1

---

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and : Harmful if swallowed or if inhaled.  
Causes mild skin irritation.

# SAFETY DATA SHEET



## Metal Sulfates Formulation

---

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

---

delayed	May cause an allergic skin reaction. Causes serious eye damage. May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Sulphur oxides Metal oxides Oxides of phosphorus Chlorine compounds Carbon oxides Nitrogen oxides (NO <sub>x</sub> )
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Metal Sulfates Formulation**Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22

Methods and materials for containment and cleaning up

: Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**7. HANDLING AND STORAGE**

Technical measures

: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation

: If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling

: Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Keep container tightly closed.

Minimize dust generation and accumulation.

Keep container closed when not in use.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage

: Keep in properly labelled containers.

Store locked up.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid

: Do not store with the following product types:

Strong oxidizing agents

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
2025/09/22

SDS Number:  
11578969-00001

Date of last issue: -  
Date of first issue: 2025/09/22

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Sulfuric acid, iron(2+) salt (1:1), monohydrate	17375-41-6	TWA	1 mg/m <sup>3</sup> (Iron)	VN OEL
		STEL	2 mg/m <sup>3</sup> (Iron)	VN OEL
		TWA	1 mg/m <sup>3</sup> (Iron)	ACGIH
Sodium molybdate (VI) dihy- drate	10102-40-6	TWA (Res- pirable par- ticulate mat- ter)	0,5 mg/m <sup>3</sup> (Molybdenum)	ACGIH
Disodium octaborate tetrahy- drate	12280-03-4	TWA	0,5 mg/m <sup>3</sup>	VN OEL
		STEL	1 mg/m <sup>3</sup>	VN OEL
		TWA (Inhal- able particu- late matter)	2 mg/m <sup>3</sup> (Borate)	ACGIH
Manganese sulfate	10034-96-5	STEL (Inhal- able particu- late matter)	6 mg/m <sup>3</sup> (Borate)	ACGIH
		TWA	0,3 mg/m <sup>3</sup> (Manganese)	VN OEL
		TWA (Inhal- able particu- late matter)	0,1 mg/m <sup>3</sup> (Manganese)	ACGIH
Copper(II) sulfate, pentahy- drate	7758-99-8	TWA (Res- pirable par- ticulate mat- ter)	0,02 mg/m <sup>3</sup> (Manganese)	ACGIH
		TWA (Dust)	0,5 mg/m <sup>3</sup> (Copper)	VN OEL
		TWA (Fumes)	0,1 mg/m <sup>3</sup> (Copper)	VN OEL
Sodium selenite	10102-18-8	TWA	0,1 mg/m <sup>3</sup> (selenium)	VN OEL
		Further information: Group 3: Not classifiable as to its carcinogen- icity to humans		
		TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
Cobalt Chloride	7646-79-9	Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
		TWA	0,2 mg/m <sup>3</sup> (selenium)	ACGIH
		TWA	0,05 mg/m <sup>3</sup> (Cobalt)	VN OEL
		Further information: Group 2B: Possibly carcinogenic to humans		
		TWA (Inhal- able particu- late matter)	0,02 mg/m <sup>3</sup> (Cobalt)	ACGIH

**Metal Sulfates Formulation**

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

**Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Cobalt Chloride	7646-79-9	Cobalt (Cobalt)	Urine	End of shift at end of work-week	15 µg/l	ACGIH BEI

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks

Eye protection : Consider double gloving.

If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

# SAFETY DATA SHEET



## Metal Sulfates Formulation

---

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
-------------	---------------------------	----------------------------	--

---

posable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures

- : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
- When using do not eat, drink or smoke.
- Contaminated work clothing should not be allowed out of the workplace.
- Wash contaminated clothing before re-use.
- The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: No data available

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0      Revision Date: 2025/09/22      SDS Number: 11578969-00001      Date of last issue: -  
Date of first issue: 2025/09/22

---

Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation
	:	Skin contact
	:	Ingestion
	:	Eye contact

### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 481,73 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 4,19 mg/l Exposure time: 4 h

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
2025/09/22

SDS Number:  
11578969-00001

Date of last issue: -  
Date of first issue: 2025/09/22

Test atmosphere: dust/mist  
Method: Calculation method

### Components:

#### **Calcium bis(dihydrogenorthophosphate):**

Acute oral toxicity : LD50 (Rat): 3.986 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Potassium chloride:**

Acute oral toxicity : LD50 (Rat): 3.020 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

#### **Silicon dioxide:**

Acute oral toxicity : LD50 (Rat): > 5.110 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted according to guideline

Acute inhalation toxicity : LC50 (Rat): > 5,198 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The test was conducted according to guideline

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Remarks: No test guideline followed

#### **Ethylene diamine tetraacetic acid:**

Acute oral toxicity : LD50 (Rat): 4.500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 412  
Remarks: Based on data from similar materials

#### **Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Metal Sulfates Formulation

---

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
-------------	---------------------------	----------------------------	--

---

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

### **Sodium molybdate (VI) dihydrate:**

Acute oral toxicity : LD50 (Rat): 4.972 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 3,93 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### **Disodium octaborate tetrahydrate:**

Acute oral toxicity : LD50 (Rat): 2.550 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 2,01 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Manganese sulfate:**

Acute oral toxicity : LD50 (Rat): > 2.000 - 5.000 mg/kg  
Remarks: No test guideline followed

Acute inhalation toxicity : LC50 (Rat): > 4,98 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The test was conducted according to guideline

### **Copper(II) sulfate, pentahydrate:**

Acute oral toxicity : LD50 (Rat): 481 mg/kg  
Method: OECD Test Guideline 401

**Metal Sulfates Formulation**

---

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

---

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Zinc sulphate monohydrate:**

Acute oral toxicity : LD50 (Rat): > 1.000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**Sodium selenite:**

Acute oral toxicity : LD50 (Rat): 4,8 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,052 - 0,51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Cobalt Chloride:**

Acute oral toxicity : LD50 (Rat): 537 mg/kg

**Skin corrosion/irritation**

Causes mild skin irritation.

**Components:****Calcium bis(dihydrogenorthophosphate):**

Species : Rabbit  
Result : No skin irritation

**Potassium chloride:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Result : No skin irritation

**Silicon dioxide:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : The test was conducted according to guideline

**Ethylene diamine tetraacetic acid:**

Species : Rabbit  
Result : No skin irritation

**Metal Sulfates Formulation**

---

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

---

**Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
Remarks	:	The test was conducted according to guideline

**Sodium molybdate (VI) dihydrate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

**Disodium octaborate tetrahydrate:**

Species	:	Rabbit
Result	:	No skin irritation

**Manganese sulfate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	The test was conducted according to guideline

**Copper(II) sulfate, pentahydrate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**Zinc sulphate monohydrate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

**Sodium selenite:**

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 431
Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 439
Result	:	Skin irritation

**Cobalt Chloride:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**Metal Sulfates Formulation**Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Calcium bis(dihydrogenorthophosphate):**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**Potassium chloride:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Silicon dioxide:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : The test was conducted equivalent or similar to guideline

**Ethylene diamine tetraacetic acid:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Result : Irritation to eyes, reversing within 21 days

**Sodium molybdate (VI) dihydrate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Disodium octaborate tetrahydrate:**

Species : Rabbit  
Result : No eye irritation

**Manganese sulfate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405  
Remarks : The test was conducted according to guideline

**Copper(II) sulfate, pentahydrate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**Metal Sulfates Formulation**

---

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: -
			Date of first issue: 2025/09/22

---

**Zinc sulphate monohydrate:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

**Sodium selenite:**

Result	:	Irritation to eyes, reversing within 21 days
--------	---	--

**Cobalt Chloride:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Calcium bis(dihydrogenorthophosphate):**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

**Potassium chloride:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**Silicon dioxide:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	The test was conducted according to guideline

**Ethylene diamine tetraacetic acid:**

Test Type	:	Maximisation Test
-----------	---	-------------------

**Metal Sulfates Formulation**

---

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

---

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

**Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	The test was conducted according to guideline

**Sodium molybdate (VI) dihydrate:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**Disodium octaborate tetrahydrate:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**Manganese sulfate:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	The test was conducted equivalent or similar to guideline Based on data from similar materials

**Copper(II) sulfate, pentahydrate:**

Test Type	:	Freund's complete adjuvant test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**Zinc sulphate monohydrate:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative
Remarks	:	Based on data from similar materials

## SAFETY DATA SHEET



## Metal Sulfates Formulation

Version Revision Date: SDS Number: Date of last issue: -  
1.0 2025/09/22 11578969-00001 Date of first issue: 2025/09/22

## **Sodium selenite:**

Assessment : Probability or evidence of skin sensitisation in humans  
Remarks : Based on national or regional regulation.

## **Cobalt Chloride:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	positive
Remarks	:	Based on data from similar materials
Assessment	:	Probability or evidence of high skin sensitisation rate in humans
Exposure routes	:	inhalation (dust/mist/fume)
Species	:	Humans
Result	:	positive
Remarks	:	Based on data from similar materials
Assessment	:	May cause sensitisation by inhalation.

## Germ cell mutagenicity

Not classified based on available information.

## **Components:**

## **Calcium bis(dihydrogenorthophosphate):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test  
Method: OECD Test Guideline 487  
Result: negative  
Remarks: Based on data from similar materials

## Potassium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: equivocal

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

Test Type: Chromosome aberration test in vitro  
Result: positive

### Silicon dioxide:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted according to guideline

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 475  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

### Ethylene diamine tetraacetic acid:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Sulfuric acid, iron(2+) salt (1:1), monohydrate:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
-------------	---------------------------	----------------------------	--

Result: negative

Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

### Sodium molybdate (VI) dihydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

### Disodium octaborate tetrahydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials  
  
Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials  
  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Manganese sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline  
  
Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

### **Copper(II) sulfate, pentahydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: Directive 67/548/EEC, Annex V, B.12.  
Result: negative

### **Zinc sulphate monohydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative  
Remarks: Based on data from similar materials

### **Sodium selenite:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

### **Cobalt Chloride:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

**Metal Sulfates Formulation**Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22

Method: OECD Test Guideline 476  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

**Carcinogenicity**

May cause cancer.

**Components:****Potassium chloride:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Silicon dioxide:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : No test guideline followed

**Ethylene diamine tetraacetic acid:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

**Sulfuric acid, iron(2+) salt (1:1), monohydrate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline  
Based on data from similar materials

**Metal Sulfates Formulation**Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22**Sodium molybdate (VI) dihydrate:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 106 weeks  
Result : negative  
Remarks : Based on data from similar materials

**Disodium octaborate tetrahydrate:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

**Manganese sulfate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

**Zinc sulphate monohydrate:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 1 Years  
Result : negative  
Remarks : Based on data from similar materials

**Cobalt Chloride:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 105 weeks  
Result : positive  
Remarks : Based on data from similar materials

Species : Mouse  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 105 weeks  
Result : positive  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****Calcium bis(dihydrogenorthophosphate):**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
2025/09/22

SDS Number:  
11578969-00001

Date of last issue: -  
Date of first issue: 2025/09/22

Application Route: Ingestion  
Method: OECD Test Guideline 421  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Potassium chloride:

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Silicon dioxide:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: The test was conducted according to guideline

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: The test was conducted according to guideline

### Ethylene diamine tetraacetic acid:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Sulfuric acid, iron(2+) salt (1:1), monohydrate:

Effects on fertility

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

**Metal Sulfates Formulation**Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22

Remarks: The test was conducted according to guideline

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: The test was conducted according to guideline

**Sodium molybdate (VI) dihydrate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

**Disodium octaborate tetrahydrate:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Manganese sulfate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

**Metal Sulfates Formulation**Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22**Copper(II) sulfate, pentahydrate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

**Zinc sulphate monohydrate:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Sodium selenite:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Cobalt Chloride:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Brain) through prolonged or repeated exposure.

#### Components:

##### **Manganese sulfate:**

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Brain  
Assessment : Causes damage to organs through prolonged or repeated exposure.  
Remarks : Based on data from similar materials

##### **Copper(II) sulfate, pentahydrate:**

Exposure routes : Ingestion  
Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

##### **Sodium selenite:**

Exposure routes : Ingestion  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

##### **Cobalt Chloride:**

Exposure routes : Ingestion  
Target Organs : Thyroid, Heart, Blood  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Respiratory Tract  
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

### Repeated dose toxicity

#### Components:

##### **Calcium bis(dihydrogenorthophosphate):**

Species : Rat  
NOAEL : > 300 mg/kg

## SAFETY DATA SHEET



## Metal Sulfates Formulation

Version Revision Date: SDS Number: Date of last issue: -  
1.0 2025/09/22 11578969-00001 Date of first issue: 2025/09/22

Application Route	:	Ingestion
Exposure time	:	28 Days
Method	:	OECD Test Guideline 407
Remarks	:	Based on data from similar materials

## Potassium chloride:

Species : Rat  
NOAEL : 1.820 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

### Silicon dioxide:

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 26 Weeks  
Method : OECD Test Guideline 408  
Remarks : The test was conducted equivalent or similar to guideline

Species : Rat  
NOAEL : > 2.000 mg/kg  
Application Route : Skin contact  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 411  
Remarks : The test was conducted according to guideline

### **Ethylene diamine tetraacetic acid:**

Species : Mouse  
NOAEL :  $\geq 500$  mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

### Sulfuric acid, iron(2+) salt (1:1), monohydrate:

Species : Rat  
 LOAEL : > 100 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Remarks : Based on data from similar materials

### **Sodium molybdate (VI) dihydrate:**

Species : Rat  
NOAEL : 17 mg/kg  
Application Route : Ingestion  
Exposure time : 60 Days  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

### Disodium octaborate tetrahydrate:

**Metal Sulfates Formulation**

---

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

---

Species : Rat  
NOAEL : > 10 mg/kg  
LOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr  
Remarks : Based on data from similar materials

Species : Rat  
NOAEL : > 0,2 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 10 Weeks  
Remarks : Based on data from similar materials

**Manganese sulfate:**

Species : Rat, male  
NOAEL : 1.700 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

**Copper(II) sulfate, pentahydrate:**

Species : Rat  
NOAEL : 17 mg/kg  
LOAEL : 34 mg/kg  
Application Route : Ingestion  
Exposure time : 92 Days

**Zinc sulphate monohydrate:**

Species : Rat  
NOAEL : 234 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

**Sodium selenite:**

Species : Rat  
NOAEL : 0,88 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

**Cobalt Chloride:**

Species : Rat  
LOAEL : 5,5 mg/kg  
Application Route : Ingestion  
Exposure time : 8 Weeks  
Remarks : Based on data from similar materials

Species : Rat  
LOAEL : < 0,01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0      Revision Date: 2025/09/22      SDS Number: 11578969-00001      Date of last issue: -  
Date of first issue: 2025/09/22

---

Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Manganese sulfate:**

Inhalation : Target Organs: Brain  
Symptoms: Tremors, Lack of coordination  
Remarks: Based on data from similar materials

##### **Sodium selenite:**

Inhalation : Target Organs: Respiratory Tract  
Symptoms: Irritation, Oedema  
Target Organs: Cardio-vascular system  
Symptoms: Lowered blood pressure  
Target Organs: Digestive organs  
Symptoms: Nausea, Vomiting, Irritability

Ingestion : Target Organs: Nervous system  
Symptoms: Neurological disorders  
Target Organs: Hair  
Symptoms: hair loss  
Target Organs: Skin  
Symptoms: Rash, Skin disorders  
Target Organs: Endocrine system

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Calcium bis(dihydrogenorthophosphate):**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1.000 mg/l  
Exposure time: 3 h

## Metal Sulfates Formulation

Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22

Method: OECD Test Guideline 209

**Potassium chloride:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 880 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 660 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Silicon dioxide:**

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1.000 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 10.000 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

NOELR (Desmodesmus subspicatus (green algae)): 10.000 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : (Daphnia magna (Water flea)): 132,7 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 211  
Remarks: The test was conducted according to guideline

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

Toxicity to microorganisms : NOEC (activated sludge): 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: The test was conducted according to guideline

### Ethylene diamine tetraacetic acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 159 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 625 mg/l  
Exposure time: 24 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): >= 25,7 mg/l  
Exposure time: 35 d  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: 2,4 mg/l  
Exposure time: 24 h

### Sodium molybdate (VI) dihydrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.600 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 330 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 419,9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): 99,3 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Metal Sulfates Formulation**Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22

Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 17 mg/l  
Exposure time: 12 Months  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 156,5 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: 820 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

**Disodium octaborate tetrahydrate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 380,17 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 443,61 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 103 mg/l  
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Hyalella azteca (Amphipod)): 31,48 mg/l  
Exposure time: 42 d

Toxicity to microorganisms : NOEC (activated sludge): > 1 mg/l  
Exposure time: 7 h  
Remarks: Based on data from similar materials

**Manganese sulfate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: No test guideline followed

Toxicity to daphnia and other aquatic invertebrates : EC50 (Hyalella azteca (Amphipod)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: No test guideline followed

**Metal Sulfates Formulation**Version  
1.0Revision Date:  
2025/09/22SDS Number:  
11578969-00001Date of last issue: -  
Date of first issue: 2025/09/22

Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 1 mg/l  
Exposure time: 65 d  
Method: OECD Test Guideline 210  
Remarks: The test was conducted equivalent or similar to guideline

Toxicity to microorganisms : NOEC (activated sludge): 560 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: The test was conducted according to guideline

**Copper(II) sulfate, pentahydrate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0,01 - 0,1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,01 - 0,1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01 - 0,1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

NOEC (Chlamydomonas reinhardtii (green algae)): > 0,01 - 0,1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0,01 - 0,1 mg/l  
Exposure time: 32 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): > 0,01 - 0,1 mg/l  
Exposure time: 7 d  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
-------------	---------------------------	----------------------------	--

M-Factor (Chronic aquatic toxicity) : 1  
Toxicity to microorganisms : EC50: 7 mg/l

### Zinc sulphate monohydrate:

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,384 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,192 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (fresh water algae)): 0,373 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 34,5 µg/l  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Jordanella floridae (flagfish)): 205,2 µg/l  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 415,7 µg/l  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

### Sodium selenite:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,2 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): > 0,1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Chlamydomonas reinhardtii (green algae)): > 0,1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

Toxicity to fish (Chronic toxicity) : NOEC (Lepomis macrochirus (Bluegill sunfish)): 0,022 mg/l  
Exposure time: 258 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,096 mg/l  
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 180 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Cobalt Chloride:

Toxicity to fish : LC50 (Oncorhynchus tshawytscha (chinook salmon)): 0,77 mg/l  
Exposure time: 14 d

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 1,33 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Champia parvula (marine algae)): 0,053 mg/l  
Exposure time: 72 h  
  
EC10 (Lemma minor (common duckweed)): 0,01 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0,748 mg/l  
Exposure time: 16 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0,01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

### Persistence and degradability

#### Components:

##### **Ethylene diamine tetraacetic acid:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 80 - 90 %  
Exposure time: 28 d

### Bioaccumulative potential

#### Components:

##### **Ethylene diamine tetraacetic acid:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0 Revision Date: 2025/09/22 SDS Number: 11578969-00001 Date of last issue: - Date of first issue: 2025/09/22

---

Bioconcentration factor (BCF): 1,8  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 0,13

### Cobalt Chloride:

Bioaccumulation : Bioconcentration factor (BCF): 724

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Copper(II) sulfate, pentahydrate, Zinc sulphate monohydrate)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Copper(II) sulfate, pentahydrate, Zinc sulphate monohydrate)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

#### IMDG-Code

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version 1.0	Revision Date: 2025/09/22	SDS Number: 11578969-00001	Date of last issue: - Date of first issue: 2025/09/22
----------------	------------------------------	-------------------------------	--

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper(II) sulfate, pentahydrate, Zinc sulphate monohydrate)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Law on Chemicals No. 06/2007/QH12

### The components of this product are reported in the following inventories:

AICS	:	not determined
CA. DSL	:	not determined
IECSC	:	not determined

## 16. OTHER INFORMATION

Revision Date : 2025/09/22

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
VN OEL	:	Vietnam. Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
VN OEL / TWA	:	Time weighted average
VN OEL / STEL	:	Short term exposure limit

# SAFETY DATA SHEET



## Metal Sulfates Formulation

Version  
1.0

Revision Date:  
2025/09/22

SDS Number:  
11578969-00001

Date of last issue: -  
Date of first issue: 2025/09/22

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

VN / EN