

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11511876-00002      Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Praziquantel Formulation

Product code : Hadaclean 5%,Hadaclean A

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : Crystalline solid

Colour : No data available

Odour : No data available

Not a hazardous substance or mixture.

#### GHS Classification

||| Not a hazardous substance or mixture.

#### GHS label elements

||| No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### Environmental hazards

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11511876-00002

Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 50 -< 70
praziquantel	55268-74-1	>= 2.5 -< 10
Dimethyl octadienol	78-70-6	>= 0.1 -< 0.25
3,7-Dimethyl 2,6-octadienal	5392-40-5	>= 0.1 -< 0.25

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0	Revision Date: 2025/04/14	SDS Number: 11511876-00002	Date of last issue: 2025/02/19 Date of first issue: 2025/02/19
----------------	------------------------------	-------------------------------	---

Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11511876-00002

Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing. Avoid breathing dust, fume, gas, mist, vapours or spray. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	: Oxidizing agents
<b>Storage</b>	
Conditions for safe storage	: Keep in properly labelled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents
Packaging material	: Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	ACGIH
praziquantel	55268-74-1	TWA	0.5 mg/m <sup>3</sup> (OEB 2)	Internal
3,7-Dimethyl 2,6-octadienal	5392-40-5	TWA (Inhal- able fraction and vapor)	5 ppm	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11511876-00002      Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

---

Filter type	ommended guidelines, use respiratory protection.
Eye/face protection	: Particulates type : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hand protection	
Material	: Chemical-resistant gloves
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Crystalline solid
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper	: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11511876-00002      Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

---

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11511876-00002

Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **praziquantel:**

Acute oral toxicity : LD50 (Rat): 2,480 mg/kg  
LD50 (Mouse): 2,454 mg/kg  
LD50 (Dog): > 200 mg/kg  
LD50 (Rabbit): 1,050 mg/kg

##### **Dimethyl octadienol:**

Acute oral toxicity : LD50 (Rat): 2,790 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline

Acute inhalation toxicity : LC50 (Mouse): > 3.2 mg/l  
Exposure time: 90 min  
Test atmosphere: vapour  
Remarks: No test guideline followed

Acute dermal toxicity : LD50 (Rabbit): 5,610 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted equivalent or similar to guideline

##### **3,7-Dimethyl 2,6-octadienal:**

Acute oral toxicity : LD50 (Rat, female): 4,895 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11511876-00002      Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

---

Acute inhalation toxicity	:	LC50 (Rat): > 0.68 mg/l Exposure time: 7 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): 2,250 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Components:**

##### **praziquantel:**

Species	:	Rabbit
Method	:	Draize Test
Remarks	:	slight irritation

##### **Dimethyl octadienol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
Remarks	:	The test was conducted according to guideline

##### **3,7-Dimethyl 2,6-octadienal:**

Species	:	Rabbit
Result	:	Skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Components:**

##### **Starch:**

Species	:	Rabbit
Result	:	No eye irritation

##### **praziquantel:**

Species	:	Rabbit
Result	:	Mild eye irritation
Method	:	Draize Test

##### **Dimethyl octadienol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405
Remarks	:	The test was conducted equivalent or similar to guideline

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11511876-00002      Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

---

### 3,7-Dimethyl 2,6-octadienal:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

##### praziquantel:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

##### Dimethyl octadienol:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	positive
Remarks	:	The test was conducted according to guideline
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

##### 3,7-Dimethyl 2,6-octadienal:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Result	:	positive
Assessment	:	Probability or evidence of skin sensitisation in humans

##### Germ cell mutagenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11511876-00002

Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

### Components:

#### **Starch:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

#### **praziquantel:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Result: negative

#### **Dimethyl octadienol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline

#### **3,7-Dimethyl 2,6-octadienal:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11511876-00002

Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **praziquantel:**

Species	:	Hamster
Application Route	:	Oral
Exposure time	:	80 weeks
NOAEL	:	100 mg/kg body weight
Result	:	negative
Remarks	:	No significant adverse effects were reported

Species	:	Rat
Application Route	:	Oral
Exposure time	:	104 weeks
NOAEL	:	250 mg/kg body weight
Result	:	negative
Remarks	:	No significant adverse effects were reported

#### **3,7-Dimethyl 2,6-octadienal:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	104 - 105 weeks
Result	:	negative

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **praziquantel:**

Effects on fertility	:	Test Type: Fertility
----------------------	---	----------------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11511876-00002      Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

Species: Rat  
Remarks: No significant adverse effects were reported

Test Type: Fertility  
Species: Mouse  
Remarks: No significant adverse effects were reported

Effects on foetal development : Test Type: Development  
Species: Rat  
Remarks: No significant adverse effects were reported

Test Type: Development  
Species: Mouse  
Remarks: No significant adverse effects were reported

### Dimethyl octadienol:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: No test guideline followed

### 3,7-Dimethyl 2,6-octadienal:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: negative

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

##### **Starch:**

Species : Rat  
NOAEL :  $\geq 2,000$  mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11511876-00002      Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

---

**Method** : OECD Test Guideline 410

**praziquantel:**

Species	:	Rat
NOAEL	:	1,000 mg/kg
Application Route	:	Oral
Remarks	:	No significant adverse effects were reported

Species	:	Dog
NOAEL	:	60 mg/kg
LOAEL	:	180 mg/kg
Application Route	:	Oral
Target Organs	:	Gastrointestinal tract
Remarks	:	No significant adverse effects were reported

**Dimethyl octadienol:**

Species	:	Rat, male
NOAEL	:	>= 497.9 mg/kg
Application Route	:	Ingestion
Exposure time	:	96 Days
Method	:	OECD Test Guideline 408
Remarks	:	The test was conducted according to guideline

Species	:	Rat
NOAEL	:	250 mg/kg
Application Route	:	Skin contact
Exposure time	:	91 Days
Method	:	OECD Test Guideline 411
Remarks	:	The test was conducted equivalent or similar to guideline

**3,7-Dimethyl 2,6-octadienal:**

Species	:	Rat, female
LOAEL	:	335 mg/kg
Application Route	:	Ingestion
Exposure time	:	14 Weeks

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure**

**Components:**

**praziquantel:**

Inhalation	:	Symptoms: Headache, Tiredness, Dizziness, Gastrointestinal discomfort, decrease body temperature, Allergic reactions
------------	---	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11511876-00002

Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **praziquantel:**

Toxicity to fish	: LC50 (Carassius auratus (goldfish)): 29.2 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203
	: LC50 (Danio rerio (zebra fish)): 31.6 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 35 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209

##### **Dimethyl octadienol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 27.8 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: The test was conducted according to guideline
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 59 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: The test was conducted according to guideline
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 156.7 mg/l Exposure time: 96 h  EC10 (Desmodesmus subspicatus (green algae)): 54.3 mg/l Exposure time: 96 h
Toxicity to microorganisms	: EC10 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: The test was conducted according to guideline

##### **3,7-Dimethyl 2,6-octadienol:**

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l Exposure time: 96 h
------------------	---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version  
2.0

Revision Date:  
2025/04/14

SDS Number:  
11511876-00002

Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.8 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 103.8 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC10 (Desmodesmus subspicatus (green algae)): 3 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): 160 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Dimethyl octadienol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 64.2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
Remarks: The test was conducted according to guideline

##### **3,7-Dimethyl 2,6-octadienal:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 90 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.

### Bioaccumulative potential

#### Components:

##### **praziquantel:**

Partition coefficient: n-octanol/water : log Pow: 2.012  
pH: 7

##### **Dimethyl octadienol:**

Partition coefficient: n-octanol/water : log Pow: 2.84  
Method: OECD Test Guideline 107  
Remarks: The test was conducted equivalent or similar to guideline

##### **3,7-Dimethyl 2,6-octadienal:**

Partition coefficient: n- : log Pow: 2.76

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 2025/02/19  
2.0 2025/04/14 11511876-00002 Date of first issue: 2025/02/19

### || octanol/water

## Mobility in soil

No data available

## Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

## Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## International Regulations

UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

<b>IATA DGR</b>		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

## IMDG-Code

IMO Code	
UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: no

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0      Revision Date: 2025/04/14      SDS Number: 11511876-00002      Date of last issue: 2025/02/19  
Date of first issue: 2025/02/19

---

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

#### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals and it does not meet the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	--

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	:	Not listed
---	---	------------

Hazardous Chemicals for Priority Management under SAWS	:	Not listed
--	---	------------

Catalogue of Specially Controlled Hazardous Chemicals	:	Not listed
---	---	------------

List of Explosive Precursors	:	Not listed
------------------------------	---	------------

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals	:	Not listed
-------------------------------------	---	------------

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	:	Not listed
---	---	------------

#### Regulation on the Administration of Precursor Chemicals

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0	Revision Date: 2025/04/14	SDS Number: 11511876-00002	Date of last issue: 2025/02/19 Date of first issue: 2025/02/19
----------------	------------------------------	-------------------------------	---

---

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed  
List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed  
List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/04/14

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Praziquantel Formulation

Version 2.0	Revision Date: 2025/04/14	SDS Number: 11511876-00002	Date of last issue: 2025/02/19 Date of first issue: 2025/02/19
----------------	------------------------------	-------------------------------	---

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN