

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Praziquantel Formulation
Product code : Hadaclean 5%, Hadaclean A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product
Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Drynam Road
K67 P263 Dublin, Ireland
Telephone : +1-908-740-4000
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains Dimethyl octadienol, 3,7-Dimethyl 2,6-octadienal. May produce an

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version
2.1

Revision Date:
07.07.2025

SDS Number:
11512490-00003

Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
praziquantel	55268-74-1 259-559-6	Aquatic Chronic 3; H412	>= 2.5 - < 10
Dimethyl octadienol	78-70-6 201-134-4 603-235-00-2	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0.1 - < 1
3,7-Dimethyl 2,6-octadienal	5392-40-5 226-394-6 605-019-00-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 0.1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version
2.1

Revision Date:
07.07.2025

SDS Number:
11512490-00003

Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

when the potential for exposure exists (see section 8).

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May produce an allergic reaction.
-------	--

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically and supportively.
-----------	---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
------------------------------	--

Unsuitable extinguishing media	: None known.
--------------------------------	---------------

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version
2.1

Revision Date:
07.07.2025

SDS Number:
11512490-00003

Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

Local/Total ventilation	and bonding, or inert atmospheres.
Advice on safe handling	<ul style="list-style-type: none">: Use only with adequate ventilation.: Do not get on skin or clothing.
	Avoid breathing dust, fume, gas, mist, vapours or spray.
	Do not swallow.
	Avoid contact with eyes.
	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
	Minimize dust generation and accumulation.
	Keep container closed when not in use.
	Keep away from heat and sources of ignition.
	Take precautionary measures against static discharges.
	Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	<ul style="list-style-type: none">: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.: Wash contaminated clothing before re-use.: The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	<ul style="list-style-type: none">: Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	<ul style="list-style-type: none">: Do not store with the following product types: Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s)	<ul style="list-style-type: none">: No data available
-----------------	---

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Starch	9005-25-8	OELV - 8 hrs (TWA) (Respirable dust)	4 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m3	IE OEL
praziquantel	55268-74-1	TWA	0.5 mg/m3 (OEB 2)	Internal
3,7-Dimethyl 2,6-	5392-40-5	OELV - 8 hrs	5 ppm	IE OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version
2.1

Revision Date:
07.07.2025

SDS Number:
11512490-00003

Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

octadienol		(TWA) (Inhalable fraction and vapour)		
------------	--	---------------------------------------	--	--

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Dimethyl octadienol	Workers	Inhalation	Long-term systemic effects	24.58 mg/m ³
	Workers	Skin contact	Long-term systemic effects	3.5 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	3 mg/cm ²
	Workers	Skin contact	Acute local effects	3 mg/cm ²
	Consumers	Inhalation	Long-term systemic effects	4.33 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	1.25 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	1.5 mg/cm ²
	Consumers	Skin contact	Acute local effects	1.5 mg/cm ²
	Consumers	Ingestion	Long-term systemic effects	2.49 mg/kg bw/day
3,7-Dimethyl 2,6-octadienol	Workers	Inhalation	Long-term systemic effects	9 mg/m ³
	Workers	Skin contact	Long-term systemic effects	1.7 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.140 mg/cm ²
	Consumers	Inhalation	Long-term systemic effects	2.7 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.140 mg/cm ²
	Consumers	Ingestion	Long-term systemic effects	0.6 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
praziquantel	Fresh water	0.03 mg/l
	Marine water	0.03 mg/l
Dimethyl octadienol	Fresh water	0.2 mg/l
	Freshwater - intermittent	2 mg/l
	Marine water	0.02 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	2.22 mg/kg dry weight (d.w.)
	Marine sediment	0.222 mg/kg dry weight (d.w.)
	Soil	0.327 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version
2.1

Revision Date:
07.07.2025

SDS Number:
11512490-00003

Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

		weight (d.w.)
	Secondary Poisoning	7.8 mg/kg food
3,7-Dimethyl 2,6-octadienal	Fresh water	0.007 mg/l
	Freshwater - intermittent	0.068 mg/l
	Marine water	0.001 mg/l
	Sewage treatment plant	1.6 mg/l
	Fresh water sediment	0.125 mg/kg dry weight (d.w.)
	Marine sediment	0.013 mg/kg dry weight (d.w.)
	Soil	0.021 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use feasible engineering controls to minimize exposure to compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material	: Chemical-resistant gloves
Skin and body protection	: Work uniform or laboratory coat.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 143
Filter type	: Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Crystalline solid
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	Not applicable
Particle characteristics		
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	Not applicable
Molecular weight	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025
2.1 07.07.2025 11512490-00003 Date of first issue: 19.02.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

praziquantel:

Acute oral toxicity	: LD50 (Rat): 2,480 mg/kg
	LD50 (Mouse): 2,454 mg/kg
	LD50 (Dog): > 200 mg/kg
	LD50 (Rabbit): 1.050 mg/kg

Dimethyl octadienol:

Acute oral toxicity : LD50 (Rat): 2,790 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted equivalent or similar to guideline

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025
2.1 07.07.2025 11512490-00003 Date of first issue: 19.02.2025

Acute inhalation toxicity	: LC50 (Mouse): > 3.2 mg/l Exposure time: 90 min Test atmosphere: vapour Remarks: No test guideline followed
Acute dermal toxicity	: LD50 (Rabbit): 5,610 mg/kg Method: OECD Test Guideline 402 Remarks: The test was conducted equivalent or similar to guideline

3,7-Dimethyl 2,6-octadienal:

Acute oral toxicity	: LD50 (Rat, female): 4,895 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0.68 mg/l Exposure time: 7 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit): 2,250 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

praziquantel:

Species : Rabbit
Method : Draize Test
Remarks : slight irritation

Dimethyl octadienol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation
Remarks : The test was conducted according to guideline

3,7-Dimethyl 2,6-octadienal:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

praziquantel:

Species : Rabbit
Method : Draize Test
Result : Mild eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

Dimethyl octadienol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days
Remarks	:	The test was conducted equivalent or similar to guideline

3,7-Dimethyl 2,6-octadienal:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

praziquantel:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Dimethyl octadienol:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	positive
Remarks	:	The test was conducted according to guideline
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

3,7-Dimethyl 2,6-octadienal:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Result	:	positive
Assessment	:	Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

praziquantel:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Result: negative

Dimethyl octadienol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: The test was conducted according to guideline

3,7-Dimethyl 2,6-octadienal:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

praziquantel:

Species : Hamster
Application Route : Oral
Exposure time : 80 weeks
NOAEL : 100 mg/kg body weight
Result : negative
Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral
Exposure time : 104 weeks
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : No significant adverse effects were reported

3,7-Dimethyl 2,6-octadienal:

Species : Mouse
Application Route : Ingestion
Exposure time : 104 - 105 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

praziquantel:

Effects on fertility : Test Type: Fertility
Species: Rat
Remarks: No significant adverse effects were reported

Test Type: Fertility
Species: Mouse
Remarks: No significant adverse effects were reported

Effects on foetal development : Test Type: Development
Species: Rat
Remarks: No significant adverse effects were reported

Test Type: Development

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1 Revision Date: 07.07.2025 SDS Number: 11512490-00003 Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

Species: Mouse
Remarks: No significant adverse effects were reported

Dimethyl octadienol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: No test guideline followed

3,7-Dimethyl 2,6-octadienol:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 443
Result: negative

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 443
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

praziquantel:

Species : Rat
NOAEL : 1,000 mg/kg
Application Route : Oral
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 60 mg/kg
LOAEL : 180 mg/kg
Application Route : Oral
Target Organs : Gastrointestinal tract
Remarks : No significant adverse effects were reported

Dimethyl octadienol:

Species : Rat, male
NOAEL : >= 497.9 mg/kg
Application Route : Ingestion
Exposure time : 96 Days

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

Method	:	OECD Test Guideline 408
Remarks	:	The test was conducted according to guideline
Species	:	Rat
NOAEL	:	250 mg/kg
Application Route	:	Skin contact
Exposure time	:	91 Days
Method	:	OECD Test Guideline 411
Remarks	:	The test was conducted equivalent or similar to guideline

3,7-Dimethyl 2,6-octadienal:

Species	:	Rat, female
LOAEL	:	335 mg/kg
Application Route	:	Ingestion
Exposure time	:	14 Weeks

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

Experience with human exposure

Components:

praziquantel:

Inhalation	:	Symptoms: Headache, Tiredness, Dizziness, Gastrointestinal discomfort, decrease body temperature, Allergic reactions
------------	---	--

SECTION 12: Ecological information

12.1 Toxicity

Components:

praziquantel:

Toxicity to fish	:	LC50 (Carassius auratus (goldfish)): 29.2 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203
		LC50 (Danio rerio (zebra fish)): 31.6 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version
2.1

Revision Date:
07.07.2025

SDS Number:
11512490-00003

Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

Exposure time: 96 hrs
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 35 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209

Dimethyl octadienol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 27.8 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 59 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 156.7 mg/l
Exposure time: 96 h
EC10 (Desmodesmus subspicatus (green algae)): 54.3 mg/l
Exposure time: 96 h

Toxicity to microorganisms : EC10 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: The test was conducted according to guideline

3,7-Dimethyl 2,6-octadienal:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l
Exposure time: 96 h
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.8 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 103.8 mg/l
Exposure time: 72 h
EC10 (Desmodesmus subspicatus (green algae)): 3 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): 160 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1 Revision Date: 07.07.2025 SDS Number: 11512490-00003 Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

12.2 Persistence and degradability

Components:

Dimethyl octadienol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 64.2 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
Remarks: The test was conducted according to guideline

3,7-Dimethyl 2,6-octadienal:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 28 d
Method: Directive 67/548/EEC Annex V, C.4.D.

12.3 Bioaccumulative potential

Components:

praziquantel:

Partition coefficient: n-octanol/water : log Pow: 2.012
pH: 7

Dimethyl octadienol:

Partition coefficient: n-octanol/water : log Pow: 2.84
Method: OECD Test Guideline 107
Remarks: The test was conducted equivalent or similar to guideline

3,7-Dimethyl 2,6-octadienal:

Partition coefficient: n-octanol/water : log Pow: 2.76

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version
2.1

Revision Date:
07.07.2025

SDS Number:
11512490-00003

Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version 2.1	Revision Date: 07.07.2025	SDS Number: 11512490-00003	Date of last issue: 14.04.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	: Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
-------------------	--

Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
IE OEL	: Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Praziquantel Formulation

Version
2.1

Revision Date:
07.07.2025

SDS Number:
11512490-00003

Date of last issue: 14.04.2025
Date of first issue: 19.02.2025

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN