

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Section 1: Identification

Product name : Praziquantel Formulation
Product code : Hadaclean 5%, Hadaclean A

Manufacturer or supplier's details

Company : MSD
Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand
Telephone : 0800 800 543
Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms : A red diamond-shaped hazard pictogram with a black exclamation mark in the center, enclosed in a red border.
Signal word : Warning
Hazard statements : H317 May cause an allergic skin reaction.
Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11511872-00002	Date of last issue: 19.02.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 50 < 70
praziquantel	55268-74-1	>= 2.5 < 10
3,7-Dimethyl 2,6-octadienal	5392-40-5	>= 0.1 < 1
Dimethyl octadienol	78-70-6	>= 0.1 < 1

Section 4: First-aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
May cause an allergic skin reaction.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Notes to physician : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
-

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11511872-00002	Date of last issue: 19.02.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing. Avoid breathing dust, fume, gas, mist, vapours or spray. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	: Keep in properly labelled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Starch	9005-25-8	WES-TWA	10 mg/m3	NZ OEL
praziquantel	55268-74-1	TWA	0.5 mg/m3 (OEB 2)	ACGIH

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025 Date of first issue: 19.02.2025

Dimethyl octadienol	78-70-6	WES-STEL	10 ppm 56 mg/m ³	NZ OEL
	Further information: Skin sensitiser, Skin absorption			
		WES-TWA	5 ppm 28 mg/m ³	NZ OEL
	Further information: Skin sensitiser, Skin absorption			
3,7-Dimethyl 2,6-octadienal	5392-40-5	TWA (Inhalable fraction and vapor)	5 ppm	ACGIH

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Section 9: Physical and chemical properties

Appearance : Crystalline solid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Incompatible materials : Avoid dust formation.
Hazardous decomposition products : Oxidizing agents
products : No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

praziquantel:

Acute oral toxicity : LD50 (Rat): 2,480 mg/kg
LD50 (Mouse): 2,454 mg/kg
LD50 (Dog): > 200 mg/kg
LD50 (Rabbit): 1,050 mg/kg

3,7-Dimethyl 2,6-octadienal:

Acute oral toxicity : LD50 (Rat, female): 4,895 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 0.68 mg/l
Exposure time: 7 h
Test atmosphere: vapour
Acute dermal toxicity : LD50 (Rabbit): 2,250 mg/kg

Dimethyl octadienol:

Acute oral toxicity : LD50 (Rat): 2,790 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted equivalent or similar to guideline
Acute inhalation toxicity : LC50 (Mouse): > 3.2 mg/l
Exposure time: 90 min
Test atmosphere: vapour
Remarks: No test guideline followed

Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

||| Acute dermal toxicity : LD50 (Rabbit): 5,610 mg/kg
||| Method: OECD Test Guideline 402
||| Remarks: The test was conducted equivalent or similar to guideline

Skin corrosion/irritation

Not classified based on available information.

Components:**praziquantel:**

||| Species : Rabbit
||| Method : Draize Test
||| Remarks : slight irritation

3,7-Dimethyl 2,6-octadienal:

||| Species : Rabbit
||| Result : Skin irritation

Dimethyl octadienol:

||| Species : Rabbit
||| Method : OECD Test Guideline 404
||| Result : Skin irritation
||| Remarks : The test was conducted according to guideline

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Starch:**

||| Species : Rabbit
||| Result : No eye irritation

praziquantel:

||| Species : Rabbit
||| Result : Mild eye irritation
||| Method : Draize Test

3,7-Dimethyl 2,6-octadienal:

||| Species : Rabbit
||| Result : Irritation to eyes, reversing within 21 days

Dimethyl octadienol:

||| Species : Rabbit
||| Result : Irritation to eyes, reversing within 21 days
||| Method : OECD Test Guideline 405
||| Remarks : The test was conducted equivalent or similar to guideline

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

praziquantel:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

3,7-Dimethyl 2,6-octadienal:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Result	:	positive
Assessment	:	Probability or evidence of skin sensitisation in humans

Dimethyl octadienol:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	positive
Remarks	:	The test was conducted according to guideline
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Starch:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
-----------------------	---	--

Praziquantel FormulationVersion
2.0Revision Date:
14.04.2025SDS Number:
11511872-00002Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Result: negative

praziquantel:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negativeTest Type: Chromosomal aberration
Test system: Chinese hamster cells
Result: negative

Genotoxicity in vivo

: Test Type: Micronucleus test
Species: Rat
Result: negative**3,7-Dimethyl 2,6-octadienal:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negativeTest Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negativeTest Type: Chromosome aberration test in vitro
Result: negativeTest Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative**Dimethyl octadienol:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted equivalent or similar to guidelineTest Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: The test was conducted equivalent or similar to guidelineTest Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473

Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

		Result: negative Remarks: The test was conducted equivalent or similar to guideline
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: The test was conducted according to guideline

Carcinogenicity

Not classified based on available information.

Components:**praziquantel:**

Species	:	Hamster
Application Route	:	Oral
Exposure time	:	80 weeks
NOAEL	:	100 mg/kg body weight
Result	:	negative
Remarks	:	No significant adverse effects were reported

Species	:	Rat
Application Route	:	Oral
Exposure time	:	104 weeks
NOAEL	:	250 mg/kg body weight
Result	:	negative
Remarks	:	No significant adverse effects were reported

3,7-Dimethyl 2,6-octadienal:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	104 - 105 weeks
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:**praziquantel:**

Effects on fertility	:	Test Type: Fertility Species: Rat Remarks: No significant adverse effects were reported
		Test Type: Fertility Species: Mouse Remarks: No significant adverse effects were reported

Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
 Date of first issue: 19.02.2025

Effects on foetal development:

- Effects on foetal development : Test Type: Development
Species: Rat
Remarks: No significant adverse effects were reported

- Test Type: Development
Species: Mouse
Remarks: No significant adverse effects were reported

3,7-Dimethyl 2,6-octadienal:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 443
Result: negative

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 443
Result: negative

Dimethyl octadienol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: No test guideline followed

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Starch:

- Species : Rat
- NOAEL : $\geq 2,000$ mg/kg
- Application Route : Skin contact
- Exposure time : 28 Days
- Method : OECD Test Guideline 410

praziquantel:

- Species : Rat
- NOAEL : 1,000 mg/kg
- Application Route : Oral

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Remarks	: No significant adverse effects were reported
Species	: Dog
NOAEL	: 60 mg/kg
LOAEL	: 180 mg/kg
Application Route	: Oral
Target Organs	: Gastrointestinal tract
Remarks	: No significant adverse effects were reported

3,7-Dimethyl 2,6-octadienal:

Species	: Rat, female
LOAEL	: 335 mg/kg
Application Route	: Ingestion
Exposure time	: 14 Weeks

Dimethyl octadienol:

Species	: Rat, male
NOAEL	: >= 497.9 mg/kg
Application Route	: Ingestion
Exposure time	: 96 Days
Method	: OECD Test Guideline 408
Remarks	: The test was conducted according to guideline

Species	: Rat
NOAEL	: 250 mg/kg
Application Route	: Skin contact
Exposure time	: 91 Days
Method	: OECD Test Guideline 411
Remarks	: The test was conducted equivalent or similar to guideline

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

praziquantel:

Inhalation	: Symptoms: Headache, Tiredness, Dizziness, Gastrointestinal discomfort, decrease body temperature, Allergic reactions
------------	--

Section 12: Ecological information

Ecotoxicity

Components:

praziquantel:

Toxicity to fish	: LC50 (Carassius auratus (goldfish)): 29.2 mg/l Exposure time: 96 hrs
------------------	---

Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Method: OECD Test Guideline 203

LC50 (Danio rerio (zebra fish)): 31.6 mg/l
Exposure time: 96 hrs
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 35 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209

3,7-Dimethyl 2,6-octadienal:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l
Exposure time: 96 h
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.8 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 103.8 mg/l
Exposure time: 72 h
EC10 (Desmodesmus subspicatus (green algae)): 3 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): 160 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Dimethyl octadienol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 27.8 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 59 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 156.7 mg/l
Exposure time: 96 h
EC10 (Desmodesmus subspicatus (green algae)): 54.3 mg/l
Exposure time: 96 h

Toxicity to microorganisms : EC10 (activated sludge): > 100 mg/l

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: The test was conducted according to guideline

Persistence and degradability

Components:

3,7-Dimethyl 2,6-octadienal:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 28 d
Method: Directive 67/548/EEC Annex V, C.4.D.

Dimethyl octadienol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 64.2 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
Remarks: The test was conducted according to guideline

Bioaccumulative potential

Components:

praziquantel:

Partition coefficient: n-octanol/water : log Pow: 2.012
pH: 7

3,7-Dimethyl 2,6-octadienal:

Partition coefficient: n-octanol/water : log Pow: 2.76

Dimethyl octadienol:

Partition coefficient: n-octanol/water : log Pow: 2.84
Method: OECD Test Guideline 107
Remarks: The test was conducted equivalent or similar to guideline

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Contaminated packaging : Dispose of in accordance with local regulations.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11511872-00002 Date of last issue: 19.02.2025
Date of first issue: 19.02.2025

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

SAFETY DATA SHEET



Praziquantel Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11511872-00002	Date of last issue: 19.02.2025 Date of first issue: 19.02.2025
----------------	------------------------------	-------------------------------	---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN