

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0	Revision Date: 2025/04/14	SDS Number: 11513566-00004	Date of last issue: 2025/03/28 Date of first issue: 2025/02/24
----------------	------------------------------	-------------------------------	---

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Betaine / Multivitamin Formulation

Product code : Supastock

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : powder

Colour : yellow

Odour : characteristic

Not a hazardous substance or mixture.

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### Environmental hazards

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version  
3.0

Revision Date:  
2025/04/14

SDS Number:  
11513566-00004

Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 20 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 20 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 20 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 20 %

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 10 -< 20
3,7-Dimethyl 2,6-octadienal	5392-40-5	>= 0.25 -< 1
Dimethyl octadienol	78-70-6	>= 0.25 -< 1
(dl)-a-Tocopheryl acetate	7695-91-2	< 0.1
Betaine hydrochloride	590-46-5	< 0.1
Benzyl alcohol	100-51-6	< 0.1
Pyridoxine hydrochloride	58-56-0	< 0.1
Colecalciferol	67-97-0	< 0.0003

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms : Contact with dust can cause mechanical irritation or drying of

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0	Revision Date: 2025/04/14	SDS Number: 11513566-00004	Date of last issue: 2025/03/28 Date of first issue: 2025/02/24
----------------	------------------------------	-------------------------------	---

and effects, both acute and delayed	the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Chlorine compounds Metal oxides Oxides of phosphorus
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0 Revision Date: 2025/04/14 SDS Number: 11513566-00004 Date of last issue: 2025/03/28 Date of first issue: 2025/02/24

---

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## 7. HANDLING AND STORAGE

### Handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing dust. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types: Strong oxidizing agents

Packaging material : Unsuitable material: None known.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type	Control param-	Basis
------------	---------	------------	----------------	-------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

		(Form of exposure)	ters / Permissible concentration	
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	ACGIH
3,7-Dimethyl 2,6-octadienal	5392-40-5	TWA (Inhalable fraction and vapor)	5 ppm	ACGIH
(dl)-a-Tocopheryl acetate	7695-91-2	TWA	5000 µg/m <sup>3</sup> (OEB 1)	Internal
Betaine hydrochloride	590-46-5	TWA	>= 100 < 1000 µg/m <sup>3</sup> (OEB2)	Internal
Pyridoxine hydrochloride	58-56-0	TWA	OEB 3 (>= 10 < 100 µg/m <sup>3</sup> )	Internal
Colecalciferol	67-97-0	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

### Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---



### Hand protection

Material

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

: Chemical-resistant gloves



### Remarks

#### Hygiene measures

: Consider double gloving.  
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: yellow
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation
-----------------	---	------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version  
3.0

Revision Date:  
2025/04/14

SDS Number:  
11513566-00004

Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Components:

#### **Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **3,7-Dimethyl 2,6-octadienal:**

Acute oral toxicity : LD50 (Rat, female): 4,895 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 0.68 mg/l  
Exposure time: 7 h  
Test atmosphere: vapour  
Acute dermal toxicity : LD50 (Rabbit): 2,250 mg/kg

#### **Dimethyl octadienol:**

Acute oral toxicity : LD50 (Rat): 2,790 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline  
Acute inhalation toxicity : LC50 (Mouse): > 3.2 mg/l  
Exposure time: 90 min  
Test atmosphere: vapour  
Remarks: No test guideline followed  
Acute dermal toxicity : LD50 (Rabbit): 5,610 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted equivalent or similar to guideline

#### **(dl)-a-Tocopheryl acetate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Betaine hydrochloride:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version  
3.0

Revision Date:  
2025/04/14

SDS Number:  
11513566-00004

Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

Remarks: The test was conducted according to guideline  
Based on data from similar materials

### Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### Pyridoxine hydrochloride:

Acute oral toxicity : LD50 (Rat): 4,000 mg/kg

### Colecalciferol:

Acute oral toxicity : LD50 (Rat, male): 35 mg/kg  
Acute inhalation toxicity : Acute toxicity estimate: 0.05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Acute dermal toxicity : Acute toxicity estimate: 50 mg/kg  
Method: Expert judgement

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### 3,7-Dimethyl 2,6-octadienal:

Species : Rabbit  
Result : Skin irritation

#### Dimethyl octadienol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : The test was conducted according to guideline

#### (dl)-a-Tocopheryl acetate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

### **Betaine hydrochloride:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Remarks : The test was conducted according to guideline  
  
Result : No skin irritation

### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Pyridoxine hydrochloride:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Starch:**

Species : Rabbit  
Result : No eye irritation

#### **3,7-Dimethyl 2,6-octadienal:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### **Dimethyl octadienol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405  
Remarks : The test was conducted equivalent or similar to guideline

#### **(dl)-a-Tocopheryl acetate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### **Betaine hydrochloride:**

Result : Irreversible effects on the eye

#### **Benzyl alcohol:**

Species : Rabbit

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0	Revision Date: 2025/04/14	SDS Number: 11513566-00004	Date of last issue: 2025/03/28 Date of first issue: 2025/02/24
----------------	------------------------------	-------------------------------	---

---

Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

### **Pyridoxine hydrochloride:**

Species : Rabbit  
Result : No eye irritation

### **Colecalciferol:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

##### **Starch:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

##### **3,7-Dimethyl 2,6-octadienal:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Result : positive  
  
Assessment : Probability or evidence of skin sensitisation in humans

##### **Dimethyl octadienol:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive  
Remarks : The test was conducted according to guideline  
  
Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

##### **(dl)-a-Tocopheryl acetate:**

Test Type : Draize Test  
Exposure routes : Skin contact

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0	Revision Date: 2025/04/14	SDS Number: 11513566-00004	Date of last issue: 2025/03/28 Date of first issue: 2025/02/24
----------------	------------------------------	-------------------------------	---

---

Species : Humans  
Result : negative

### **Betaine hydrochloride:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : The test was conducted according to guideline

### **Benzyl alcohol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : positive  
  
Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### **Pyridoxine hydrochloride:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### **Colecalciferol:**

Test Type : Maurer optimisation test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Starch:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

#### **3,7-Dimethyl 2,6-octadienal:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version  
3.0

Revision Date:  
2025/04/14

SDS Number:  
11513566-00004

Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

Genotoxicity in vivo

- Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Dimethyl octadienol:

Genotoxicity in vitro

- Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo

- Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline

### (dl)- $\alpha$ -Tocopheryl acetate:

Genotoxicity in vitro

- Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **Betaine hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: Directive 67/548/EEC, Annex, B.13/14  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: Directive 67/548/EEC, Annex V, B.10.  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

### **Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Pyridoxine hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

### Colecalciferol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: In vivo mammalian alkaline comet assay  
Species: Rat  
Application Route: Ingestion  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### 3,7-Dimethyl 2,6-octadienal:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 104 - 105 weeks  
Result : negative

#### (dl)-a-Tocopheryl acetate:

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative

#### Betaine hydrochloride:

Species : Rat  
Application Route : Ingestion

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

Exposure time : 104 weeks  
Method : OECD Test Guideline 453  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline  
Based on data from similar materials

### **Benzyl alcohol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **3,7-Dimethyl 2,6-octadienal:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: negative

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: negative

#### **Dimethyl octadienol:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: No test guideline followed

#### **(dl)-a-Tocopheryl acetate:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **Pyridoxine hydrochloride:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Components:**

#### **Colecalciferol:**

Exposure routes : Ingestion  
Target Organs : Kidney, Blood, Bone  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### **Repeated dose toxicity**

### **Components:**

#### **Starch:**

Species : Rat  
NOAEL :  $\geq 2,000$  mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410

#### **3,7-Dimethyl 2,6-octadienal:**

Species : Rat, female  
LOAEL : 335 mg/kg  
Application Route : Ingestion  
Exposure time : 14 Weeks

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

### Dimethyl octadienol:

Species	:	Rat, male
NOAEL	:	>= 497.9 mg/kg
Application Route	:	Ingestion
Exposure time	:	96 Days
Method	:	OECD Test Guideline 408
Remarks	:	The test was conducted according to guideline
Species	:	Rat
NOAEL	:	250 mg/kg
Application Route	:	Skin contact
Exposure time	:	91 Days
Method	:	OECD Test Guideline 411
Remarks	:	The test was conducted equivalent or similar to guideline

### (dl)-a-Tocopheryl acetate:

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

### Betaine hydrochloride:

Species	:	Rat
LOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408
Remarks	:	The test was conducted according to guideline Based on data from similar materials

### Benzyl alcohol:

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

### Colecalciferol:

Species	:	Rat
NOAEL	:	0.06 mg/kg
LOAEL	:	0.3 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0 Revision Date: 2025/04/14 SDS Number: 11513566-00004 Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **3,7-Dimethyl 2,6-octadienal:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l  
Exposure time: 96 h  
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.8 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 103.8 mg/l  
Exposure time: 72 h  
EC10 (Desmodesmus subspicatus (green algae)): 3 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): 160 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

##### **Dimethyl octadienol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 27.8 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 59 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 156.7 mg/l  
Exposure time: 96 h  
EC10 (Desmodesmus subspicatus (green algae)): 54.3 mg/l  
Exposure time: 96 h

Toxicity to microorganisms : EC10 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: The test was conducted according to guideline

##### **(dl)-a-Tocopheryl acetate:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l Exposure time: 28 d
Toxicity to microorganisms	: EC50: > 927 mg/l Exposure time: 30 min Method: ISO 8192

### Betaine hydrochloride:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: The test was conducted according to guideline Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline Based on data from similar materials  EC10 (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline Based on data from similar materials

### Benzyl alcohol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version  
3.0

Revision Date:  
2025/04/14

SDS Number:  
11513566-00004

Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### **Pyridoxine hydrochloride:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

### **Colecalciferol:**

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

### **Persistence and degradability**

#### **Components:**

##### **3,7-Dimethyl 2,6-octadienal:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 90 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.

##### **Dimethyl octadienol:**

Biodegradability : Result: Readily biodegradable.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0      Revision Date: 2025/04/14      SDS Number: 11513566-00004      Date of last issue: 2025/03/28  
Date of first issue: 2025/02/24

---

Biodegradation: 64.2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
Remarks: The test was conducted according to guideline

### **(dl)-a-Tocopheryl acetate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 21.7 - 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

### **Pyridoxine hydrochloride:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 94 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

### **Colecalciferol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: <= 7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### **Bioaccumulative potential**

#### **Components:**

##### **3,7-Dimethyl 2,6-octadienal:**

Partition coefficient: n-octanol/water : log Pow: 2.76

##### **Dimethyl octadienol:**

Partition coefficient: n-octanol/water : log Pow: 2.84  
Method: OECD Test Guideline 107  
Remarks: The test was conducted equivalent or similar to guideline

##### **Betaine hydrochloride:**

Partition coefficient: n-octanol/water : log Pow: -4.93  
Remarks: Calculation

##### **Benzyl alcohol:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0	Revision Date: 2025/04/14	SDS Number: 11513566-00004	Date of last issue: 2025/03/28 Date of first issue: 2025/02/24
----------------	------------------------------	-------------------------------	---

---

Partition coefficient: n-octanol/water : log Pow: 1.05

### Pyridoxine hydrochloride:

Partition coefficient: n-octanol/water : log Pow: 4.32

### Colecalciferol:

Partition coefficient: n-octanol/water : log Pow: > 6.2  
Method: OECD Test Guideline 107

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0	Revision Date: 2025/04/14	SDS Number: 11513566-00004	Date of last issue: 2025/03/28 Date of first issue: 2025/02/24
----------------	------------------------------	-------------------------------	---

---

### IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals and it does not meet the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	--

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	:	Not listed
---	---	------------

Hazardous Chemicals for Priority Management under SAWS	:	Not listed
--	---	------------

Catalogue of Specially Controlled Hazardous Chemicals	:	Not listed
---	---	------------

List of Explosive Precursors	:	Not listed
------------------------------	---	------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0 Revision Date: 2025/04/14 SDS Number: 11513566-00004 Date of last issue: 2025/03/28 Date of first issue: 2025/02/24

---

### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/04/14

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betaine / Multivitamin Formulation

Version 3.0	Revision Date: 2025/04/14	SDS Number: 11513566-00004	Date of last issue: 2025/03/28 Date of first issue: 2025/02/24
----------------	------------------------------	-------------------------------	---

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN