

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 2025/06/18 SDS Number: 11506932-00003 Date of last issue: 2025/04/14 Date of first issue: 2025/02/06

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Multi Acid / Surfactant Formulation  
Product code : PROQUATIC PONDACID, Complex Organic Acid Solution (Bulk)

#### Manufacturer or supplier's details

Company : MSD  
Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331  
Telephone : +1-908-740-4000  
Emergency telephone number : 86-571-87268110  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	: liquid
Colour	: yellow
Odour	: No data available

May be harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. Harmful to aquatic life.

#### GHS Classification

Acute toxicity (Oral)	: Category 5
Skin corrosion/irritation	: Sub-category 1B
Serious eye damage/eye irritation	: Category 1
Specific target organ toxicity - single exposure	: Category 3
Short-term (acute) aquatic hazard	: Category 3

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version  
2.1

Revision Date:  
2025/06/18

SDS Number:  
11506932-00003

Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

### GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H303 May be harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.  
H402 Harmful to aquatic life.

Precautionary statements

: **Prevention:**

P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P301 + P330 + P331 + P316 IF SWALLOWED: Rinse mouth.  
Do NOT induce vomiting. Get emergency medical help immediately.  
P302 + P361 + P354 + P316 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Get emergency medical help immediately.  
P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.  
P305 + P354 + P338 + P316 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical help immediately.  
P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

May be harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version  
2.1

Revision Date:  
2025/06/18

SDS Number:  
11506932-00003

Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

### Environmental hazards

Harmful to aquatic life.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
D-Glucopyranose, Oligomeric, C8-10 Glycosides	68515-73-1	>= 25 -< 30
Citric acid	77-92-9	>= 20 -< 30
Phosphoric acid	7664-38-2	>= 10 -< 20
Acetic acid	64-19-7	>= 5 -< 10
Formic acid	64-18-6	>= 5 -< 10

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Causes digestive tract burns. May be harmful if swallowed. Causes serious eye damage. May cause respiratory irritation. Causes severe burns.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1	Revision Date: 2025/06/18	SDS Number: 11506932-00003	Date of last issue: 2025/04/14 Date of first issue: 2025/02/06
----------------	------------------------------	-------------------------------	---

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Oxides of phosphorus
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version  
2.1

Revision Date:  
2025/06/18

SDS Number:  
11506932-00003

Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Explosives

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type	Control param-	Basis
------------	---------	------------	----------------	-------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 2025/06/18 SDS Number: 11506932-00003 Date of last issue: 2025/04/14 Date of first issue: 2025/02/06

---

		(Form of exposure)	ters / Permissible concentration	
Phosphoric acid	7664-38-2	PC-TWA	1 mg/m3	CN OEL
		PC-STEL	3 mg/m3	CN OEL
		TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
Acetic acid	64-19-7	PC-TWA	10 mg/m3	CN OEL
		PC-STEL	20 mg/m3	CN OEL
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
Formic acid	64-18-6	PC-TWA	10 mg/m3	CN OEL
		PC-STEL	20 mg/m3	CN OEL
		TWA	5 ppm	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates, acidic, inorganic gas/vapour and organic vapour type

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

### Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 2025/06/18      SDS Number: 11506932-00003      Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

---

eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1	Revision Date: 2025/06/18	SDS Number: 11506932-00003	Date of last issue: 2025/04/14 Date of first issue: 2025/02/06
----------------	------------------------------	-------------------------------	---

---

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

May be harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 3,691 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 2025/06/18      SDS Number: 11506932-00003      Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

---

Method: Calculation method

### Components:

#### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted equivalent or similar to guideline

#### **Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Phosphoric acid:**

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

#### **Acetic acid:**

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

#### **Formic acid:**

Acute oral toxicity : Acute toxicity estimate (Humans): 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat): 7.4 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 2025/06/18      SDS Number: 11506932-00003      Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

---

Remarks: Based on data from similar materials

### Skin corrosion/irritation

Causes severe burns.

#### Components:

##### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	The test was conducted according to guideline

##### **Citric acid:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

##### **Phosphoric acid:**

Result	:	Corrosive after 3 minutes to 1 hour of exposure
Remarks	:	Based on national or regional regulation.

##### **Acetic acid:**

Species	:	Rabbit
Result	:	Corrosive after 3 minutes or less of exposure

##### **Formic acid:**

Result	:	Corrosive after 3 minutes or less of exposure
Remarks	:	Based on extreme pH

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

##### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	The test was conducted equivalent or similar to guideline

##### **Citric acid:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1	Revision Date: 2025/06/18	SDS Number: 11506932-00003	Date of last issue: 2025/04/14 Date of first issue: 2025/02/06
----------------	------------------------------	-------------------------------	---

---

### Phosphoric acid:

Species : Rabbit  
Result : Irreversible effects on the eye

### Acetic acid:

Species : Rabbit  
Result : Irreversible effects on the eye

### Formic acid:

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### D-Glucopyranose, Oligomeric, C8-10 Glycosides:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline

### Formic acid:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### D-Glucopyranose, Oligomeric, C8-10 Glycosides:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version  
2.1

Revision Date:  
2025/06/18

SDS Number:  
11506932-00003

Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

### Citric acid:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Phosphoric acid:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

### Acetic acid:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: equivocal  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 2025/06/18      SDS Number: 11506932-00003      Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

---

**Genotoxicity in vivo** : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

### **Formic acid:**

**Genotoxicity in vitro** : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

**Genotoxicity in vivo** : Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo)  
Application Route: Ingestion  
Method: OECD Test Guideline 477  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Acetic acid:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 32 weeks  
Result : negative

#### **Formic acid:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Citric acid:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Phosphoric acid:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1	Revision Date: 2025/06/18	SDS Number: 11506932-00003	Date of last issue: 2025/04/14 Date of first issue: 2025/02/06
----------------	------------------------------	-------------------------------	---

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### **Acetic acid:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Formic acid:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### **STOT - single exposure**

May cause respiratory irritation.

### **Components:**

#### **Citric acid:**

Assessment : May cause respiratory irritation.

### **STOT - repeated exposure**

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 2025/06/18 SDS Number: 11506932-00003 Date of last issue: 2025/04/14 Date of first issue: 2025/02/06

---

### Repeated dose toxicity

#### Components:

##### **Citric acid:**

Species : Rat  
NOAEL : 4,000 mg/kg  
LOAEL : 8,000 mg/kg  
Application Route : Ingestion  
Exposure time : 10 Days

##### **Phosphoric acid:**

Species : Rat  
NOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 40 - 52 Days  
Method : OECD Test Guideline 422

##### **Acetic acid:**

Species : Rat  
NOAEL : 290 mg/kg  
Application Route : Ingestion  
Exposure time : 8 Weeks

##### **Formic acid:**

Species : Rat  
NOAEL : 400 mg/kg  
Application Route : Ingestion  
Exposure time : 52 Weeks  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

#### Components:

##### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 100.81 mg/l  
Exposure time: 96 h  
Method: ISO 7346/2  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 2025/06/18      SDS Number: 11506932-00003      Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

---

Method: OECD Test Guideline 202

Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 6.25 mg/l  
Exposure time: 72 h

ErC50 (Desmodesmus subspicatus (green algae)): 27.22 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 560 mg/l  
Exposure time: 6 h

### Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

### Phosphoric acid:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms

: EC50: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Acetic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 2025/06/18      SDS Number: 11506932-00003      Date of last issue: 2025/04/14  
Date of first issue: 2025/02/06

---

Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l  
Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Skeletonema costatum (marine diatom)): > 1 mg/l  
Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): 1,150 mg/l  
Exposure time: 16 h

### Formic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 130 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 365 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,240 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): 295 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 72 mg/l  
Exposure time: 13 d

### Persistence and degradability

### Components:

**D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1	Revision Date: 2025/06/18	SDS Number: 11506932-00003	Date of last issue: 2025/04/14 Date of first issue: 2025/02/06
----------------	------------------------------	-------------------------------	---

---

**Biodegradability** : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E  
Remarks: The test was conducted according to guideline

### **Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### **Acetic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 96 %  
Exposure time: 20 d

### **Formic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

## **Bioaccumulative potential**

### **Components:**

#### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Partition coefficient: n-octanol/water : log Pow: < 4  
Remarks: Expert judgement

#### **Citric acid:**

Partition coefficient: n-octanol/water : log Pow: -1.72

#### **Acetic acid:**

Partition coefficient: n-octanol/water : log Pow: -0.17

#### **Formic acid:**

Partition coefficient: n-octanol/water : log Pow: -2.1

## **Mobility in soil**

No data available

## **Other adverse effects**

No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 2025/06/18 SDS Number: 11506932-00003 Date of last issue: 2025/04/14 Date of first issue: 2025/02/06

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 1760  
Proper shipping name : CORROSIVE LIQUID, N.O.S.  
(Phosphoric acid, Formic acid)  
Class : 8  
Packing group : III  
Labels : 8  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : UN 1760  
Proper shipping name : Corrosive liquid, n.o.s.  
(Phosphoric acid, Formic acid)  
Class : 8  
Packing group : III  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 856  
Packing instruction (passenger aircraft) : 852

##### IMDG-Code

UN number : UN 1760  
Proper shipping name : CORROSIVE LIQUID, N.O.S.  
(Phosphoric acid, Formic acid)  
Class : 8  
Packing group : III  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### GB 6944/12268

UN number : UN 1760  
Proper shipping name : CORROSIVE LIQUID, N.O.S.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 2025/06/18 SDS Number: 11506932-00003 Date of last issue: 2025/04/14 Date of first issue: 2025/02/06

---

Class : 8 (Phosphoric acid, Formic acid)  
Packing group : III  
Labels : 8  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

#### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 2025/06/18 SDS Number: 11506932-00003 Date of last issue: 2025/04/14 Date of first issue: 2025/02/06

---

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import : Not listed and Export

List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/06/18

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

CN OEL / PC-TWA : Permissible concentration - time weighted average

CN OEL / PC-STEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Multi Acid / Surfactant Formulation

Version 2.1	Revision Date: 2025/06/18	SDS Number: 11506932-00003	Date of last issue: 2025/04/14 Date of first issue: 2025/02/06
----------------	------------------------------	-------------------------------	---

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN