

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 11506923-00003 Date of last issue: 14.04.2025 Date of first issue: 06.02.2025

---

### Section 1: Identification

**Product identifier** : Multi Acid / Surfactant Formulation  
**Product code** : PROQUATIC PONDACID,Complex Organic Acid Solution (Bulk)

### Recommended use of the chemical and restrictions on use

**Recommended use** : Veterinary product  
**Restrictions on use** : Not applicable

### Manufacturer or supplier's details

**Company** : MSD  
**Address** : 50 Tuas West Drive  
Singapore - Singapore 638408  
**Telephone** : +1-908-740-4000  
**Emergency telephone number** : 65 6697 2111 (24/7/365)  
**E-mail address** : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

#### Classification of the substance or mixture

**Skin corrosion/irritation** : Category 1  
**Serious eye damage/eye irritation** : Category 1  
**Specific target organ toxicity - single exposure** : Category 3

#### GHS Label elements, including precautionary statements

**Hazard pictograms** :   
**Signal word** : Danger  
**Hazard statements** : H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.  
**Precautionary statements** : **Prevention:**

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version  
2.1

Revision Date:  
18.06.2025

SDS Number:  
11506923-00003

Date of last issue: 14.04.2025  
Date of first issue: 06.02.2025

P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P363 Wash contaminated clothing before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
D-Glucopyranose, Oligomeric, C8-10 Glycosides	68515-73-1	>= 20 -< 30
Citric acid	77-92-9	>= 20 -< 30
Phosphoric acid	7664-38-2	>= 10 -< 20
Acetic acid	64-19-7	>= 5 -< 10
Formic acid	64-18-6	>= 5 -< 10

## Section 4: First-aid measures

### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical

**Multi Acid / Surfactant Formulation**

Version 2.1      Revision Date: 18.06.2025      SDS Number: 11506923-00003      Date of last issue: 14.04.2025  
Date of first issue: 06.02.2025

---

If inhaled : advice.  
If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed**

Risks : Causes digestive tract burns.  
Causes serious eye damage.  
May cause respiratory irritation.  
Causes severe burns.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

**Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically and supportively.

---

**Section 5: Fire-fighting measures****Extinguishing media**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

**Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Oxides of phosphorus

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 18.06.2025      SDS Number: 11506923-00003      Date of last issue: 14.04.2025  
Date of first issue: 06.02.2025

---

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

---

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## Section 7: Handling and storage

### Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing mist or vapours.

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1	Revision Date: 18.06.2025	SDS Number: 11506923-00003	Date of last issue: 14.04.2025 Date of first issue: 06.02.2025
----------------	------------------------------	-------------------------------	---

Hygiene measures	<p>Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers. Take care to prevent spills, waste and minimize release to the environment.</p> <p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>
------------------	--

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage	<p>: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.</p>
Materials to avoid	<p>: Do not store with the following product types: Self-reactive substances and mixtures Organic peroxides Oxidizing agents Explosives</p>

---

## Section 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Phosphoric acid	7664-38-2	PEL (long term)	1 mg/m <sup>3</sup>	SG OEL
		PEL (short term)	3 mg/m <sup>3</sup>	SG OEL
		TWA	1 mg/m <sup>3</sup>	ACGIH
		STEL	3 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 11506923-00003 Date of last issue: 14.04.2025 Date of first issue: 06.02.2025

Acetic acid	64-19-7	PEL (short term)	15 ppm 37 mg/m <sup>3</sup>	SG OEL
		PEL (long term)	10 ppm 25 mg/m <sup>3</sup>	SG OEL
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
Formic acid	64-18-6	PEL (long term)	5 ppm 9.4 mg/m <sup>3</sup>	SG OEL
		PEL (short term)	10 ppm 19 mg/m <sup>3</sup>	SG OEL
		TWA	5 ppm	ACGIH

**Appropriate engineering control measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates, acidic, inorganic gas/vapour and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

### Section 9: Physical and chemical properties

Appearance : liquid

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 18.06.2025      SDS Number: 11506923-00003      Date of last issue: 14.04.2025  
Date of first issue: 06.02.2025

---

Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 18.06.2025      SDS Number: 11506923-00003      Date of last issue: 14.04.2025  
Date of first issue: 06.02.2025

---

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method  
  
Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

#### Components:

##### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline  
  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted equivalent or similar to guideline

##### **Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

**Multi Acid / Surfactant Formulation**

Version 2.1      Revision Date: 18.06.2025      SDS Number: 11506923-00003      Date of last issue: 14.04.2025  
Date of first issue: 06.02.2025

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Phosphoric acid:**

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

**Acetic acid:**

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Formic acid:**

Acute oral toxicity : Acute toxicity estimate (Humans): 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat): 7.4 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Causes severe burns.

**Components:****D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : The test was conducted according to guideline

**Citric acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Multi Acid / Surfactant Formulation**

---

Version 2.1	Revision Date: 18.06.2025	SDS Number: 11506923-00003	Date of last issue: 14.04.2025
			Date of first issue: 06.02.2025

---

**Phosphoric acid:**

Result : Corrosive after 3 minutes to 1 hour of exposure  
Remarks : Based on national or regional regulation.

**Acetic acid:**

Species : Rabbit  
Result : Corrosive after 3 minutes or less of exposure

**Formic acid:**

Result : Corrosive after 3 minutes or less of exposure  
Remarks : Based on extreme pH

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405  
Remarks : The test was conducted equivalent or similar to guideline

**Citric acid:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Phosphoric acid:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Acetic acid:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Formic acid:**

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 11506923-00003 Date of last issue: 14.04.2025 Date of first issue: 06.02.2025

---

### Components:

#### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline

#### **Formic acid:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

#### **Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1      Revision Date: 18.06.2025      SDS Number: 11506923-00003      Date of last issue: 14.04.2025  
Date of first issue: 06.02.2025

---

### Phosphoric acid:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

### Acetic acid:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: equivocal  
Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

### Formic acid:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo

: Test Type: Sex-linked recessive lethal test in *Drosophila melanogaster* (in vivo)  
Application Route: Ingestion  
Method: OECD Test Guideline 477  
Result: negative

### Carcinogenicity

Not classified based on available information.

**Multi Acid / Surfactant Formulation**

Version 2.1      Revision Date: 18.06.2025      SDS Number: 11506923-00003      Date of last issue: 14.04.2025  
Date of first issue: 06.02.2025

---

**Components:****Acetic acid:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 32 weeks  
Result : negative

**Formic acid:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative  
Remarks : Based on data from similar materials

**Reproductive toxicity**

Not classified based on available information.

**Components:****Citric acid:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Phosphoric acid:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

**Acetic acid:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Formic acid:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study

**Multi Acid / Surfactant Formulation**

Version 2.1 Revision Date: 18.06.2025 SDS Number: 11506923-00003 Date of last issue: 14.04.2025 Date of first issue: 06.02.2025

---

Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

**STOT - single exposure**

May cause respiratory irritation.

**Components:****Citric acid:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Citric acid:**

Species : Rat  
NOAEL : 4,000 mg/kg  
LOAEL : 8,000 mg/kg  
Application Route : Ingestion  
Exposure time : 10 Days

**Phosphoric acid:**

Species : Rat  
NOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 40 - 52 Days  
Method : OECD Test Guideline 422

**Acetic acid:**

Species : Rat  
NOAEL : 290 mg/kg  
Application Route : Ingestion  
Exposure time : 8 Weeks

**Formic acid:**

Species : Rat

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 11506923-00003 Date of last issue: 14.04.2025 Date of first issue: 06.02.2025

---

NOAEL : 400 mg/kg  
Application Route : Ingestion  
Exposure time : 52 Weeks  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

---

## Section 12: Ecological information

### Toxicity

#### Components:

##### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 100.81 mg/l  
Exposure time: 96 h  
Method: ISO 7346/2  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 6.25 mg/l  
Exposure time: 72 h  
ErC50 (Desmodesmus subspicatus (green algae)): 27.22 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 560 mg/l  
Exposure time: 6 h

#### **Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

#### **Phosphoric acid:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

---

Version 2.1	Revision Date: 18.06.2025	SDS Number: 11506923-00003	Date of last issue: 14.04.2025 Date of first issue: 06.02.2025
----------------	------------------------------	-------------------------------	---

---

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Acetic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials  
NOEC (Skeletonema costatum (marine diatom)): > 1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): 1,150 mg/l  
Exposure time: 16 h

### Formic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 130 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 365 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,240 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 11506923-00003 Date of last issue: 14.04.2025 Date of first issue: 06.02.2025

---

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): 295 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 72 mg/l

Exposure time: 13 d

### Persistence and degradability

#### Components:

##### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E  
Remarks: The test was conducted according to guideline

##### **Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Acetic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 96 %  
Exposure time: 20 d

##### **Formic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### **D-Glucopyranose, Oligomeric, C8-10 Glycosides:**

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 11506923-00003 Date of last issue: 14.04.2025 Date of first issue: 06.02.2025

---

**Partition coefficient: n-octanol/water** : log Pow: < 4  
Remarks: Expert judgement

### **Citric acid:**

Partition coefficient: n-octanol/water : log Pow: -1.72

### **Acetic acid:**

Partition coefficient: n-octanol/water : log Pow: -0.17

### **Formic acid:**

Partition coefficient: n-octanol/water : log Pow: -2.1

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## Section 13: Disposal considerations

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### **International Regulations**

#### **UNRTDG**

UN number : UN 1760  
UN proper shipping name : CORROSIVE LIQUID, N.O.S.  
(Phosphoric acid, Formic acid)  
Transport hazard class(es) : 8  
Packing group : III  
Labels : 8  
Environmental hazards : no

#### **IATA-DGR**

UN/ID No. : UN 1760  
UN proper shipping name : Corrosive liquid, n.o.s.  
(Phosphoric acid, Formic acid)  
Transport hazard class(es) : 8  
Packing group : III  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 856

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

Version 2.1 Revision Date: 18.06.2025 SDS Number: 11506923-00003 Date of last issue: 14.04.2025 Date of first issue: 06.02.2025

---

Packing instruction (passenger aircraft) : 852

### IMDG-Code

UN number : UN 1760  
Proper shipping name : CORROSIVE LIQUID, N.O.S.  
(Phosphoric acid, Formic acid)  
Transport hazard class(es) : 8  
Packing group : III  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Formic acid  
Environmental Protection and Management (Hazardous Substances) Regulations  
Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

## Section 16: Other information

Revision Date : 18.06.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

# SAFETY DATA SHEET



## Multi Acid / Surfactant Formulation

---

Version 2.1	Revision Date: 18.06.2025	SDS Number: 11506923-00003	Date of last issue: 14.04.2025 Date of first issue: 06.02.2025
----------------	------------------------------	-------------------------------	---

---

ACGIH SG OEL	: USA. ACGIH Threshold Limit Values (TLV) : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
SG OEL / PEL (long term)	: Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term)	: Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN