

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Section 1: Identification

Product name : Calcium (>70%) Salts Formulation

Product code : Biocid

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Serious eye damage/eye irritation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

CENTER/ doctor.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Calcium diformate	544-17-2	>= 30 -< 50
Calcium bis(dihydrogenorthophosphate)	7758-23-8	>= 10 -< 20
Citric acid	77-92-9	>= 10 -< 20
Calcium dipropionate	4075-81-4	>= 3 -< 10

Section 4: First-aid measures

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.

Calcium (>70%) Salts Formulation

Version 1.0	Revision Date: 13.08.2025	SDS Number: 11568631-00001	Date of last issue: - Date of first issue: 13.08.2025
----------------	------------------------------	-------------------------------	--

- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Metal oxides
Oxides of phosphorus
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

Section 7: Handling and storage

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
-

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

- | | | |
|-----------------------------|---|--|
| Local/Total ventilation | : | Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Advice on safe handling | : | Use only with adequate ventilation. |
| | : | Do not breathe dust. |
| | : | Do not swallow. |
| | : | Do not get in eyes. |
| | : | Avoid prolonged or repeated contact with skin. |
| | : | Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment |
| | : | Keep container tightly closed. |
| | : | Minimize dust generation and accumulation. |
| | : | Keep container closed when not in use. |
| | : | Keep away from heat and sources of ignition. |
| | : | Take precautionary measures against static discharges. |
| | : | Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. |
| | : | When using do not eat, drink or smoke. |
| | : | Wash contaminated clothing before re-use. |
| | : | The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labelled containers. |
| | : | Keep tightly closed. |
| | : | Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types: |
| | : | Strong oxidizing agents |

Section 8: Exposure controls/personal protection**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

- | | | |
|-----------------------------|---|---|
| Engineering measures | : | All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. |
| | : | Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). |
| | : | Minimize open handling. |

Personal protective equipment

- | | | |
|------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
|------------------------|---|--|

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Filter type	:	Combined particulates and organic vapour type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Section 9: Physical and chemical properties

Appearance	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Not classified based on available information.

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Components:**Calcium diformate:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Calcium bis(dihydrogenorthophosphate):

Acute oral toxicity	:	LD50 (Rat): 3,986 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 2.6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Citric acid:

Acute oral toxicity	:	LD50 (Mouse): 5,400 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Calcium dipropionate:

Acute oral toxicity	:	LD50 (Rat): 3,455.1 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC0 (Rat): 24.4 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Calcium diformate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Calcium bis(dihydrogenorthophosphate):

Species	: Rabbit
Result	: No skin irritation

Citric acid:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Calcium dipropionate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Calcium diformate:**

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

Calcium bis(dihydrogenorthophosphate):

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

Citric acid:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Calcium dipropionate:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Components:**Calcium diformate:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Calcium bis(dihydrogenorthophosphate):

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Remarks	: Based on data from similar materials

Calcium dipropionate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Calcium diformate:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Sex-linked recessive lethal test in <i>Drosophila melanogaster</i> (in vivo) Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

Calcium bis(dihydrogenorthophosphate):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test
Method: OECD Test Guideline 487
Result: negative
Remarks: Based on data from similar materials

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Calcium dipropionate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Hamster
Application Route: Intraperitoneal injection
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Calcium dipropionate:**

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative
Remarks : Based on data from similar materials

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Reproductive toxicity

Not classified based on available information.

Components:**Calcium diformate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Calcium bis(dihydrogenorthophosphate):

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Citric acid:

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Calcium dipropionate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Components:**Citric acid:**

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Calcium diformate:**

Species	: Rat
NOAEL	: 3,000 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

Calcium bis(dihydrogenorthophosphate):

Species	: Rat
NOAEL	: > 300 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407
Remarks	: Based on data from similar materials

Citric acid:

Species	: Rat
NOAEL	: 4,000 mg/kg
LOAEL	: 8,000 mg/kg
Application Route	: Ingestion
Exposure time	: 10 Days

Calcium dipropionate:

Species	: Dog
NOAEL	: 733.4 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 409
Remarks	: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Section 12: Ecological information**Ecotoxicity****Components:****Calcium diformate:**

- | | | |
|--|---|---|
| Toxicity to fish | : | LC0 (Danio rerio (zebra fish)): >= 1,000 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: EPA-660/3-75-009
Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 500 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): >= 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials |
| Toxicity to microorganisms | : | NOEC: >= 22.1 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials |

Calcium bis(dihydrogenorthophosphate):

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials |

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,535 mg/l
aquatic invertebrates Exposure time: 24 h

Calcium dipropionate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 67.1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 22.7 mg/l
aquatic invertebrates Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 48.7 mg/l
plants Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (Pseudomonas putida): 59.6 mg/l
Exposure time: 17 h
Method: DIN 38 412 Part 8
Remarks: Based on data from similar materials

Persistence and degradability**Components:****Calcium diformate:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 86 %
Exposure time: 28 d
Method: OECD Test Guideline 306
Remarks: Based on data from similar materials

Citric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Calcium dipropionate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 74 %

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

Exposure time: 30 d
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Calcium diformate:**

Partition coefficient: n-octanol/water : log Pow: -2.3 - -1.9
Remarks: Based on data from similar materials

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo) : Not applicable

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

aircraft)
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 13.08.2025

Further informationSources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

Calcium (>70%) Salts Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.08.2025	11568631-00001	Date of first issue: 13.08.2025

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN