

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0 Revision Date: 2025/09/29 SDS Number: 11581581-00001 Date of last issue: - Date of first issue: 2025/09/29

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ethion / Deltamethrin Formulation

Other means of identification : COOPERS TIXAFLY CATTLE DIP AND SPRAY (45981)

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : liquid

**Colour** : Colorless to pale yellow

**Odour** : No data available

Toxic if swallowed or in contact with skin. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

---

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 1

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 1

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H301 + H311 Toxic if swallowed or in contact with skin. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs. H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P203 Obtain, read and follow all safety instructions before use. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version  
1.0

Revision Date:  
2025/09/29

SDS Number:  
11581581-00001

Date of last issue: -  
Date of first issue: 2025/09/29

### Response:

P301 + P316 + P330 IF SWALLOWED: Get emergency medical help immediately. Rinse mouth.  
P302 + P352 + P316 IF ON SKIN: Wash with plenty of water. Get emergency medical help immediately.  
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.  
P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.  
P308 + P316 IF exposed or concerned: Get emergency medical help immediately.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P333 + P317 If skin irritation or rash occurs: Get medical help.  
P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.  
P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Toxic if swallowed. Harmful if inhaled. Toxic in contact with skin. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Repeated exposure may cause skin dryness or cracking.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	>= 50 -< 70
Ethion	563-12-2	>= 10 -< 20

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0 Revision Date: 2025/09/29 SDS Number: 11581581-00001 Date of last issue: - Date of first issue: 2025/09/29

Nonylphenol, ethoxylated	9016-45-9	>= 3 -< 10
Calcium dodecylbenzenesulphonate	26264-06-2	>= 3 -< 10
Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether	37251-69-7	>= 2.5 -< 10
deltamethrin (ISO)	52918-63-5	>= 2.5 -< 3
2-Ethylhexan-1-ol	104-76-7	>= 1 -< 2.5

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Toxic if swallowed or in contact with skin.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Harmful if inhaled.  
May cause drowsiness or dizziness.  
Suspected of damaging fertility or the unborn child.  
Causes damage to organs.  
Causes damage to organs through prolonged or repeated exposure.  
Prolonged or repeated contact may dry skin and cause irritation.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Bromine compounds Sulphur oxides Oxides of phosphorus Metal oxides Sulphur compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version  
1.0

Revision Date:  
2025/09/29

SDS Number:  
11581581-00001

Date of last issue: -  
Date of first issue: 2025/09/29

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Explosives

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Ethion	563-12-2	TWA	4 µg/m <sup>3</sup> (OEB 4)	Internal
		Further information: Skin		
		Wipe limit	40 µg/100 cm <sup>2</sup>	Internal

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0 Revision Date: 2025/09/29 SDS Number: 11581581-00001 Date of last issue: - Date of first issue: 2025/09/29

		TWA (Inhalable fraction and vapor)	0.05 mg/m <sup>3</sup>	ACGIH
deltamethrin (ISO)	52918-63-5	PC-TWA	0.03 mg/m <sup>3</sup>	CN OEL
		TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
2-Ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

### Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Remarks	:	Consider double gloving.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	Colorless to pale yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

---

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Toxic if swallowed or in contact with skin.

Harmful if inhaled.

### Product:

Acute oral toxicity : Acute toxicity estimate: 90.41 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 2.85 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Acute dermal toxicity : Acute toxicity estimate: 455.55 mg/kg  
Method: Calculation method

### Components:

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 420  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.778 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

#### **Ethion:**

Acute oral toxicity : LD50 (Rat): 13 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.450 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 62 mg/kg

#### **Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

#### **Calcium dodecylbenzenesulphonate:**

Acute oral toxicity : LD50 (Rat): > 500 - 2,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

#### **Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:**

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

#### **deltamethrin (ISO):**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Acute oral toxicity	:	LD50 (Rat): 66.7 mg/kg LD50 (Rat): 9 - 139 mg/kg LD50 (Mouse): 19 - 34 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): 2,000 mg/kg LD50 (Rat): > 800 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 2.5 mg/kg Application Route: Intravenous LD50 (Mouse): 10 mg/kg Application Route: Intraperitoneal

### 2-Ethylhexan-1-ol:

Acute oral toxicity	:	LD50 (Rat, male): 2,047 mg/kg Method: OECD Test Guideline 401 Remarks: The test was conducted equivalent or similar to guideline
Acute inhalation toxicity	:	Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
Acute dermal toxicity	:	LD50 (Rat): > 3,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: The test was conducted according to guideline

### Skin corrosion/irritation

Causes skin irritation.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

### **Ethion:**

Species : Rabbit  
Result : Mild skin irritation

#### **Nonylphenol, ethoxylated:**

Result : Skin irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Remarks : Based on national or regional regulation.

### **Calcium dodecylbenzenesulphonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : Based on data from similar materials

### **deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

### **2-Ethylhexan-1-ol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : The test was conducted according to guideline

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Components:**

#### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### **Ethion:**

Result : No eye irritation

#### **Nonylphenol, ethoxylated:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

#### **Calcium dodecylbenzenesulphonate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

#### **deltamethrin (ISO):**

Species : Rabbit  
Result : Moderate eye irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

### 2-Ethylhexan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405
Remarks	:	The test was conducted according to guideline

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Hydrocarbons, C10, aromatics, <1% naphthalene:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

##### Ethion:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

##### Nonylphenol, ethoxylated:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

##### Calcium dodecylbenzenesulphonate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

##### deltamethrin (ISO):

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	negative
Test Type	:	Human repeat insult patch test (HRIPT)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Exposure routes : Dermal  
Species : Humans  
Result : positive

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

#### Ethion:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

Test Type: In vivo micronucleus test  
Species: Mouse  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version  
1.0

Revision Date:  
2025/09/29

SDS Number:  
11581581-00001

Date of last issue: -  
Date of first issue: 2025/09/29

---

### Calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0      Revision Date: 2025/09/29      SDS Number: 11581581-00001      Date of last issue: -  
Date of first issue: 2025/09/29

---

Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### 2-Ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Ethion:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 18 Months  
Result : negative

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

#### **deltamethrin (ISO):**

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 104 weeks  
NOAEL : 8 mg/kg body weight

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

---

LOAEL : 4 mg/kg body weight  
Result : positive  
Target Organs : Lymph nodes

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative

Species : Dog, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 1 mg/kg body weight  
Result : negative

### 2-Ethylhexan-1-ol:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : The test was conducted equivalent or similar to guideline

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

#### Ethion:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version  
1.0

Revision Date:  
2025/09/29

SDS Number:  
11581581-00001

Date of last issue: -  
Date of first issue: 2025/09/29

### Nonylphenol, ethoxylated:

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### Calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

### deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility  
Target Organs: Testes

Effects on foetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations  
Remarks: Maternal toxicity observed.

Test Type: Development

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version  
1.0

Revision Date:  
2025/09/29

SDS Number:  
11581581-00001

Date of last issue: -  
Date of first issue: 2025/09/29

Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on foetal development

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### 2-Ethylhexan-1-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Skin contact  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: The test was conducted equivalent or similar to guideline

### STOT - single exposure

May cause drowsiness or dizziness.  
Causes damage to organs.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : May cause drowsiness or dizziness.  
Remarks : Based on data from similar materials

#### Ethion:

Assessment : Causes damage to organs.

#### deltamethrin (ISO):

Assessment : May cause respiratory irritation.

#### 2-Ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version  
1.0

Revision Date:  
2025/09/29

SDS Number:  
11581581-00001

Date of last issue: -  
Date of first issue: 2025/09/29

---

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Components:

##### **Ethion:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **Nonylphenol, ethoxylated:**

Assessment : May cause damage to organs through prolonged or repeated exposure.  
Remarks : Based on national or regional regulation.

##### **Calcium dodecylbenzenesulphonate:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

##### **deltamethrin (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### **Repeated dose toxicity**

#### Components:

##### **Hydrocarbons, C10, aromatics, <1% naphthalene:**

Species : Rat  
NOAEL : 300 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

##### **Ethion:**

Species : Dog  
NOAEL : 0.05 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### **Calcium dodecylbenzenesulphonate:**

Species : Rat

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

LOAEL	:	> 200 mg/kg
Application Route	:	Ingestion
Exposure time	:	6 - 7 Weeks
Method	:	OECD Test Guideline 422
Remarks	:	Based on data from similar materials
Species	:	Rabbit
NOAEL	:	> 100 mg/kg
Application Route	:	Skin contact
Exposure time	:	28 Days
Method	:	OECD Test Guideline 410
Remarks	:	Based on data from similar materials

### deltamethrin (ISO):

Species	:	Rat, male and female
NOAEL	:	1 mg/kg
LOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	hyperexcitability
Species	:	Rat
LOAEL	:	3 mg/m <sup>3</sup>
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 wk / 5 d/wk / 6 h/d
Symptoms	:	Local irritation, respiratory tract irritation
Species	:	Dog
NOAEL	:	0.1 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation
Species	:	Rat
NOAEL	:	14 mg/kg
LOAEL	:	54 mg/kg
Application Route	:	Oral
Exposure time	:	91 d
Target Organs	:	Nervous system
Species	:	Mouse
LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

### 2-Ethylhexan-1-ol:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Species	:	Rat
NOAEL	:	250 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408
Remarks	:	The test was conducted according to guideline

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

#### Components:

##### Ethion:

Ingestion : Symptoms: Blurred vision, Dizziness, Headache

##### deltamethrin (ISO):

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching

Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions

Ingestion : Symptoms: muscle pain, Small pupils

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

plants mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

### **Ethion:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 0.056 - 7.7 µg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 10,000

M-Factor (Chronic aquatic toxicity) : 10,000

### **Nonylphenol, ethoxylated:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l  
Exposure time: 100 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

### **Calcium dodecylbenzenesulphonate:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

**Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Method: ISO 6341  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC10 (activated sludge): > 1 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
<b>deltamethrin (ISO):</b>		
Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h  LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h  EC50 (Daphnia magna (Water flea)): 0.0035 mg/l Exposure time: 48 h  LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	:	1,000,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l Exposure time: 36 d  NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l Exposure time: 260 d
Toxicity to daphnia and other	:	NOEC (Daphnia magna (Water flea)): 0.0041 µg/l

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

aquatic invertebrates (Chronic toxicity)      Exposure time: 21 d

M-Factor (Chronic aquatic toxicity)      : 1,000,000

### 2-Ethylhexan-1-ol:

Toxicity to fish      : LC50 (Leuciscus idus (Golden orfe)): 17.1 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates      : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants      : ErC50 (Desmodesmus subspicatus (green algae)): 13.3 mg/l  
Exposure time: 72 h  
EC10 (Desmodesmus subspicatus (green algae)): 1.3 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity)      : EC10 (Danio rerio (zebra fish)): 0.278 mg/l  
Exposure time: 30 d  
Method: OECD Test Guideline 210  
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      : EC10 (Daphnia magna (Water flea)): 1.53 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: The test was conducted according to guideline

Toxicity to microorganisms      : NOEC (activated sludge): > 300 mg/l  
Exposure time: 24 h

## Persistence and degradability

### Components:

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability      : Result: Not readily biodegradable.  
Biodegradation: 49.56 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

#### Ethion:

Biodegradability      : Result: not rapidly degradable

#### Nonylphenol, ethoxylated:

Biodegradability      : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

### Calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

### deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

### 2-Ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 79 - 99.9 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C  
Remarks: The test was conducted equivalent or similar to guideline

### Bioaccumulative potential

#### Components:

##### Ethion:

Partition coefficient: n-octanol/water : log Pow: 5.07

##### Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

##### Calcium dodecylbenzenesulphonate:

Bioaccumulation : Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4.77  
Remarks: Calculation

### Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Partition coefficient: n-octanol/water : log Pow: < 4  
Remarks: Calculation

### deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

### 2-Ethylhexan-1-ol:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Partition coefficient: n-octanol/water : log Pow: 2.9  
Method: OECD Test Guideline 117  
Remarks: The test was conducted according to guideline

### Mobility in soil

#### Components:

##### **deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

#### **Other adverse effects**

No data available

## 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

UN number : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
(Ethion, deltamethrin (ISO))  
Class : 6.1  
Packing group : III  
Labels : 6.1  
Environmentally hazardous : yes

##### **IATA-DGR**

UN/ID No. : UN 2810  
Proper shipping name : Toxic liquid, organic, n.o.s.  
(Ethion, deltamethrin (ISO))  
Class : 6.1  
Packing group : III  
Labels : Toxic  
Packing instruction (cargo aircraft) : 663  
Packing instruction (passenger aircraft) : 655

##### **IMDG-Code**

UN number : UN 2810  
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.  
(Ethion, deltamethrin (ISO))

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

Class	:	6.1
Packing group	:	III
Labels	:	6.1
EmS Code	:	F-A, S-A
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	:	UN 2810
Proper shipping name	:	TOXIC LIQUID, ORGANIC, N.O.S. (Ethion, deltamethrin (ISO))
Class	:	6.1
Packing group	:	III
Labels	:	6.1
Marine pollutant	:	yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product is prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Listed

List of Key Controlled New Pollutants : Not listed

List of Toxic and Hazardous Water Pollutants : Not listed

List of Toxic and Hazardous Air Pollutants : Not listed

List of Toxic and Hazardous Soil Pollutants : Not listed

### Measures for the Administration of Non-Medical Use of Narcotic Drugs and Psychotropic Substances

Catalogue of Controlled Narcotic Drugs and Psychotropic Substances with Non-Medical Use : Not listed

### Measures for the Administration on Import and Export Licenses for Dual-Use Items and Technologies

Catalogue for Dual-Use Items and Technologies : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 2025/09/29

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Ethion / Deltamethrin Formulation

Version 1.0	Revision Date: 2025/09/29	SDS Number: 11581581-00001	Date of last issue: - Date of first issue: 2025/09/29
----------------	------------------------------	-------------------------------	--

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CN OEL	: Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
ACGIH / TWA	: 8-hour, time-weighted average
CN OEL / PC-TWA	: Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN