

## Abamectin (with Propylene Glycol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374181-00008	Date of first issue: 27.08.2021

### **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Abamectin (with Propylene Glycol) Formulation
1.2 Relevant identified uses of	the s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Veterinary product
Recommended restrictions on use	:	Not applicable
1.3 Details of the supplier of th	e saf	ety data sheet
Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
Telephone	:	+1-908-740-4000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

### 1.4 Emergency telephone number

+1-908-423-6000

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 2 Acute toxicity, Category 4 Eye irritation, Category 2 Specific target organ toxicity - repeated exposure, Category 2 Short-term (acute) aquatic hazard, Cate- gory 1	<ul> <li>H225: Highly flammable liquid and vapour.</li> <li>H332: Harmful if inhaled.</li> <li>H319: Causes serious eye irritation.</li> <li>H373: May cause damage to organs through prolonged or repeated exposure.</li> <li>H400: Very toxic to aquatic life.</li> </ul>
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

UK REACH Regulations SI 2019/758



### Abamectin (with Propylene Glycol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374181-00008	Date of first issue: 27.08.2021

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H225 H319 H332 H373 H410	Highly flammable liquid and vapour. Causes serious eye irritation. Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P233 P273 P280	Keep container tightly closed. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		<b>Response</b> : P314 P391	: Get medical advice/ attention if you feel unwell. Collect spillage.

Hazardous components which must be listed on the label:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,3-Dioxan-5-ol	4740-78-7	Eye Irrit. 2; H319	>= 30 - < 50

### SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Abamectin (with Propylene Glycol) Formulation

rsion Revision Date: SDS Nu 28.09.2024 937418		of last issue: 06.04.2024 of first issue: 27.08.2021	
Butanone abamectin (combination of avermec- tin B1a and avermectin B1b) (ISO)	225-248-9 78-93-3 201-159-0 606-002-00-3 71751-41-2 606-143-00-0	Flam. Liq. 2; H225Eye Irrit. 2; H319STOT SE 3; H336Acute Tox. 2; H300Acute Tox. 1; H330Acute Tox. 3; H311Repr. 2; H361fdSTOT RE 1; H372(Central nervous system)Aquatic Acute 1; H400Aquatic Chronic 1; H410M-Factor (Acute aquatic toxicity): 10,000M-Factor (Chronic aquatic toxicity): 10,000Specific concentra- tion limit STOT RE 1; H372STOT RE 1; H372>= 5 % STOT RE 2; H373 0.5 - < 5 %	>= 10 - < 20
Substances with a workplace exposure Propylene glycol	e limit : 57-55-6 200-338-0		>= 30 - < 50

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

4.1 Description of first aid measures					
General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.			
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).			
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration.			



Version 5.1	Revision Date: 28.09.2024	SDS Nur 9374181		Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
			athing is diffi nedical atten	cult, give oxygen. tion.	
In c	case of skin contact	of wa Remo Get r Wasł	iter. ove contamir nedical atten n clothing be		
In c	case of eye contact	for at If eas	In case of contact, immediately flush eyes with plenty of wat for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.		
lf s	wallowed	lf vor Call a Rinse	niting occurs a physician c e mouth thor	NOT induce vomiting. have person lean forward. r poison control centre immediately. oughly with water. ng by mouth to an unconscious person.	
4.2 Mos	t important symptoms a	nd effects	, both acute	e and delayed	
Ris	ks	Harm			
4 3 Indi	cation of any immediate	medical a	ttention and	special treatment needed	
	atment			cally and supportively.	
SECTIO	ON 5: Firefighting meas	sures			
5.1 Exti	nguishing media				
Sui	table extinguishing media	Alcoł Carb	r spray nol-resistant on dioxide (C hemical		
Un: me	suitable extinguishing dia	: High	volume wate	er jet	
5.2 Spe	cial hazards arising from	the subs	tance or mi	xture	
Spe	ecific hazards during fire- ting	: Do ne fire. Flash Vapo	ot use a solic h back possik ours may forn	d water stream as it may scatter and spread ole over considerable distance. In explosive mixtures with air. Dustion products may be a hazard to health.	

### Abamectin (with Propylene Glycol) Formulation

Ver 5.1		evision Date: 8.09.2024	SDS Number: 9374181-00008		Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	Hazardous ucts	combustion prod-	:	Carbon oxides	
5.3		firefighters		In the event of fire	e, wear self-contained breathing apparatus.
	for firefighters		•		ective equipment.
	Specific extinguishing meth- ods		:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do

### **SECTION 6:** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro-
<b>6.2 Environmental precautions</b> Environmental precautions	:	tective equipment recommendations (see section 8). Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil

i levent lutther leakage of spillage if sale to do so.
Prevent spreading over a wide area (e.g. by containment or oil
barriers).
Retain and dispose of contaminated wash water.
If spillage enters rivers or watercourses, inform the Environ-
ment Agency (emergency telephone number 0800 807060).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding
		Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.



## Abamectin (with Propylene Glycol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374181-00008	Date of first issue: 27.08.2021

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

-	Technical measures		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
I	Local/Total ventilation :		If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- ment.
	Advice on safe handling :		Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the
I	Hygiene measures :		environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
7.2 C	conditions for safe storage, in	Iclu	uding any incompatibilities
ļ	Requirements for storage areas and containers	:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
	Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids



### Abamectin (with Propylene Glycol) Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
5.1		9374181-00008	Date of first issue: 27.08.2021
		Substances and flammable gase Explosives Gases	bstances and mixtures d mixtures, which in contact with water, emit es xic substances and mixtures

### 7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Occupational Exposure Limits

<u> </u>						
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Propylene glycol	57-55-6	TWA (Total va-	150 ppm	GB EH40		
		pour and parti-	474 mg/m3			
		cles)	-			
		TWA (particles)	10 mg/m3	GB EH40		
Butanone	78-93-3	TWA	200 ppm	GB EH40		
			600 mg/m3			
	Further inform	nation: Can be absor	bed through the skin. The a	ssigned sub-		
	stances are th	nose for which there	are concerns that dermal al	osorption will		
	lead to syster	nic toxicity.		-		
		STEL	300 ppm	GB EH40		
			899 mg/m3			
	Further information: Can be absorbed through the skin. The assigned sub-					
	stances are those for which there are concerns that dermal absorption will					
	lead to syster	nic toxicity.		-		
		STEL	300 ppm	2000/39/EC		
			900 mg/m3			
	Further inform	nation: Indicative				
		TWA	200 ppm	2000/39/EC		
			600 mg/m3			
	Further inform	nation: Indicative				
abamectin (combi-	71751-41-2	TWA	15 µg/m3 (OEB 3)	Internal		
nation of avermec-						
tin B1a and aver-						
mectin B1b) (ISO)						
		Wipe limit	150 µg/100 cm²	Internal		

### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Butanone	78-93-3	butan-2-one: 70 micromol per litre (Urine)	After shift	GB EH40 BAT

UK REACH Regulations SI 2019/758

### Abamectin (with Propylene Glycol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374181-00008	Date of first issue: 27.08.2021

### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Butanone	Workers	Inhalation	Long-term systemic effects	600 mg/m3
	Workers	Skin contact	Long-term systemic effects	1161 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	106 mg/m3
	Workers	Skin contact	Long-term systemic effects	412 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	31 mg/kg bw/day
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3

### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Butanone	Fresh water	55.8 mg/l
	Freshwater - intermittent	55.8 mg/l
	Marine water	55.8 mg/l
	Sewage treatment plant	709 mg/l
	Fresh water sediment	284.74 mg/kg dry weight (d.w.)
	Marine sediment	284.7 mg/kg dry weight (d.w.)
	Soil	22.5 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	1000 mg/kg food
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).



# Abamectin (with Propylene Glycol) Formulation

Version 5.1	Revision Date: 28.09.2024	SDS Nu 9374181		Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
with C Conta and to vices Minin	GMP principles to prote ainment technologies s o prevent migration of t	ct products uitable for c he compou	, workers, ontrolling ond to unco	compounds are required to control at source ntrolled areas (e.g., open-face containment de-	
Pers	onal protective equip	nent			
Eye/t	face protection	lf the mist Wea pote	<ul> <li>Wear safety glasses with side shields or goggles.</li> <li>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.</li> <li>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.</li> </ul>		
Hand	d protection	4010	0010.		
M	aterial	: Cher	nical-resist	ant gloves	
Re	emarks			e gloving. Take note that the product is flam- ay impact the selection of hand protection.	
Skin	and body protection	: Work Addi being suits Use	ional body performe to avoid e	r laboratory coat. garments should be used based upon the task d (e.g., sleevelets, apron, gauntlets, disposable exposed skin surfaces. e degowning techniques to remove potentially	
Resp	iratory protection	: If ade sure omm	equate loca assessme ended gui	al exhaust ventilation is not available or expo- nt demonstrates exposures outside the rec- delines, use respiratory protection. uld conform to BS EN 14387	
Fi	lter type			culates and organic vapour type (A-P)	

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	::	liquid Colorless to pale yellow characteristic No data available
рН	:	No data available
Melting point/freezing point	:	< -66 °C
Initial boiling point and boiling	:	82 °C
range Flash point	:	16 °C
Evaporation rate	:	No data available



### Abamectin (with Propylene Glycol) Formulation

VersionRevision Date:5.128.09.2024	SDS Number:Date of last issue: 06.04.20249374181-00008Date of first issue: 27.08.2021
Flammability (solid, gas)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.05 - 1.09
Density	: No data available
Solubility(ies) Water solubility Solubility in other solvents	<ul> <li>slightly soluble</li> <li>soluble</li> <li>Solvent: Ethanol</li> </ul>
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
<b>9.2 Other information</b> Flammability (liquids)	: Not applicable
Molecular weight	: No data available
Particle size	: Not applicable

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.



Versio 5.1	n Revision Date: 28.09.2024			Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
10.3 P	ossibility of hazardous rea	actio	ons		
	azardous reactions	:	Highly flammable Vapours may forr	liquid and vapour. n explosive mixture with air. ong oxidizing agents.	
10.4 C	onditions to avoid				
С	onditions to avoid	:	Heat, flames and	sparks.	
10.5 lr	compatible materials				
Μ	aterials to avoid	:	Oxidizing agents		
N	azardous decomposition p o hazardous decomposition	pro	ducts are known.		
SECT	ION 11: Toxicological in	for	mation		
11.1 lr	formation on toxicologica	l eff	ects		
	formation on likely routes of posure	:	Inhalation Skin contact Ingestion Eye contact		
	<b>cute toxicity</b> armful if inhaled.				
<u>P</u>	roduct:				
A	cute oral toxicity	:	Acute toxicity estir Method: Calculation	nate: > 2,000 mg/kg on method	
A	cute inhalation toxicity	:	Acute toxicity estin Exposure time: 4 I Test atmosphere: Method: Calculatio	า dust/mist	
A	cute dermal toxicity	:	Acute toxicity estir Method: Calculation	nate: > 2,000 mg/kg on method	
<u>c</u>	omponents:				
1,	3-Dioxan-5-ol:				
	cute oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg	
A	cute dermal toxicity	:	LD50 (Rat): > 2,00 Remarks: Based o	00 mg/kg on data from similar materials	
В	utanone:				
A	cute oral toxicity	:	LD50 (Rat): > 2,00 Remarks: Based o	00 - 5,000 mg/kg on data from similar materials	



ersion 1	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.20249374181-00008Date of first issue: 27.08.2021	
Acute	inhalation toxicity	<ul> <li>LC50 (Rat): &gt; 25.5 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 436 Remarks: Based on data from similar materials</li> </ul>	
Acute	dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg	
abam	ectin (combination	f avermectin B1a and avermectin B1b) (ISO):	
Acute	oral toxicity	: LD50 (Rat): 24 mg/kg	
		LD50 (Mouse): 10 mg/kg	
		LDLo (Monkey): 24 mg/kg Symptoms: Dilatation of the pupil	
Acute	inhalation toxicity	: LC50 (Rat): 0.023 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute	dermal toxicity	: LD50 (Rat): 330 mg/kg	
		LD50 (Rabbit): 2,000 mg/kg	
Propy	lene glycol:		
Acute	oral toxicity	: LD50 (Rat): 22,000 mg/kg	
Acute	inhalation toxicity	: LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute	dermal toxicity	<ul> <li>LD50 (Rabbit): &gt; 2,000 mg/kg Assessment: The substance or mixture has no acute derm toxicity</li> </ul>	al
	corrosion/irritation	able information.	
<u>Comp</u>	onents:		
	oxan-5-ol:		
Specie Metho		: Rabbit : OECD Test Guideline 404	
Result		: No skin irritation	
Rema	rks	: Based on data from similar materials	
Butan	one:		



# Abamectin (with Propylene Glycol) Formulation

ersion 1	Revision Date: 28.09.2024	SDS Number: 9374181-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Spec Meth Resu Rema	od It	: Rabbit : OECD Test Gu : No skin irritatio : Based on data	
abarr	nectin (combination o	of avermectin B1a an	d avermectin B1b) (ISO):
Spec Resu	ies	: Rabbit : No skin irritatio	
Prop	ylene glycol:		
Spec Metho Resu	ies od	: Rabbit : OECD Test Gu : No skin irritatio	
	ous eye damage/eye i es serious eye irritatio		
<u>Com</u>	ponents:		
1,3-D	ioxan-5-ol:		
Spec Methe Resu Rema	od It		ideline 405 s, reversing within 21 days from similar materials
Buta	none:		
Spec Meth Resu	od	: Rabbit : OECD Test Gu : Irritation to eye	ideline 405 s, reversing within 21 days
abam	nectin (combination o	of avermectin B1a an	d avermectin B1b) (ISO):
Spec Resu	ies	: Rabbit : Mild eye irritati	
Prop	ylene glycol:		
Spec Methe Resu	od	: Rabbit : OECD Test Gu : No eye irritatio	
Resp	iratory or skin sensi	tisation	
-	sensitisation		
-	lassified based on ava	ilable information.	
_			

### Respiratory sensitisation

Not classified based on available information.



ersion .1	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.20249374181-00008Date of first issue: 27.08.2021
Com	ponents:	
1,3-D	vioxan-5-ol:	
Test		: Maximisation Test
	sure routes	: Skin contact
Spec		: Guinea pig
Meth	od	: OECD Test Guideline 406
Resu		: negative
Rema	arks	: Based on data from similar materials
Buta	none:	
Test	Туре	: Buehler Test
	sure routes	: Skin contact
Spec	ies	: Guinea pig
Meth	od	: OECD Test Guideline 406
Resu	lt	: negative
abam	nectin (combination	of avermectin B1a and avermectin B1b) (ISO):
Test	Tvpe	: Maximisation Test
	sure routes	: Skin contact
Resu		: Not a skin sensitizer.
Prop	ylene glycol:	
Test		: Maximisation Test
	sure routes	: Skin contact
Spec		: Guinea pig
Resu		: negative
Germ	n cell mutagenicity	
Not c	lassified based on a	vailable information.
Com	ponents:	
	oioxan-5-ol:	
Geno	otoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Geno	otoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in viv cytogenetic assay) Species: Mouse
		Result: negative Remarks: Based on data from similar materials
Buta	none:	
Geno	otoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
		14 / 28



Version 5.1	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.20249374181-00008Date of first issue: 27.08.2021	
		Result: negative	
		Test Type: In vitro mammalian cell gene mutation tes Result: negative	st
		Test Type: Chromosome aberration test in vitro Result: negative	
		Test Type: DNA damage and repair, unscheduled D thesis in mammalian cells (in vitro) Result: negative	NA syn-
		Test Type: Saccharomyces cerevisiae, gene mutatic (in vitro) Result: negative	n assay
Geno	toxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus tes cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative	t (in vivo
abam	nectin (combination	of avermectin B1a and avermectin B1b) (ISO):	
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative	I
		Test Type: In vitro mammalian cell gene mutation tes Test system: Chinese hamster lung cells Result: negative	st
		Test Type: Alkaline elution assay Result: negative	
Geno	toxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-m cytogenetic test, chromosomal analysis) Species: Mouse	arrow
		Application Route: Intraperitoneal injection Result: negative	
Prop	ylene glycol:		
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative	I
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative	
Geno	toxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus tes cytogenetic assay) Species: Mouse	t (in vivo



### Abamectin (with Propylene Glycol) Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
5.1		9374181-00008	Date of first issue: 27.08.2021
5.1	20.09.2024	9374101-00000	Date of 113t 1350e. 27.00.2021

Application Route: Intraperitoneal injection Result: negative

### Carcinogenicity

Not classified based on available information.

#### **Components:**

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

: 2 Years : negative

Species Application Route Exposure time Result	:	Rat Oral 105 weeks negative
Species Application Route Exposure time Result	: : :	Mouse Oral 93 weeks negative
Propylene glycol:		
Species Application Route	:	Rat Ingestion

# Result

### **Reproductive toxicity**

Exposure time

Not classified based on available information.

### **Components:**

Butanone:	
Effects on fertility	<ul> <li>Test Type: Two-generation reproduction toxicity study</li> <li>Species: Rat</li> <li>Application Route: Ingestion</li> <li>Result: negative</li> <li>Remarks: Based on data from similar materials</li> </ul>
Effects on foetal develop- ment	Test Type: Embryo-foetal development Species: Rat Application Route: Inhalation Method: OECD Test Guideline 414 Result: negative
abamectin (combination of av	rermectin B1a and avermectin B1b) (ISO):
Effects on fertility	Test Type: Fertility

Effects on fertility	:	Test Type: Fertility Species: Rat, male
		Application Route: Oral
		Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study

### SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Abamectin (with Propylene Glycol) Formulation

rsion	Revision Date: 28.09.2024	SDS Number: 9374181-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
		Species: Ra Application Early Embry weight Result: Feto	Route: Oral vonic Development: NOAEL: 0.12 mg/kg body
Effects on foetal develop- ment		Species: Mo Application General To Developmen Result: Clef	Route: Oral kicity Maternal: NOAEL: 0.05 mg/kg body weigh ntal Toxicity: NOAEL: 0.2 mg/kg body weight
		Species: Ra Application Developmen Result: Clef survival	
		Species: Ra Application Development	
Reprod sessme	uctive toxicity - As- ent	fertility, base	nce of adverse effects on sexual function and ed on animal experiments., Some evidence of ects on development, based on animal experi-
Propyle	ene glycol:		
Effects	on fertility	Species: Mo	Route: Ingestion
Effects ment	on foetal develop-	Species: Mo	Embryo-foetal development buse Route: Ingestion

### Components:

Butanone:

Assessment

: May cause drowsiness or dizziness.



### Abamectin (with Propylene Glycol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374181-00008	Date of first issue: 27.08.2021

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### Components:

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Exposure routes Target Organs Assessment	:	Ingestion Central nervous system Causes damage to organs through prolonged or repeated
		exposure.

### Repeated dose toxicity

#### **Components:**

#### **Butanone:**

Species	:	Rat
NOAEL	:	14.84 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	90 Days
Method	:	OECD Test Guideline 413

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species NOAEL Application Route Exposure time Target Organs Symptoms		Rat 1.5 mg/kg Oral 24 Months Central nervous system Tremors, ataxia
Species NOAEL Application Route Exposure time Target Organs Symptoms		Mouse 4.0 mg/kg Oral 24 Months Central nervous system Tremors, ataxia
Species NOAEL LOAEL Application Route Exposure time Target Organs Symptoms Remarks		Dog 0.25 mg/kg 0.5 mg/kg Oral 53 Weeks Central nervous system Tremors, weight loss mortality observed
Species NOAEL Application Route	:	Monkey 1.0 mg/kg Oral



### Abamectin (with Propylene Glycol) Formulation

Version 5.1	Revision Date: 28.09.2024	SDS Number 9374181-000	
	ure time t Organs	: 14 Weeks : Central ne	rvous system
Specie NOAE Applic		: Rat, male : >= 1,700 : Ingestion : 2 yr	ng/kg

### Aspiration toxicity

Not classified based on available information.

#### **Components:**

#### Butanone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

#### Experience with human exposure

### Components:

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion

: Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

### 1,3-Dioxan-5-ol:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials



Vers 5.1	ion	Revision Date: 28.09.2024		9S Number: 74181-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	Toxicity	to microorganisms	:	EC10 : > 1,000 m Exposure time: 3 Method: OECD To Remarks: Based o	ĥ
	Butano	ne:			
	Toxicity	to fish	:	LC50 (Pimephales Exposure time: 96 Method: OECD Te	
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	Toxicity plants	to algae/aquatic	:	ErC50 (Pseudokir mg/l Exposure time: 96 Method: OECD Te	
				NOEC (Pseudokir mg/l Exposure time: 96 Method: OECD To	
	ahama	atin (combination of		mostin Pla and a	avermectin B1b) (ISO):
	Toxicity	•	:		hus mykiss (rainbow trout)): 3.2 µg/l
				LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 9.6 μg/l δ h
				LC50 (Ictalurus pu Exposure time: 96	unctatus (channel catfish)): 24 µg/l S h
				LC50 (Cyprinus c Exposure time: 96	arpio (Carp)): 42 μg/l δ h
				LC50 (Cyprinodor Exposure time: 96	n variegatus (sheepshead minnow)): 15 μg/l δ h
		to daphnia and other invertebrates	:	EC50 (Americamy Exposure time: 96	
				EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 0.34 μg/l 3 h
	Toxicity plants	to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 72	chneriella subcapitata (green algae)): 100 2 h



Version 5.1	Revision Date: 28.09.2024		OS Number: 74181-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
M-Fa icity)	ctor (Acute aquatic tox-	:	10,000		
Toxic	Toxicity to microorganisms		EC50 : > 1,000 r Exposure time: 3 Test Type: Resp	3 ĥ	
Toxic icity)	ity to fish (Chronic tox-	:	NOEC: 0.52 µg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow)		
	ity to daphnia and other tic invertebrates (Chron- icity)	:	NOEC: 0.03 µg/l Exposure time: 2 Species: Daphni		
			NOEC: 0.0035 µ Exposure time: 2 Species: Mysido		
M-Fa toxici	ctor (Chronic aquatic ty)	:	10,000		
Prop	ylene glycol:				
-	ity to fish	:	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/ Exposure time: 96 h		
	ity to daphnia and other tic invertebrates	:	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h		
Toxic plants	ity to algae/aquatic s	:	: ErC50 (Skeletonema costatum (marine diatom)): 19,300 Exposure time: 72 h Method: OECD Test Guideline 201		
Toxic	ity to microorganisms	:	NOEC (Pseudor Exposure time: 1	nonas putida): > 20,000 mg/l I8 h	
	ity to daphnia and other tic invertebrates (Chron- icity)	:	NOEC: 13,020 n Exposure time: 7 Species: Cerioda		
12.2 Pers	istence and degradabil	ity			
Com	ponents:				
	<b>ioxan-5-ol:</b> egradability	:	Result: Inherentl Remarks: Basec	y biodegradable. I on data from similar materials	
	<b>none:</b> egradability	:	Result: Readily b	biodegradable.	



### Abamectin (with Propylene Glycol) Formulation

Version 5.1	Revision Date: 28.09.2024		S Number: '4181-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			Biodegradation: Exposure time: 2 Method: OECD	
aban	nectin (combination o	of aver	mectin B1a and	l avermectin B1b) (ISO):
Stabi	lity in water	:	Hydrolysis: 50 %	6(< 12 h)
-	<b>ylene glycol:</b> egradability		Result: Readily Biodegradation: Exposure time: 2 Method: OECD	98.3 %
12.3 Bioa	ccumulative potentia	ıl		
<u>Com</u>	ponents:			
Partit	<b>lioxan-5-ol:</b> ion coefficient: n- iol/water	:	log Pow: -0.65	
Partit	none: ion coefficient: n- iol/water	:	log Pow: 0.3	
aban	nectin (combination o	of aver	mectin B1a and	l avermectin B1b) (ISO):
Bioad	ccumulation	:	Bioconcentration	n factor (BCF): 52
	ion coefficient: n- nol/water	:	log Pow: 4	
Partit	ylene glycol: ion coefficient: n- nol/water	:	log Pow: -1.07 Method: Regula	tion (EC) No. 440/2008, Annex, A.8
12.4 Mobi	ility in soil			
Com	ponents:			
Distri	nectin (combination of bution among environ- al compartments			l avermectin B1b) (ISO):
12.5 Resu	ults of PBT and vPvB	asses	sment	
<u>Prod</u> Asse	<u>uct:</u> ssment			mixture contains no components considere sistent, bioaccumulative and toxic (PBT), or

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



### Abamectin (with Propylene Glycol) Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
5.1		9374181-00008	Date of first issue: 27.08.2021

#### 12.6 Other adverse effects

### Product:

Endocrine disrupting poten- tial	:	This substance/mixture does not contain components consid- ered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).
-------------------------------------	---	--

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.</li> </ul>
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>Empty containers retain residue and can be dangerous.</li> <li>Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>

### **SECTION 14: Transport information**

### 14.1 UN number

:	UN 1993
:	UN 1993
:	FLAMMABLE LIQUID, N.O.S. (Butanone)
:	FLAMMABLE LIQUID, N.O.S. (Butanone)
:	FLAMMABLE LIQUID, N.O.S. (Butanone)
:	FLAMMABLE LIQUID, N.O.S. (Butanone, abamectin (combination of avermectin B1a and avermectin B1b) (ISO))
:	Flammable liquid, n.o.s.
	· · · · · · · · · · · · · · · · · · ·



# Abamectin (with Propylene Glycol) Formulation

Versio 5.1	on	Revision Date: 28.09.2024	SDS Number: 9374181-00008		Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
				(Butanone)	
14.3	Transp	oort hazard class(es)			
				Class	Subsidiary risks
ļ	ADN		:	3	
4	ADR		:	3	
F	RID		:	3	
I	MDG		:	3	
L	ATA		:	3	
14.4 I	Packin	g group			
F C H	Classifi	g group cation Code Identification Number	:	II F1 33 3	
F C F L	Classifi Hazard Labels	g group cation Code Identification Number restriction code		II F1 33 3 (D/E)	
F C H	Classifi	g group cation Code Identification Number	:	II F1 33 3	
F	I <b>MDG</b> Packing Labels EmS C	g group ode	:	ll 3 F-E, <u>S-E</u>	
F	Packing aircraft)	Cargo) g instruction (cargo ) g instruction (LQ)	:	364 Y341	
F		g group	:	II Flammable Liquid	ts
l. F	I <b>ATA (I</b> Packing ger airc		:	353	~~
F		g instruction (LQ) g group	:	Y341 II Flammable Liquid	ds

### 14.5 Environmental hazards

### ADN

UK REACH Regulations SI 2019/758



### Abamectin (with Propylene Glycol) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 28.09.2024 9374181-00008 Date of first issue: 27.08.2021 5.1 Environmentally hazardous : yes ADR Environmentally hazardous : yes RID Environmentally hazardous yes : IMDG Marine pollutant yes :

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

: Not applicable for product as supplied.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (A	nnex 17)	:	Conditions of restr lowing entries sho Number on list 3	iction for the fol- uld be considered:
			here according to in the regulation, in use/purpose or the restriction. Please tions in correspond determine whether cable to the placin not.	respective of their e conditions of the refer to the condi- ding Regulation to
UK REACH Candidate list of sub concern (SVHC) for Authorisation		:	Not applicable	
The Persistent Órganic Pollutant Regulation (EU) 2019/1021 as an ain)	s Regulations (retained	:	Not applicable	
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable	
UK REACH List of substances su (Annex XIV)	ubject to authorisation	:	Not applicable	
GB Export and import of hazardo Informed Consent (PIC) Regulati	on	:	Not applicable	
Control of Major Accident Hazard	ds Regulations 2015 (CO	MA		
P5c	FLAMMABLE LIQUIDS	5	Quantity 1 5,000 t	Quantity 2 50,000 t



### Abamectin (with Propylene Glycol) Formulation

Version 5.1	Revision Date: 28.09.2024	SDS Number: 9374181-00008		f last issue: 06 f first issue: 27	
E1		ENVIRONMEN HAZARDS	TAL	100 t	200 t

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other infor	mation	
Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statemer	nts	
H225	:	Highly flammable liquid and vapour.
H300	:	Fatal if swallowed.
H311	:	Toxic in contact with skin.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H336	:	May cause drowsiness or dizziness.
H361fd	:	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure if swallowed.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbre	eviations	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Repr.	:	Reproductive toxicity

### SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### Abamectin (with Propylene Glycol) Formulation

Version 5.1	Revision Date: 28.09.2024		DS Number: 74181-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
STOT	RE	:	Specific target or	gan toxicity - repeated exposure	
STOT	SE	:	Specific target organ toxicity - single exposure		
2000/3	39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values		
GB Eł	H40	:	UK. EH40 WEL - Workplace Exposure Limits		
GB Eł	H40 BAT	:	UK. Biological monitoring guidance values		
2000/3	39/EC / TWA	:	Limit Value - eight hours		
2000/3	39/EC / STEL	:	Short term exposure limit		
GB Eł	H40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)		
GB Eł	H40 / STEL	:	Short-term expos	sure limit (15-minute reference period)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Sources of key data used to : compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

#### Classification of the mixture:

**Classification procedure:** 

UK REACH Regulations SI 2019/758



### Abamectin (with Propylene Glycol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374181-00008	Date of first issue: 27.08.2021
Flam.	Liq. 2	H225	Based on product data or assessment
Acute	Tox. 4	H332	Calculation method
Eye Ir	rit. 2	H319	Calculation method
STOT	RE 2	H373	Calculation method
Aquat	ic Acute 1	H400	Calculation method
Aquat	ic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN