

Abamectin (with Propylene Glycol) Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Abamectin (with Propylene Glycol) Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Flammable liquids : Category 2

Acute toxicity (Inhalation) : Category 4

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



**Abamectin (with Propylene Glycol) Formula-
tion**

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

- Signal word : Danger
- Hazard statements : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.
- Storage:**
P403 + P235 Store in a well-ventilated place. Keep cool.
- Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

- Important symptoms and out- : Vapours may form explosive mixture with air.
lines of the emergency as-
sumed

Abamectin (with Propylene Glycol) Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
 Date of first issue: 2019/08/29

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	>= 40 - < 50	2-234
1,3-Dioxan-5-ol	4740-78-7	>= 40 - < 50	
Butanone	78-93-3	>= 10 - < 20	2-542
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	1	

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 If not breathing, give artificial respiration.
 If breathing is difficult, give oxygen.
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.
 Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
 If vomiting occurs have person lean forward.
 Call a physician or poison control centre immediately.
 Rinse mouth thoroughly with water.
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
 Harmful if inhaled.
 May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

Abamectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
8.0	2023/09/30	4795005-00011	Date of first issue: 2019/08/29

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Ventilate the area.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.

Abamectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
8.0	2023/09/30	4795005-00011	Date of first issue: 2019/08/29

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- | | | |
|-------------------------|---|---|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment. |
| Advice on safe handling | : | Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Avoidance of contact | : | Oxidizing agents |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

Storage

- | | | |
|-----------------------------|---|--|
| Conditions for safe storage | : | Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations. |
|-----------------------------|---|--|

Abamectin (with Propylene Glycol) Formula- tion

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Materials to avoid : Keep away from heat and sources of ignition.
: Do not store with the following product types:
Oxidizing solids
Oxidizing liquids

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Butanone	78-93-3	ACL	200 ppm	JP OEL ISHL
		OEL-M	200 ppm 590 mg/m ³	JP OEL JSOH
		TWA	200 ppm	ACGIH
		STEL	300 ppm	ACGIH
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m ³ (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Biological occupational exposure limits

Components	CAS-No.	Target substance	Biological specimen	Sampling time	Permissible concentration	Basis
Butanone	78-93-3	Methylethylketone	Urine	End of shift or A few hours after high exposure	5 mg/l	JSOH
		methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility

Abamectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
8.0	2023/09/30	4795005-00011	Date of first issue: 2019/08/29

design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Combined particulates and organic vapour type |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection. |
| Eye protection | : | Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|--|---|--------------------------|
| Physical state | : | liquid |
| Colour | : | Colorless to pale yellow |
| Odour | : | characteristic |
| Odour Threshold | : | No data available |
| Melting point/freezing point | : | < -66 °C |
| Boiling point, initial boiling point and boiling range | : | 82 °C |
| Flammability (solid, gas) | : | Not applicable |

**Abamectin (with Propylene Glycol) Formula-
tion**

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Flammability (liquids) : Not applicable

Lower explosion limit and upper explosion limit / flammability limit
Upper explosion limit / Up- : No data available
per flammability limit

Lower explosion limit / : No data available
Lower flammability limit

Flash point : 16 °C

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : slightly soluble

Solubility in other solvents : soluble
Solvent: Ethanol

Partition coefficient: n- : Not applicable
octanol/water

Vapour pressure : No data available

Density and / or relative density
Relative density : 1.05 - 1.09

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

Abamectin (with Propylene Glycol) Formula- tion

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Highly flammable liquid and vapour.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 2.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

**Abamectin (with Propylene Glycol) Formula-
tion**

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

||

1,3-Dioxan-5-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Butanone:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg
Remarks: Based on data from similar materials
Acute inhalation toxicity : LC50 (Rat): > 25.5 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 436
Remarks: Based on data from similar materials
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg
LD50 (Mouse): 10 mg/kg
LDLo (Monkey): 24 mg/kg
Symptoms: Dilatation of the pupil
Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rat): 330 mg/kg
LD50 (Rabbit): 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Propylene glycol:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

1,3-Dioxan-5-ol:

Species : Rabbit
Method : OECD Test Guideline 404

Abamectin (with Propylene Glycol) Formula- tion

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Result : No skin irritation
Remarks : Based on data from similar materials

Butanone:

Assessment : Repeated exposure may cause skin dryness or cracking.

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propylene glycol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

1,3-Dioxan-5-ol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Butanone:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Abamectin (with Propylene Glycol) Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Respiratory sensitisation

Not classified based on available information.

Components:

Propylene glycol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

1,3-Dioxan-5-ol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Butanone:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

**Abamectin (with Propylene Glycol) Formula-
tion**

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

||

1,3-Dioxan-5-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Result: negative
Remarks: Based on data from similar materials

Butanone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-
thesis in mammalian cells (in vitro)
Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay
(in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative

Test Type: Alkaline elution assay
Result: negative

**Abamectin (with Propylene Glycol) Formula-
tion**

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Propylene glycol:**

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Butanone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Abamectin (with Propylene Glycol) Formula- tion

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Remarks: Based on data from similar materials

Effects on foetal develop-
ment : Test Type: Embryo-foetal development
Species: Rat
Application Route: Inhalation
Method: OECD Test Guideline 414
Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: NOAEL: 0.12 mg/kg body weight
Result: Fetotoxicity

Effects on foetal develop-
ment : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight
Developmental Toxicity: NOAEL: 0.2 mg/kg body weight
Result: Cleft palate
Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 2 mg/kg body weight
Result: Cleft palate, Teratogenic effects, Reduced embryonic survival
Remarks: Adverse developmental effects were observed

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 1.6 mg/kg body weight
Result: Teratogenic effects

Reproductive toxicity - As-
sessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Abamectin (with Propylene Glycol) Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

STOT - single exposure

Not classified based on available information.

Components:

Butanone:

|| Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

|| Exposure routes : Ingestion
|| Target Organs : Central nervous system
|| Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Propylene glycol:

|| Species : Rat, male
|| NOAEL : $\geq 1,700$ mg/kg
|| Application Route : Ingestion
|| Exposure time : 2 yr

Butanone:

|| Species : Rat
|| NOAEL : 14.84 mg/l
|| Application Route : inhalation (vapour)
|| Exposure time : 90 Days
|| Method : OECD Test Guideline 413

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

|| Species : Rat
|| NOAEL : 1.5 mg/kg
|| Application Route : Oral
|| Exposure time : 24 Months
|| Target Organs : Central nervous system
|| Symptoms : Tremors, ataxia

|| Species : Mouse
|| NOAEL : 4.0 mg/kg
|| Application Route : Oral
|| Exposure time : 24 Months
|| Target Organs : Central nervous system

Abamectin (with Propylene Glycol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
8.0	2023/09/30	4795005-00011	Date of first issue: 2019/08/29

Symptoms	:	Tremors, ataxia
Species	:	Dog
NOAEL	:	0.25 mg/kg
LOAEL	:	0.5 mg/kg
Application Route	:	Oral
Exposure time	:	53 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Tremors, weight loss
Remarks	:	mortality observed
Species	:	Monkey
NOAEL	:	1.0 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Target Organs	:	Central nervous system

Aspiration toxicity

Not classified based on available information.

Components:

Butanone:

|| The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

|| Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene glycol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h

Abamectin (with Propylene Glycol) Formula- tion

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

1,3-Dioxan-5-ol:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Butanone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,993 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 308 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2,029 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,240 mg/l
Exposure time: 96 h

Abamectin (with Propylene Glycol) Formula- tion

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Method: OECD Test Guideline 201

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l Exposure time: 96 h
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l Exposure time: 96 h
		LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l Exposure time: 96 h
		LC50 (Cyprinus carpio (Carp)): 42 µg/l Exposure time: 96 h
		LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 0.022 µg/l Exposure time: 96 h
		EC50 (Daphnia magna (Water flea)): 0.34 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.03 µg/l Exposure time: 21 d
		NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	10,000
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition

Persistence and degradability

Components:

Propylene glycol:

Abamectin (with Propylene Glycol) Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

1,3-Dioxan-5-ol:

Biodegradability : Result: Inherently biodegradable.
Remarks: Based on data from similar materials

Butanone:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

1,3-Dioxan-5-ol:

Partition coefficient: n-octanol/water : log Pow: -0.65

Butanone:

Partition coefficient: n-octanol/water : log Pow: 0.3

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environmental compartments : log Koc: > 3.6

Abamectin (with Propylene Glycol) Formula- tion

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
Date of first issue: 2019/08/29

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.
-

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Butanone)
Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

IATA-DGR

- UN/ID No. : UN 1993
Proper shipping name : Flammable liquid, n.o.s.
(Butanone)
Class : 3
Packing group : II
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 364
Packing instruction (passenger aircraft) : 353

IMDG-Code

- UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Butanone, abamectin (combination of avermectin B1a and avermectin B1b) (ISO))
Class : 3
Packing group : II
-

Abamectin (with Propylene Glycol) Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
 Date of first issue: 2019/08/29

Labels : 3
 EmS Code : F-E, S-E
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 128

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Group 4, Type 1 petroleum, Water insoluble liquid, (200 litre), Hazardous rank II

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
propane-1,2-diol	>=40 - <50	From April 1st, 2025

Abamectin (with Propylene Glycol) Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 4795005-00011 Date of last issue: 2023/04/04
 Date of first issue: 2019/08/29

Methyl ethyl ketone	>=10 - <20	-
---------------------	------------	---

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
propane-1,2-diol	From April 1st, 2025
methyl ethyl ketone	-

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

Poisonous and Deleterious Substances Control Law

Deleterious substance

Chemical name	Cabinet Order Number
Abamectin and preparations containing it	4.2

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

|| Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Abamectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
8.0	2023/09/30	4795005-00011	Date of first issue: 2019/08/29

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

JP OEL ISHL : Japan. Administrative Control Levels

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

JSOH : Occupational exposure limits based on biological monitoring (JSOH).

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

JP OEL ISHL / ACL : Administrative Control level

JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

Abamectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
8.0	2023/09/30	4795005-00011	Date of first issue: 2019/08/29

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN