

**Abamectin / Fluazuron Formulation**

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
Date of first issue: 12.07.2016

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Abamectin / Fluazuron Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : +1-908-740-4000

Emergency telephone number : 1 800 033 461

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use :  
Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system)

**GHS label elements**

Hazard pictograms :



## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

---

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H360D May damage the unborn child.  
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

## Abamectin / Fluazuron Formulation

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
 Date of first issue: 12.07.2016

**Other hazards which do not result in classification**

Vapours may form explosive mixture with air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name   | CAS-No.    | Concentration (% w/w) |
|---|------------|-----------------------|
| Propan-2-ol   | 67-63-0    | >= 30 -< 60           |
| N-Methyl-2-pyrrolidone  | 872-50-4   | >= 30 -< 60           |
| Fluazuron   | 86811-58-7 | < 10                  |
| abamectin (combination of avermectin B1a and avermectin B1b) (ISO)          | 71751-41-2 | >= 1 -< 3             |
| 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate | 2386-87-0  | >= 1 -< 10            |

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
 May cause an allergic skin reaction.  
 Causes serious eye irritation.  
 Harmful if inhaled.  
 May cause respiratory irritation.  
 May cause drowsiness or dizziness.  
 May damage the unborn child.  
 May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection,

## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

---

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Fluorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : •3Y

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- |                             |   |   |
|-----------------------------|---|---|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.<br>Use explosion-proof electrical, ventilating and lighting equipment.  |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe mist or vapours.<br>Do not swallow.<br>Do not get in eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Non-sparking tools should be used.<br>Keep container tightly closed.<br>Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Contaminated work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.  |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.<br>Store in accordance with the particular national regulations.  |

## Abamectin / Fluazuron Formulation

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
 Date of first issue: 12.07.2016

Materials to avoid : Keep away from heat and sources of ignition.  
 : Do not store with the following product types:  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Oxidizing agents  
 Flammable gases  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Poisonous gases  
 Explosives

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

| Components   | CAS-No.    | Value type<br>(Form of exposure)     | Control parameters / Permissible concentration | Basis    |  |
|--|------------|--------------------------------------|--|----------|--|
| Propan-2-ol  | 67-63-0    | STEL                                 | 500 ppm<br>1,230 mg/m <sup>3</sup>             | AU OEL   |  |
|  |            | TWA                                  | 400 ppm<br>983 mg/m <sup>3</sup>               | AU OEL   |  |
|  |            | TWA                                  | 200 ppm  | ACGIH    |  |
|  |            | STEL                                 | 400 ppm  | ACGIH    |  |
| N-Methyl-2-pyrrolidone   | 872-50-4   | TWA                                  | 25 ppm<br>103 mg/m <sup>3</sup>                | AU OEL   |  |
|  |            | Further information: Skin absorption |  |          |  |
|  |            | STEL                                 | 75 ppm<br>309 mg/m <sup>3</sup>                | AU OEL   |  |
| Further information: Skin absorption                               |            |                                      |  |          |  |
| Fluazuron  | 86811-58-7 | TWA                                  | 60 µg/m <sup>3</sup> (OEB 3)                   | Internal |  |
|  |            | Wipe limit                           | 600 µg/ 100cm <sup>2</sup>                     | Internal |  |
| abamectin (combination of avermectin B1a and avermectin B1b) (ISO) | 71751-41-2 | TWA                                  | 15 µg/m <sup>3</sup> (OEB 3)                   | Internal |  |
|  |            | Wipe limit                           | 150 µg/100 cm <sup>2</sup>                     | Internal |  |

## Biological occupational exposure limits

| Components             | CAS-No.  | Control parameters               | Biological specimen | Sampling time  | Permissible concentration | Basis        |
|------------------------|----------|----------------------------------|---------------------|--|---------------------------|--------------|
| N-Methyl-2-pyrrolidone | 872-50-4 | 5-Hydroxy-N-methyl-2-pyrrolidone | Urine               | End of shift (As soon as possible after exposure ceases) | 100 mg/l                  | ACGIH<br>BEI |
| Propan-2-ol            | 67-63-0  | Acetone                          | Urine               | End of shift at end of work-                             | 40 mg/l                   | ACGIH<br>BEI |

## Abamectin / Fluazuron Formulation

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
 Date of first issue: 12.07.2016

|  |  |  |  |      |  |  |
|--|--|--|--|------|--|--|
|  |  |  |  | week |  |  |
|--|--|--|--|------|--|--|

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.  
 Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
 Use appropriate degowning techniques to remove potentially contaminated clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available

**Abamectin / Fluazuron Formulation**

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
Date of first issue: 12.07.2016

---

range

Flash point : 28 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.



**Abamectin / Fluazuron Formulation**

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
Date of first issue: 12.07.2016

---

Conditions to avoid : Heat, flames and sparks.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if inhaled.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 2.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**N-Methyl-2-pyrrolidone:**

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Fluazuron:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6.0 mg/l  
Exposure time: 4 h

## Abamectin / Fluazuron Formulation

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
 Date of first issue: 12.07.2016

Test atmosphere: dust/mist  
 Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
 Method: OECD Test Guideline 402

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Acute oral toxicity : LD50 (Rat): 24 mg/kg  
 LD50 (Mouse): 10 mg/kg  
 LDLo (Monkey): 24 mg/kg  
 Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg  
 LD50 (Rabbit): 2,000 mg/kg

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Acute oral toxicity : LD50 (Rat, male): 2,959 - 5,000 mg/kg  
 Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): >= 5.19 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Method: OECD Test Guideline 436  
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
 Method: OECD Test Guideline 402  
 Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Propan-2-ol:**

Species : Rabbit  
 Result : No skin irritation

**N-Methyl-2-pyrrolidone:**

Result : Skin irritation

**Fluazuron:**

Species : Rabbit

**Abamectin / Fluazuron Formulation**

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
Date of first issue: 12.07.2016

---

Method : OECD Test Guideline 404  
Result : No skin irritation

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rabbit  
Result : No skin irritation

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Propan-2-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Fluazuron:**

Species : Rabbit  
Result : Mild eye irritation  
Method : OECD Test Guideline 405

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rabbit  
Result : Mild eye irritation

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Abamectin / Fluazuron Formulation**

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
Date of first issue: 12.07.2016

---

**Components:****Propan-2-ol:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**N-Methyl-2-pyrrolidone:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

**Fluazuron:**

Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Result : Not a skin sensitizer.

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse

**Abamectin / Fluazuron Formulation**

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
Date of first issue: 12.07.2016

---

Application Route: Intraperitoneal injection

Result: negative

**N-Methyl-2-pyrrolidone:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Hamster  
Application Route: Ingestion  
Method: OECD Test Guideline 475  
Result: negative

**Fluazuron:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo

: Test Type: Cytogenetic assay  
Species: Hamster  
Result: equivocal

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: Alkaline elution assay

## Abamectin / Fluazuron Formulation

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
 Date of first issue: 12.07.2016

---

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 486  
 Result: negative

Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Components:****Propan-2-ol:**

Species : Rat  
 Application Route : inhalation (vapour)  
 Exposure time : 104 weeks  
 Method : OECD Test Guideline 451  
 Result : negative

**N-Methyl-2-pyrrolidone:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 2 Years  
 Result : negative

Species : Rat  
 Application Route : inhalation (vapour)  
 Exposure time : 2 Years  
 Result : negative

**Fluazuron:**

Species : Rat

## Abamectin / Fluazuron Formulation

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
 Date of first issue: 12.07.2016

---

Application Route : Ingestion  
 Exposure time : 2 Years  
 Method : OECD Test Guideline 453  
 Result : negative

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 2 Years  
 Result : negative

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rat  
 Application Route : Oral  
 Exposure time : 105 weeks  
 Result : negative

Species : Mouse  
 Application Route : Oral  
 Exposure time : 93 weeks  
 Result : negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****Propan-2-ol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**N-Methyl-2-pyrrolidone:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 416  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: positive

Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: inhalation (vapour)

## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

---

Result: positive

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**Fluazuron:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal development : Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Method: OECD Test Guideline 414

Result: negative

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Effects on fertility : Test Type: Fertility

Species: Rat, male

Application Route: Oral

Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 0.12 mg/kg body weight

Result: Fetotoxicity

Effects on foetal development : Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight

Developmental Toxicity: NOAEL: 0.2 mg/kg body weight

Result: Cleft palate

Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight

Result: Cleft palate, Teratogenic effects, Reduced embryonic survival



## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

---

Remarks: Adverse developmental effects were observed

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 1.6 mg/kg body weight  
 Result: Teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative

**STOT - single exposure**

May cause respiratory irritation.  
 May cause drowsiness or dizziness.

**Components:**

**Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

**N-Methyl-2-pyrrolidone:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

**Components:**

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Exposure routes : Ingestion  
 Target Organs : Central nervous system  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity**

**Components:**

**Propan-2-ol:**

Species : Rat  
 NOAEL : 12.5 mg/l  
 Application Route : inhalation (vapour)  
 Exposure time : 104 Weeks

## Abamectin / Fluazuron Formulation

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
 Date of first issue: 12.07.2016

**N-Methyl-2-pyrrolidone:**

Species : Rat, male  
 NOAEL : 169 mg/kg  
 LOAEL : 433 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Method : OECD Test Guideline 408

Species : Rat  
 NOAEL : 0.5 mg/l  
 LOAEL : 1 mg/l  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 96 Days  
 Method : OECD Test Guideline 413

Species : Rabbit  
 NOAEL : 826 mg/kg  
 LOAEL : 1,653 mg/kg  
 Application Route : Skin contact  
 Exposure time : 20 Days

**Fluazuron:**

Species : Rat  
 LOAEL : 240 mg/kg  
 Application Route : Ingestion  
 Exposure time : 13 Weeks  
 Target Organs : Liver, Thyroid, Pituitary gland

Species : Rat  
 NOAEL : 10 mg/kg  
 LOAEL : 100 mg/kg  
 Application Route : Skin contact  
 Exposure time : 3 Weeks

Species : Dog  
 NOAEL : 7.5 mg/kg  
 LOAEL : 110 mg/kg  
 Application Route : Ingestion  
 Exposure time : 52 Weeks  
 Target Organs : Liver

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rat  
 NOAEL : 1.5 mg/kg  
 Application Route : Oral  
 Exposure time : 24 Months  
 Target Organs : Central nervous system  
 Symptoms : Tremors, ataxia

Species : Mouse  
 NOAEL : 4.0 mg/kg  
 Application Route : Oral  
 Exposure time : 24 Months

## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

Species : Dog  
NOAEL : 0.25 mg/kg  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Central nervous system  
Symptoms : Tremors, weight loss  
Remarks : mortality observed

Species : Monkey  
NOAEL : 1.0 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Central nervous system

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****N-Methyl-2-pyrrolidone:**

Skin contact : Symptoms: Skin irritation

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l  
Exposure time: 16 h

**N-Methyl-2-pyrrolidone:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 24 h

## Abamectin / Fluazuron Formulation

Version 5.2      Revision Date: 01.10.2022      SDS Number: 800392-00021      Date of last issue: 09.04.2022  
 Date of first issue: 12.07.2016

Method: DIN 38412

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l  
 Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l  
 Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 600 mg/l  
 Exposure time: 30 min  
 Method: ISO 8192

**Fluazuron:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 9.1 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia sp. (water flea)): 0.0006 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Raphidocelis subcapitata (freshwater green alga)): 27.9 mg/l  
 Exposure time: 72 h

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l  
 Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l  
 Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l  
 Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 µg/l  
 Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.022 µg/l  
 Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 µg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
 Exposure time: 72 h

Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l

## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

---

icity) Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.03 µg/l  
Exposure time: 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 110 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 30 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Natural microorganism): 409 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Propan-2-ol:**

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

**N-Methyl-2-pyrrolidone:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 73 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Stability in water : Hydrolysis: 50 %(< 12 h)

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

---

Biodegradability : Biodegradation: 71 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

Stability in water : Degradation half life (DT50): 2 d

**Bioaccumulative potential****Components:****Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

**N-Methyl-2-pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.46  
Method: OECD Test Guideline 107

**Fluazuron:**

Partition coefficient: n-octanol/water : log Pow: 5.1

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

**7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Partition coefficient: n-octanol/water : log Pow: 1.34

**Mobility in soil****Components:****abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Distribution among environmental compartments : log Koc: > 3.6

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

## Abamectin / Fluazuron Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 1993  
 Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
 (Propan-2-ol)  
 Class : 3  
 Packing group : III  
 Labels : 3

**IATA-DGR**

UN/ID No. : UN 1993  
 Proper shipping name : Flammable liquid, n.o.s.  
 (Propan-2-ol)  
 Class : 3  
 Packing group : III  
 Labels : Flammable Liquids  
 Packing instruction (cargo aircraft) : 366  
 Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 1993  
 Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
 (Propan-2-ol, Fluazuron, abamectin (combination of avermectin B1a and avermectin B1b) (ISO))  
 Class : 3  
 Packing group : III  
 Labels : 3  
 EmS Code : F-E, S-E  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : UN 1993  
 Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
 (Propan-2-ol)  
 Class : 3  
 Packing group : III  
 Labels : 3  
 Hazchem Code : •3Y

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**Abamectin / Fluazuron Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

**SECTION 16. OTHER INFORMATION****Further information**

Revision Date : 01.10.2022  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
AU OEL / TWA : Exposure standard - time weighted average  
AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



**Abamectin / Fluazuron Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09.04.2022  |
| 5.2     | 01.10.2022     | 800392-00021 | Date of first issue: 12.07.2016 |

---

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN