

Versio 4.4	n Revision Date: 2021/08/27		S Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12	
1. PR(DDUCT AND COMPANY	IDENT	IFICATION		
Р	roduct name	:	Abamectin / I	-Iuazuron Formulation	
M	lanufacturer or supplier	's detai	ls		
С	ompany	:	MSD		
A	ddress	:	126 E. Lincol Rahway, Nev	n Avenue v Jersey U.S.A 07065	
Т	elephone	:	908-740-400)	
E	mergency telephone num	nber :	1-908-423-60	00	
E	-mail address	:	EHSDATAST	EWARD@msd.com	
	ecommended use of the		ical and restr i Veterinary pr		

2. HAZARDS IDENTIFICATION

GHS Classification		
Flammable liquids	:	Category 3
Acute toxicity (Inhalation)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Skin sensitisation	:	Category 1
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure	:	Category 2 (Central nervous system)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements



Version 4.4	Revision Date: 2021/08/27	SDS Number: 800401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
Haza	rd pictograms		
Signa	al word	: Danger	\mathbf{v} \mathbf{v} \mathbf{v}
Haza	rd statements	H315 Causes H317 May cau H319 Causes H332 Harmful H335 May cau H336 May cau H360D May dau H373 May cau through prolor	use an allergic skin reaction. serious eye irritation.
Preca	autionary statements	P202 Do not h and understoo P210 Keep av No smoking. P233 Keep co P241 Use exp ment. P242 Use only P243 Take pr P260 Do not h P264 Wash sl P271 Use only P272 Contam the workplace P273 Avoid re	vay from heat/ sparks/ open flames/ hot surfaces. Intainer tightly closed. Ilosion-proof electrical/ ventilating/ lighting equip- y non-sparking tools. ecautionary measures against static discharge. breathe mist or vapours. kin thoroughly after handling. y outdoors or in a well-ventilated area. inated work clothing should not be allowed out of elease to the environment. otective gloves/ protective clothing/ eye protec-
		Response:	
		P303 + P361 ly all contamir P304 + P340 and keep com doctor if you fe P305 + P351 for several min easy to do. Co P308 + P313 attention. P333 + P313 vice/ attention P337 + P313 tention.	+ P338 IF IN EYES: Rinse cautiously with water nutes. Remove contact lenses, if present and ontinue rinsing. IF exposed or concerned: Get medical advice/ If skin irritation or rash occurs: Get medical ad-



Version	Revision Date:	SDS Number:	Date of last issue: 2021/04/26
4.4	2021/08/27	800401-00018	Date of first issue: 2016/07/12

reuse.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 30 -< 60
N-Methyl-2-pyrrolidone	872-50-4	>= 30 -< 60
Fluazuron	86811-58-7	>= 2.5 -< 10
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	>= 1 -< 2.5
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7- oxabicyclo[4.1.0]heptane-3-carboxylate	2386-87-0	>= 1 -< 10
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.025 -< 0.25

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.



Version 4.4	Revision Date: 2021/08/27		9S Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12			
	important symptoms ffects, both acute and ed	:	Causes serious e Harmful if inhaled May cause respire May cause drows May damage the	ergic skin reaction. ye irritation. atory irritation. iness or dizziness.			
	ction of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).				
Notes to physician : Treat symptomatically and supportively. 5. FIREFIGHTING MEASURES							
Unsui media	fic hazards during fire-	:	fire. Flash back possik Vapours may form	02)			
Hazaı ucts	rdous combustion prod-	:	Carbon oxides Nitrogen oxides (I Chlorine compour Fluorine compour	nds			
ods	fic extinguishing meth- al protective equipment	:	cumstances and t Use water spray t Remove undama so. Evacuate area.	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do e, wear self-contained breathing apparatus.			
	efighters	•		ective equipment.			

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages



Version 4.4	Revision Date: 2021/08/27	SDS Number: 800401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
		cannot be	contained.
	hods and materials for tainment and cleaning up	Soak up w Suppress (spray jet. For large s ment to ke be pumped Clean up r bent. Local or na posal of th employed mine which Sections 1	ng tools should be used. th inert absorbent material. knock down) gases/vapours/mists with a water pills, provide dyking or other appropriate contain- ep material from spreading. If dyked material can d, store recovered material in appropriate container. emaining materials from spill with suitable absor- tional regulations may apply to releases and dis- s material, as well as those materials and items n the cleanup of releases. You will need to deter- n regulations are applicable. 3 and 15 of this SDS provide information regarding al or national requirements.
7. HAND	LING AND STORAGE		
Tec	hnical measures		eering measures under EXPOSURE S/PERSONAL PROTECTION section.
Loc	al/Total ventilation	ventilation.	ventilation is unavailable, use with local exhaust ion-proof electrical, ventilating and lighting equip-
Adv	rice on safe handling	Do not bre Do not swa Do not get Wash skin Handle in a practice, b sessment Non-spark Keep conta Already se regarding v Keep away other igniti Take preca Do not eat	in eyes. thoroughly after handling. accordance with good industrial hygiene and safety ased on the results of the workplace exposure as- ing tools should be used. ainer tightly closed. nsitised individuals should consult their physician working with respiratory irritants or sensitisers. from heat, hot surfaces, sparks, open flames and on sources. No smoking. nutionary measures against static discharges. drink or smoke when using this product. to prevent spills, waste and minimize release to the
	nditions for safe storage	: Keep in pro Store locke Keep tightl Keep in a o Store in ac	operly labelled containers. ed up.
Mat	erials to avoid	: Do not sto	e with the following product types: ve substances and mixtures roxides



Version	Revision Date:	SDS Number:	Date of last issue: 2021/04/26
4.4	2021/08/27	800401-00018	Date of first issue: 2016/07/12
		Flammable ga Pyrophoric liqu Pyrophoric sol Self-heating su Poisonous gas Explosives	uids ids ubstances and mixtures

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Propan-2-ol	67-63-0	NAB	400 ppm 983 mg/m3	ID OEL
		PSD	500 ppm 1,230 mg/m3	ID OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Fluazuron	86811-58-7	TWA	60 µg/m3 (OEB 3)	Internal
		Wipe limit	600 µg/ 100cm2	Internal
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhal- able fraction and vapor)	2 mg/m3	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI
Engineering measures	: Us	e appropriate e	engineering	controls and	d manufacturir	ng

 Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.



Version 4.4	Revision Date: 2021/08/27	SDS Number: 800401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
		are required t	
		Use explosion ment.	n-proof electrical, ventilating and lighting equip-
Pers	onal protective equip	ment	
Resp	iratory protection	sure assessm	ocal exhaust ventilation is not available or expo- nent demonstrates exposures outside the rec- uidelines, use respiratory protection.
	lter type I protection		irticulates and organic vapour type
Μ	aterial	: Chemical-res	istant gloves
R	emarks		ble gloving. Take note that the product is flam- may impact the selection of hand protection.
Eye ç	protection	: Wear safety of If the work en mists or aero Wear a faces	glasses with side shields or goggles. Invironment or activity involves dusty conditions, sols, wear the appropriate goggles. Ihield or other full face protection if there is a direct contact to the face with dusts, mists, or
Skin	and body protection	: Work uniform Additional bo task being pe posable suits	or laboratory coat. dy garments should be used based upon the erformed (e.g., sleevelets, apron, gauntlets, dis-) to avoid exposed skin surfaces. ate degowning techniques to remove potentially d clothing
Hygie	ene measures	: If exposure to eye flushing s ing place. When using of Contaminated workplace. Wash contam The effective engineering of appropriate d industrial hyg	to chemical is likely during typical use, provide systems and safety showers close to the work- do not eat, drink or smoke. d work clothing should not be allowed out of the ninated clothing before re-use. operation of a facility should include review of controls, proper personal protective equipment, legowning and decontamination procedures, iene monitoring, medical surveillance and the istrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available

SAFETY DATA SHEET



Abamectin / Fluazuron Formulation

Vers 4.4	ion	Revision Date: 2021/08/27		S Number: 401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
	рН		:	No data available	
	Melting	point/freezing point	:	No data available	
	Initial bo range	piling point and boiling	:	No data available	
	Flash p	oint	:	28 °C	
	Evapora	ation rate	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	
	Relative	e vapour density	:	No data available	
	Relative	e density	:	No data available	
	Density		:	No data available	
	Solubilit Wate	ty(ies) er solubility	:	No data available	
		n coefficient: n-	:	Not applicable	
	octanol/ Auto-igr	nition temperature	:	No data available	
	Decomp	position temperature	:	No data available	
	Viscosit Visc	y osity, kinematic	:	No data available	
	Explosiv	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Molecul	ar weight	:	No data available	
	Particle	size	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.



Chemical stability Possibility of hazardous reac- tions : Stable under normal conditions. Possibility of hazardous reac- : Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents. Incompatible materials : Oxidizing agents Hazardous decomposition : No hazardous decomposition products are known. products : 1.TOXICOLOGICAL INFORMATION Information on likely routes of : Inhalation exposure : No hazardous decomposition products are known. products : 1.TOXICOLOGICAL INFORMATION Information on likely routes of : Inhalation exposure : Skin contact higestion Eye contact : Acute toxicity Harmful if inhaled. Product: Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: 2.06 mg/l Exposure ime: 4 h Test atmosphere: dust/mist Method: Calculation method Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 5,000 mg/kg Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 5,000 mg/kg Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 5,000 mg/kg Acute dermal toxicity : LD50 (Rat): > 5,000 mg	Version 4.4	Revision Date: 2021/08/27		S Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
Incompatible materials : Oxidizing agents Hzzardous decomposition : No hazardous decomposition products are known. products : No hazardous decomposition products are known. Information on likely routes of exposure : Inhalation Skin contact ingestion : Eye contact Acute toxicity : Hamful if inhaled. Product: : Acute oral toxicity Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method : Acute toxicity estimate: 2,06 mg/l Acute inhalation toxicity : Acute toxicity estimate: 2,000 mg/kg Method: Calculation method : Exposure time: 4 h Test atmosphere: dust/mist : Method: Calculation method Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method : Components: Progan-2-01: : Acute oral toxicity Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 5,000 mg/kg Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute oral toxicity : LD50 (Rat): > 5,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Test atmosphere: tust/mist <td>Poss</td> <td></td> <td>:</td> <td>Flammable liquid Vapours may for</td> <td>l and vapour. m explosive mixture with air.</td>	Poss		:	Flammable liquid Vapours may for	l and vapour. m explosive mixture with air.
Information on likely routes of exposureinhalation Skin contact Ingestion Eye contactAcute toxicity Harmful if inhaled.Product: Acute oral toxicity \cdot Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute inhalation toxicity \cdot Acute toxicity estimate: 2.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity \cdot Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute dermal toxicity \cdot Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute dermal toxicity \cdot Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute oral toxicity \cdot Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute oral toxicity \cdot Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute oral toxicity \cdot LD50 (Rat): > 5,000 mg/kgAcute oral toxicity \cdot LD50 (Rat): > 5,000 mg/kgAcute oral toxicity \cdot LD50 (Rat): 4,150 mg/kgAcute inhalation toxicity \cdot LD50 (Rat): > 5,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity \cdot LD50 (Rat): > 5,000 mg/kg	Incon Haza	Incompatible materials Hazardous decomposition		Oxidizing agents	
exposureSkin contact Ingestion Eye contactAcute toxicityHarmful if inhaled.Product:Acute oral toxicity: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute oral toxicity: Acute toxicity estimate: 2.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute dermal toxicity: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute dermal toxicity: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity: LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity: LD50 (Rat): 4,150 mg/kgAcute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute oral toxicity: LC50 (Rat): -> 5,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity: LD50 (Rat): > 5,000 mg/kg	11. TOXIC	COLOGICAL INFORMAT		J	
Harmful if inhaled.Product:Acute oral toxicity: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute inhalation toxicity: Acute toxicity estimate: 2.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute dermal toxicity: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodComponents::Propan-2-ol: Acute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity: LD50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity: LD50 (Rat): > 5,000 mg/kgAcute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute oral toxicity: LD50 (Rat): > 1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity: LD50 (Rat): > 5,000 mg/kg		-	:	Skin contact Ingestion	
Acute oral toxicity:Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute inhalation toxicity:Acute toxicity estimate: 2.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity:Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute dermal toxicity:Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute dermal toxicity:Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodAcute oral toxicity:Acute toxicity estimate: > 2,000 mg/kgAcute oral toxicity:LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity:LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity:LD50 (Rabbit): > 5,000 mg/kgMethyl-2-pyrrolidone::LD50 (Rat): 4,150 mg/kgAcute oral toxicity:LD50 (Rat): - 5,100 mg/kgAcute inhalation toxicity:LD50 (Rat): - 5,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity:LD50 (Rat): > 5,000 mg/kg		-			
Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity:Acute toxicity estimate: > 2,000 mg/kg Method: Calculation methodComponents:.Propan-2-ol: Acute oral toxicity:LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity:LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity:LD50 (Rat): > 5,000 mg/kgN-Methyl-2-pyrrolidone: 			:		
Method: Calculation methodComponents:Propan-2-ol:Acute oral toxicity: LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity: LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity: LD50 (Rabbit): > 5,000 mg/kgN-Methyl-2-pyrrolidone:Acute oral toxicity: LD50 (Rat): 4,150 mg/kgAcute inhalation toxicity: LD50 (Rat): 4,150 mg/kgAcute inhalation toxicity: LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity: LD50 (Rat): > 5,000 mg/kg	Acute	e inhalation toxicity	:	Exposure time: 4 Test atmosphere:	h dust/mist
Propan-2-ol:Acute oral toxicity:LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity:LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity:LD50 (Rabbit): > 5,000 mg/kgN-Methyl-2-pyrrolidone:.Acute oral toxicity:LD50 (Rat): 4,150 mg/kgAcute inhalation toxicity:LD50 (Rat): 4,150 mg/kgAcute inhalation toxicity:LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity:LD50 (Rat): > 5,000 mg/kg	Acute	e dermal toxicity	:		
Acute oral toxicity:LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity:LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity:LD50 (Rabbit): > 5,000 mg/kgN-Methyl-2-pyrrolidone: Acute oral toxicity:LD50 (Rat): 4,150 mg/kgAcute oral toxicity:LD50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity:LD50 (Rat): > 5,000 mg/kg	<u>Com</u>	ponents:			
Acute inhalation toxicity:LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity:LD50 (Rabbit): > 5,000 mg/kgN-Methyl-2-pyrrolidone: Acute oral toxicity:LD50 (Rat): 4,150 mg/kgAcute oral toxicity:LD50 (Rat): 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity:LD50 (Rat): > 5,000 mg/kg	Prop	an-2-ol:			
Exposure time: 6 h Test atmosphere: vapourAcute dermal toxicity: LD50 (Rabbit): > 5,000 mg/kgN-Methyl-2-pyrrolidone: Acute oral toxicity: LD50 (Rat): 4,150 mg/kgAcute inhalation toxicity: LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity: LD50 (Rat): > 5,000 mg/kg	Acute	e oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg
N-Methyl-2-pyrrolidone: Acute oral toxicity : LD50 (Rat): 4,150 mg/kg Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg	Acute	e inhalation toxicity	:	Exposure time: 6	h
Acute oral toxicity:LD50 (Rat): 4,150 mg/kgAcute inhalation toxicity:LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity:LD50 (Rat): > 5,000 mg/kg	Acute	e dermal toxicity	:	LD50 (Rabbit): > 5	5,000 mg/kg
Acute oral toxicity:LD50 (Rat): 4,150 mg/kgAcute inhalation toxicity:LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity:LD50 (Rat): > 5,000 mg/kg	N-Me	thvl-2-pyrrolidone:			
Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403Acute dermal toxicity:LD50 (Rat): > 5,000 mg/kg			:	LD50 (Rat): 4,150) mg/kg
	Acute	e inhalation toxicity	:	Exposure time: 4 Test atmosphere:	h dust/mist
Fluazuron:	Acute	e dermal toxicity	:	LD50 (Rat): > 5,00	00 mg/kg
	Flua	zuron:			

SAFETY DATA SHEET



ersion .4	Revision Date: 2021/08/27	SDS Number:Date of last issue: 2021/04/26800401-00018Date of first issue: 2016/07/12
Acute	e oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute	inhalation toxicity	 LC50 (Rat): > 6.0 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute	e dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402
abam	ectin (combination c	avermectin B1a and avermectin B1b) (ISO):
	e oral toxicity	: LD50 (Rat): 24 mg/kg
		LD50 (Mouse): 10 mg/kg
		LDLo (Monkey): 24 mg/kg Symptoms: Dilatation of the pupil
Acute	inhalation toxicity	: LC50 (Rat): 0.023 mg/l
		Exposure time: 4 h Test atmosphere: dust/mist
Acute	e dermal toxicity	: LD50 (Rat): 330 mg/kg
		LD50 (Rabbit): 2,000 mg/kg
7-0xa	abicyclo[4.1.0]hept-3	Imethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:
Acute	e oral toxicity	: LD50 (Rat, male): 2,959 - 5,000 mg/kg Method: OECD Test Guideline 401
Acute	inhalation toxicity	: LC50 (Rat): >= 5.19 mg/l Exposure time: 4 h Test atmosphere: dust/mist
		Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhala tion toxicity
Acute	e dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity
2,6-D	i-tert-butyl-p-cresol:	
Acute	e oral toxicity	: LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401
Acute	e dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity



ersion 1	Revision Date: 2021/08/27		OS Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
Skin c	corrosion/irritation			
Cause	es skin irritation.			
<u>Comp</u>	onents:			
Propa	ın-2-ol:			
Specie	es	:	Rabbit	
Result		:	No skin irritation	
N-Met	hyl-2-pyrrolidone:			
Result		:	Skin irritation	
Result	·	•	Okin initation	
Fluazu				
Specie		:	Rabbit	
Metho		:	OECD Test Guid	leline 404
Result	t	:	No skin irritation	
abam	ectin (combination o	f ave	rmectin B1a and	avermectin B1b) (ISO):
Specie	es	:	Rabbit	
Result		:	No skin irritation	
7-Oxa	bicvclo[4.1.0]hept-3-	vlme	thyl 7-oxabicyclo	o[4.1.0]heptane-3-carboxylate:
Specie			Rabbit	
Metho		÷	OECD Test Guid	leline 404
Result		:	No skin irritation	
2.6-Di	-tert-butyl-p-cresol:			
Specie			Rabbit	
Metho		:	OECD Test Guid	leline 404
Result		÷	No skin irritation	
Rema		:		om similar materials
Serio	us eye damage/eye iı	ritati	on	
	es serious eye irritation			
<u>Comp</u>	onents:			
-	ın-2-ol:			
Specie		:	Rabbit	
Result	t	:	Irritation to eyes,	reversing within 21 days
N-Met	hyl-2-pyrrolidone:			
Specie	es	:	Rabbit	
Result		:	Irritation to eyes,	reversing within 21 days
Fluazi	uron:			
			Rabbit	
Fluaz Specie Result	es	:	Rabbit Mild eye irritation	1



Versior 4.4	n Revision Date: 2021/08/27		DS Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
	amectin (combination of	ave	rmectin B1a and a Rabbit	avermectin B1b) (ISO):
	oecies osult	:	Mild eye irritation	
	Oxabicyclo[4.1.0]hept-3-y pecies	/Ime	thyl 7-oxabicyclo Rabbit	[4.1.0]heptane-3-carboxylate:
	esult	:	No eye irritation	
M	ethod	:	OECD Test Guide	eline 405
2,0	6-Di-tert-butyl-p-cresol:			
	becies	:	Rabbit	
	esult ethod		No eye irritation OECD Test Guide	eline 405
Re	emarks	:	Based on data fro	om similar materials
Re	espiratory or skin sensitis	satio	on	
S	kin sensitisation			
Ma	ay cause an allergic skin re	acti	on.	
	espiratory sensitisation		:	
	ot classified based on availa components:	able	information.	
	opan-2-ol:			
	est Type	:	Buehler Test	
Ex	posure routes	:	Skin contact	
	ecies ethod	:	Guinea pig OECD Test Guide	eline 406
	esult	:	negative	
N-	Methyl-2-pyrrolidone:			
	est Type	:	Local lymph node	e assay (LLNA)
	posure routes	:	Skin contact Mouse	
	ethod	:	OECD Test Guide	eline 429
Re	esult	:	negative	
Re	emarks	:	Based on data fro	om similar materials
FI	uazuron:			
	posure routes	:	Skin contact	
	esult	:	Guinea pig negative	
ab	amectin (combination of	ave	rmectin B1a and a	avermectin B1b) (ISO):
Те	est Type	:	Maximisation Tes	
	posure routes	:	Skin contact	
Re	esult	:	Not a skin sensiti	201.



ersion 4	Revision Date: 2021/08/27	SDS Number:Date of last issue: 2021/04/26800401-00018Date of first issue: 2016/07/12
7-Oxa	bicyclo[4.1.0]hept	3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:
Test T		: Maximisation Test
	sure routes	: Skin contact
Speci		: Guinea pig
Resul		: positive
Asses	sment	: Probability or evidence of skin sensitisation in humans
2,6-Di	i-tert-butyl-p-creso	:
Test T	Tvpe	: Human repeat insult patch test (HRIPT)
	sure routes	: Skin contact
Speci		: Humans
Resul		: negative
Germ	cell mutagenicity	
Not cl	assified based on a	ailable information.
<u>Comp</u>	oonents:	
Propa	an-2-ol:	
Genot	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genot	toxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in viv cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection
		Result: negative
N-Met	thyl-2-pyrrolidone:	
Genot	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
		Test Type: DNA damage and repair, unscheduled DNA syn thesis in mammalian cells (in vitro) Result: negative
Genot	toxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in viv cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow



			Date of first issue: 2016/07/12
		Species: Hamste Application Rout	te: Ingestion Test Guideline 475
Fluaz Genot	uron: toxicity in vitro	: Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
		Test Type: DNA Result: negative	
		Test Type: In vit Result: negative	tro mammalian cell gene mutation test
Genot	toxicity in vivo	: Test Type: Cyto Species: Hamst Result: equivoca	er
	ectin (combination toxicity in vitro		I avermectin B1b) (ISO): rerial reverse mutation assay (AMES)
			tro mammalian cell gene mutation test ninese hamster lung cells
		Test Type: Alkal Result: negative	line elution assay
Genot	toxicity in vivo	cytogenetic test, Species: Mouse	
		Result: negative	te: Intraperitoneal injection
	<pre>bicyclo[4.1.0]hept- toxicity in vitro</pre>		o[4.1.0]heptane-3-carboxylate: tro mammalian cell gene mutation test
Genot	toxicity in vivo	mammalian liver Species: Rat Application Rout	te: Ingestion Test Guideline 486
		Test Type: Micro Species: Mouse Application Rout Result: negative	e te: Intraperitoneal injection



ersion 4	Revision Date: 2021/08/27		OS Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
	cell mutagenicity - ssment	:	Weight of evide cell mutagen.	ence does not support classification as a germ
2,6-Di	i-tert-butyl-p-cresol:			
Geno	toxicity in vitro	:	Test Type: Bac Result: negative	terial reverse mutation assay (AMES) e
			Test Type: In vi Result: negative	tro mammalian cell gene mutation test
			Test Type: Chro Result: negative	omosome aberration test in vitro e
Geno	toxicity in vivo	:		
	nogenicity			
	assified based on ava	ilable	information.	
Comp	oonents:			
-	an-2-ol:			
Speci		:	Rat	
	ation Route	÷	inhalation (vapo 104 weeks	jui)
Metho Resul	bd	:	OECD Test Gu negative	ideline 451
N-Me	thyl-2-pyrrolidone:			
Speci		:	Rat	
	ation Route	:	Ingestion 2 Years	
Resul		:	negative	
Speci		:	Rat	
	ation Route	:	inhalation (vapo 2 Years	bur)
Resul		:	negative	
Fluaz	uron:			
Speci		:	Rat	
	cation Route	:	Ingestion 2 Years	
	sure time	•	OECD Test Gu	ideline 453
Metho		:		
Metho Resul	bd	:	negative	
Resul Speci	od t	:	negative Mouse Ingestion	



rsion I	Revision Date: 2021/08/27	SDS Numb 800401-00	
Resul	t	: negativ	'e
abam	ectin (combination	of avermectin	B1a and avermectin B1b) (ISO):
	cation Route sure time	: Rat : Oral : 105 we : negativ	
	cation Route sure time	: Mouse : Oral : 93 wee : negativ	ks
2,6-D	i-tert-butyl-p-cresol:		
	cation Route sure time	: Rat : Ingestio : 22 Mon : negativ	nths
-	oductive toxicity damage the unborn ch	ild.	
<u>Comp</u>	oonents:		
Propa	an-2-ol:		
Effect	s on fertility	Specie: Applica	/pe: Two-generation reproduction toxicity study s: Rat ation Route: Ingestion negative
Effect ment	s on foetal develop-	Specie: Applica	/pe: Embryo-foetal development s: Rat ation Route: Ingestion negative
N-Me	thyl-2-pyrrolidone:		
Effect	s on fertility	Species Applica Methoc	ype: Two-generation reproduction toxicity study s: Rat ation Route: Ingestion d: OECD Test Guideline 416 negative
Effect ment	s on foetal develop-	Species Applica Methoc	/pe: Embryo-foetal development s: Rat ation Route: Ingestion d: OECD Test Guideline 414 positive
		Specie: Applica	/pe: Fertility/early embryonic development s: Rat ation Route: inhalation (vapour) positive



ersion 4	Revision Date: 2021/08/27	SDS Number: 800401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
Repro	oductive toxicity - As- nent	Species: Ra Application Result: posi	Route: Ingestion tive nce of adverse effects on development, based or
Eluor	uron:		
	ts on fertility	Species: Ra	Route: Ingestion
Effect ment	ts on foetal develop-	Species: Ra	Route: Ingestion
		Species: Ra Application	Route: Ingestion CD Test Guideline 414
abam	ectin (combination o	f avermectin B1a	and avermectin B1b) (ISO):
Effect	ts on fertility	: Test Type: Species: Ra Application Result: Effe	at, male
		Species: Ra Application	Route: Oral yonic Development: NOAEL: 0.12 mg/kg body
Effect ment	ts on foetal develop-	Species: Me Application General To:	Route: Oral xicity Maternal: NOAEL: 0.05 mg/kg body weight ntal Toxicity: NOAEL: 0.2 mg/kg body weight
		Result: Clef	t palate dverse developmental effects were observed



rsion	Revision Date: 2021/08/27		Number: 01-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
		S A C	est Type: Devel pecies: Rat pplication Route evelopmental T esult: Teratoge	e: Oral oxicity: LOAEL: 1.6 mg/kg body weight
Repro sessn	oductive toxicity - As- nent	fe a	ertility, based on	of adverse effects on sexual function and animal experiments., Some evidence of n development, based on animal experi-
7-Oxa	abicyclo[4.1.0]hept-3-	ylmeth	yl 7-oxabicyclo	[4.1.0]heptane-3-carboxylate:
Effect ment	s on foetal develop-	S A N	pecies: Rat pplication Route	yo-foetal development e: Ingestion fest Guideline 414
2,6-D	i-tert-butyl-p-cresol:			
Effect	s on fertility	S A	est Type: Two-o pecies: Rat pplication Route esult: negative	generation reproduction toxicity study e: Ingestion
Effect ment	s on foetal develop-	S A	est Type: Embr pecies: Rat pplication Route esult: negative	yo-foetal development
STOT	- single exposure			
	ause respiratory irritati ause drowsiness or di			
<u>Comp</u>	oonents:			
Propa	an-2-ol:			
Asses	ssment	: N	lay cause drows	siness or dizziness.
N-Me	thyl-2-pyrrolidone:			
	ssment	: N	lay cause respir	atory irritation.
	- repeated exposure cause damage to organ		ral nervous syst	em) through prolonged or repeated expos
Com	ponents:			
abam	ectin (combination of	f averm	ectin B1a and	avermectin B1b) (ISO):
Targe	sure routes et Organs ssment	: C : C	ngestion central nervous s causes damage xposure.	system to organs through prolonged or repeated



/ersion 1.4	Revision Date: 2021/08/27	SDS Number: 800401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
	i-tert-butyl-p-cresol: ssment		health effects observed in animals at concentra g/kg bw or less.
Repe	ated dose toxicity		
Comp	oonents:		
Propa	an-2-ol:		
Speci NOAE Applic	es	: Rat : 12.5 mg/l : inhalation (vap : 104 Weeks	oour)
N-Me	thyl-2-pyrrolidone:		
Speci NOAE LOAE Applic	es EL EL cation Route sure time	: Rat, male : 169 mg/kg : 433 mg/kg : Ingestion : 90 Days : OECD Test Gu	uideline 408
	EL EL cation Route sure time	: Rat : 0.5 mg/l : 1 mg/l : inhalation (dus : 96 Days : OECD Test Gu	
	EL	: Rabbit : 826 mg/kg : 1,653 mg/kg : Skin contact : 20 Days	
Fluaz	uron:		
Speci LOAE Applic Expos	es	: Rat : 240 mg/kg : Ingestion : 13 Weeks : Liver, Thyroid,	Pituitary gland
	EL	: Rat : 10 mg/kg : 100 mg/kg : Skin contact : 3 Weeks	
Speci NOAE LOAE	EL	: Dog : 7.5 mg/kg : 110 mg/kg	



sion	Revision Date: 2021/08/27	SDS Number: 800401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
Applic	ation Route	: Ingestion	
	sure time	: 52 Weeks	
	t Organs	: Liver	
abam	ectin (combination	of avermectin B1a	and avermectin B1b) (ISO):
Specie	-	: Rat	
NOAE	EL	: 1.5 mg/kg	
Applic	ation Route	: Oral	
	sure time	: 24 Months	
	t Organs	: Central nerv	
Symp	toms	: Tremors, at	axia
Specie	es	: Mouse	
NOAE	EL	: 4.0 mg/kg	
	ation Route	: Oral	
	sure time	: 24 Months	
	t Organs	: Central nerv	
Symp	toms	: Tremors, at	axia
Specie		: Dog	
NOAE	EL	: 0.25 mg/kg	
LOAE	L	: 0.5 mg/kg	
	ation Route	: Oral	
	sure time	: 53 Weeks	
	t Organs	: Central nerv	
Symp		: Tremors, we	
Rema	rks	: mortality ob	served
Specie		: Monkey	
NOAE		: 1.0 mg/kg	
	ation Route	: Oral	
	sure time	: 14 Weeks	
Targe	t Organs	: Central nerv	vous system
2,6-Di	-tert-butyl-p-cresol		
Specie		: Rat	
NOAE		: 25 mg/kg	
	ation Route	: Ingestion	
Expos	sure time	: 22 Months	
Aspir	ation toxicity		
-	assified based on av	ailable information.	
Exper	rience with human e	exposure	
<u>Comp</u>	oonents:		
	thyl-2-pyrrolidone:		
Skin c	contact	: Symptoms:	Skin irritation
	•		and avermectin B1b) (ISO):
Ingest	tion		May cause, Tremors, Diarrhoea, central nervo cts, Salivation, tearing



Version 4.4	Revision Date: 2021/08/27	SDS Number: 800401-00018		Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
12. ECOL	OGICAL INFORMATION	1		
Ecot	oxicity			
<u>Com</u>	ponents:			
Prop	an-2-ol:			
Toxic	to fish	:	LC50 (Pimepha Exposure time:	les promelas (fathead minnow)): 9,640 mg/l 96 h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia Exposure time:	magna (Water flea)): > 10,000 mg/l 24 h
Toxic	ity to microorganisms	:	EC50 (Pseudon Exposure time:	nonas putida): > 1,050 mg/l 16 h
N-Me	thyl-2-pyrrolidone:			
Toxic	to fish	:	LC50 (Oncorhyr Exposure time:	nchus mykiss (rainbow trout)): > 500 mg/l 96 h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia Exposure time: Method: DIN 38	
Toxic plant	sity to algae/aquatic s	:	ErC50 (Desmoc Exposure time:	lesmus subspicatus (green algae)): 600.5 mg 72 h
			EC10 (Desmode Exposure time:	esmus subspicatus (green algae)): 92.6 mg/l 72 h
	tity to daphnia and other tic invertebrates (Chron- icity)	:	Exposure time:	a magna (Water flea)): 12.5 mg/l 21 d Test Guideline 211
Toxic	city to microorganisms		EC50: > 600 mg Exposure time: Method: ISO 81	30 min
Flua	zuron:			
Toxic	to fish	:	LC50 (Cyprinus Exposure time:	carpio (Carp)): > 9.1 mg/l 96 h
	tity to daphnia and other tic invertebrates	:	EC50 (Daphnia Exposure time:	sp. (water flea)): 0.0006 mg/l 48 h
Toxic plant	sity to algae/aquatic s	:	NOEC (Raphido 27.9 mg/l Exposure time:	ocelis subcapitata (freshwater green alga)): 72 h
	ctor (Acute aquatic tox-	:	1,000	
icity) M-Fa toxici	ictor (Chronic aquatic ty)	:	1,000	



rsion L	Revision Date: 2021/08/27		S Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
abam	nectin (combination of a	ave	rmectin B1a and a	avermectin B1b) (ISO):
Toxicity to fish		:	LC50 (Oncorhync Exposure time: 96	chus mykiss (rainbow trout)): 3.2 μg/l δ h
			LC50 (Lepomis m Exposure time: 96	hacrochirus (Bluegill sunfish)): 9.6 μg/l 5 h
			LC50 (Ictalurus p Exposure time: 96	unctatus (channel catfish)): 24 µg/l 5 h
			LC50 (Cyprinus c Exposure time: 96	arpio (Carp)): 42 μg/l δ h
			LC50 (Cyprinodo Exposure time: 96	n variegatus (sheepshead minnow)): 15 μg δ h
	ity to daphnia and other tic invertebrates	:	EC50 (Americam Exposure time: 96	
			EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 0.34 µg/l 3 h
Toxic plants	ity to algae/aquatic S	:	EC50 (Pseudoking mg/l Exposure time: 72	chneriella subcapitata (green algae)): 100 2 h
	ctor (Acute aquatic tox-	:	10,000	
icity) Toxic icity)	ity to fish (Chronic tox-	:	NOEC (Pimephal Exposure time: 32	es promelas (fathead minnow)): 0.52 μg/l 2 d
aquat	ity to daphnia and other tic invertebrates (Chron-	:	NOEC (Daphnia i Exposure time: 2 ⁻	magna (Water flea)): 0.03 μg/l 1 d
ic tox	icity)		NOEC (Mysidops Exposure time: 28	is bahia (opossum shrimp)): 0.0035 μg/l 3 d
	ctor (Chronic aquatic	:	10,000	
toxici Toxic	y) ity to microorganisms	:	EC50: > 1,000 m Exposure time: 3 Test Type: Respir	h
7-0x	abicyclo[4.1.0]hept-3-y	Ime	thyl 7-oxabicyclo	[4.1.0]heptane-3-carboxylate:
Toxic	ity to fish	:	Exposure time: 96	chus mykiss (rainbow trout)): 24 mg/l 6 h est Guideline 203
	ity to daphnia and other tic invertebrates	:	Exposure time: 48	nagna (Water flea)): 40 mg/l 3 h est Guideline 202
Toxic plants	ity to algae/aquatic s	:	ErC50 (Selenastr Exposure time: 72	um capricornutum (green algae)): > 110 m 2 h



Version 4.4	Revision Date: 2021/08/27		0S Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
			Method: OECD Te	est Guideline 201
			NOEC (Selenastro Exposure time: 72 Method: OECD Te	
Toxic	ity to microorganisms	:	EC10 (Natural mid Exposure time: 3 Method: OECD Te	
2,6-D	i-tert-butyl-p-cresol:			
Toxic	ity to fish	:	Exposure time: 96	(zebra fish)): > 0.57 mg/l 5 h 67/548/EEC, Annex V, C.1.
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxic plants	ity to algae/aquatic	:	ErC50 (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
			NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
	ctor (Acute aquatic tox-	:	1	
icity) Toxic icity)	ity to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 30 Method: OECD Te	
	ity to daphnia and other ic invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 21	nagna (Water flea)): 0.316 mg/l d
	ctor (Chronic aquatic	:	1	
	ity to microorganisms	:	EC50: > 10,000 m Exposure time: 3 Method: OECD Te	ĥ
Persi	stence and degradabili	ity		
<u>Com</u>	oonents:			
-	a n-2-ol: gradability		Result: rapidly de	aradable
BIOUE BOD/		•)COD: 2.23BOD/COD: 53 %
000/		•		

N-Methyl-2-pyrrolidone:



ersion .4	Revision Date: 2021/08/27		OS Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12			
Biode	Biodegradability		 Result: Readily biodegradable. Biodegradation: 73 % Exposure time: 28 d Method: OECD Test Guideline 301C 				
	ectin (combination of ity in water	ave :	rmectin B1a and a Hydrolysis: 50 %	avermectin B1b) (ISO): (< 12 h)			
7-Oxa	ıbicvclo[4.1.0]hept-3-v	vlme	thvl 7-oxabicvclo	[4.1.0]heptane-3-carboxylate:			
	gradability	:	Biodegradation: Exposure time: 2	71 %			
Stabili	ity in water	:	Degradation half	life (DT50): 2 d			
2,6-Di	-tert-butyl-p-cresol:						
	gradability	:	Biodegradation: Exposure time: 2	4.5 %			
Bioac	cumulative potential						
Comp	oonents:						
Partiti	a n-2-ol: on coefficient: n- ol/water	:	log Pow: 0.05				
N-Met	thyl-2-pyrrolidone:						
Partiti	on coefficient: n- ol/water	:	log Pow: -0.46 Method: OECD T	est Guideline 107			
Fluaz	uron:						
	on coefficient: n- ol/water	:	log Pow: 5.1				
abam	ectin (combination of	ave	rmectin B1a and	avermectin B1b) (ISO):			
Bioac	cumulation	:	Bioconcentration	factor (BCF): 52			
	on coefficient: n- ol/water	:	log Pow: 4				
7-Oxa	bicyclo[4.1.0]hept-3-y	ylme		[4.1.0]heptane-3-carboxylate:			
	on coefficient: n- ol/water	:	log Pow: 1.34				
	-tert-butyl-p-cresol:						
Bioac	cumulation	:	Species: Cyprinu Bioconcentration	s carpio (Carp) factor (BCF): 330 - 1,800			
	on coefficient: n- ol/water	:	log Pow: 5.1				



Version 4.4	Revision Date: 2021/08/27	SDS Number: 800401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12			
Mobi	lity in soil					
Com	ponents:					
Distril	nectin (combination of bution among environ- al compartments		avermectin B1b) (ISO):			
	Other adverse effects No data available					
13. DISPC	SAL CONSIDERATIO	NS				
Dispo	osal methods					
Waste	e from residues aminated packaging	Empty container dling site for rec Empty container Do not pressuriz pose such conta of ignition. They	cordance with local regulations. s should be taken to an approved waste han- ycling or disposal. s retain residue and can be dangerous. e, cut, weld, braze, solder, drill, grind, or ex- iners to heat, flame, sparks, or other sources may explode and cause injury and/or death. specified: Dispose of as unused product.			
14. TRAN	SPORT INFORMATION	I				
Interi	national Regulations					
Prope Class Packi	umber er shipping name s ng group	: UN 1993 : FLAMMABLE LI (Propan-2-ol) : 3 : III	QUID, N.O.S.			
UN/IE	-DGR	: 3 : UN 1993 : Flammable liquid	d, n.o.s.			
Label Packi aircra Packi	ng group s ng instruction (cargo	(Propan-2-ol) : 3 : III : Flammable Liqu : 366 : 355	ids			
IMDG UN ni Prope	G-Code umber er shipping name	tin B1a and aver	QUID, N.O.S. Jazuron, abamectin (combination of avermec- mectin B1b) (ISO))			
Label	ng group	: 3 : III : 3 : F-E, <u>S-E</u>				



Version Revision Date: SDS Number: 4.4 2021/08/27 800401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
--	---

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Propan-2-ol
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

Regulation of the Minister of Trade No. 44 of 2009 on Procurement, Distribution and Supervision of Hazardous Materials

Type of Hazardous Materials Restricted to Import, : Not applicable Distribution and Supervision

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/



Version 4.4	Revision Date: 2021/08/27		DS Number: 0401-00018	Date of last issue: 2021/04/26 Date of first issue: 2016/07/12
Date f	ormat	:	yyyy/mm/dd	
Full text of other abbrevia ACGIH ACGIH BEI ID OEL		ions	s USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Indonesia. Occupational Exposure Limits	
ACGIH / TWA ACGIH / STEL ID OEL / NAB ID OEL / PSD		:	8-hour, time-weighted average Short-term exposure limit Long term exposure limit Short term exposure limit	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.