

Vers 1.4	sion	Revision Date: 06.04.2024		S Number: 313901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
SEC	CTION 1 Produc	: IDENTIFICATION t name	:	Abamectin / Leva um Selenate For	amisole Hydrochloride / Cobalt EDTA / Sodi- mulation
	Other r	neans of identification	:	Converge (A010	119)
	Manuf a Compa	acturer or supplier's o	deta :		a Pty Limited (trading as MSD Animal Health)
	Addres	S	:	91-105 Harpin S Bendigo 3550, \	treet /ictoria Austrailia
	Teleph	one	:	1 800 033 461	
	Emerge	ency telephone numbe	r :	Poisons Informa	tion Centre: Phone 13 11 26
	E-mail	address	:	EHSDATASTEW	/ARD@msd.com
	Recom	mended use of the c mended use tions on use	-	ical and restriction Veterinary produce Not applicable	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Acute toxicity (Oral)	:	Category 4
Respiratory sensitisation	:	Category 1
Germ cell mutagenicity	:	Category 2
Carcinogenicity	:	Category 2
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2 (Respiratory Tract, Thyroid, Heart, Blood)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

ersion 4	Revision Date: 06.04.2024	SDS Number: 10813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Haza	rd statements	difficulties if inh H341 Suspecte H351 Suspecte H361fd Suspec ing the unborn H373 May caus	se allergy or asthma symptoms or breathing aled. d of causing genetic defects. d of causing cancer. ted of damaging fertility. Suspected of damag
Preca	utionary statements	P202 Do not ha and understood P260 Do not br P264 Wash ski P270 Do not ea P280 Wear pro tion/ face prote	eathe mist or vapours. n thoroughly after handling. at, drink or smoke when using this product. tective gloves/ protective clothing/ eye protec
		CENTER/ doct P304 + P340 IF keep comfortat P308 + P313 IF attention.	P330 IF SWALLOWED: Call a POISON or if you feel unwell. Rinse mouth. INHALED: Remove person to fresh air and le for breathing. exposed or concerned: Get medical advice/ experiencing respiratory symptoms: Call a ER/ doctor.
		Storage: P405 Store loc	ked up.
		Disposal: P501 Dispose d disposal plant.	of contents/ container to an approved waste
	r hazards which do n known.	ot result in classificat	ion

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	>= 3 -< 10
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	>= 3 -< 10
Benzyl alcohol	100-51-6	< 10



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

|--|

Citric acid	77-92-9	< 10
Sodium selenate	13410-01-0	< 1
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	< 0.5

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately.
		When symptoms persist or in all cases of doubt seek medical
lf in her le el		advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration.
		If breathing is difficult, give oxygen.
		Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty
		of water.
		Remove contaminated clothing and shoes.
		Get medical attention.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	
		Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting.
		Get medical attention.
		Rinse mouth thoroughly with water.
		Never give anything by mouth to an unconscious person.
Most important symptoms	:	Harmful if swallowed.
and effects, both acute and delayed		May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
		Suspected of causing genetic defects.
		Suspected of causing cancer.
		Suspected of damaging fertility. Suspected of damaging the unborn child.
		May cause damage to organs through prolonged or repeated exposure.
		Excessive exposure may aggravate preexisting asthma and
		other respiratory disorders (e.g. emphysema, bronchitis, reac- tive airways dysfunction syndrome).
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
	•	and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.
	-	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Carbon dioxide (CO2)
		Dry chemical



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.4	Revision Date: 06.04.2024	-	0S Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Unsu medi	itable extinguishing	:	None known.	
	ific hazards during fire-	:	Exposure to com	bustion products may be a hazard to health.
•	irdous combustion prod-	:	Carbon oxides Oxides of phosp Cobalt compoun Nitrogen oxides Metal oxides	ds
Spec ods	ific extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do
	ial protective equipment efighters	:		e, wear self-contained breathing apparatus. Ditective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

: •3Z

Hazchem Code

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.4	Revision Date: 06.04.2024	SDS Number: 10813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Loca	nical measures I/Total ventilation ce on safe handling	CONTROLS/PI : Use only with a : Do not breathe Do not swallow Avoid contact v Avoid prolonge Wash skin thor Handle in acco practice, based sessment Keep container Already sensitis to asthma, alle should consult tory irritants or	vith eyes. d or repeated contact with skin. oughly after handling. rdance with good industrial hygiene and safety l on the results of the workplace exposure as- tightly closed. sed individuals, and those susceptible rgies, chronic or recurrent respiratory disease, their physician regarding working with respira-
Hygi	ene measures	 environment. If exposure to of flushing system place. When using do Wash contamin The effective of engineering co appropriate des 	event spills, waste and minimize release to the chemical is likely during typical use, provide eye as and safety showers close to the working not eat, drink or smoke. hated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures,
	ditions for safe storage erials to avoid	use of administ : Keep in proper Store locked up Keep tightly clo Store in accord	ly labelled containers. b. sed. ance with the particular national regulations. th the following product types:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m3 (OEB 3)	Internal
	Further information	ation: Skin		
		Wipe limit	200 µg/100 cm ²	Internal
Sodium selenate	13410-01-0	TWA	0.1 mg/m3 (selenium)	AU OEL
		TWA	20 µg/m3 (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 1.4 06.04.2024 10813901-00005 Date of first issue: 12.07.2022	Version 1.4	Revision Date: 06.04.2024	SDS Number: 10813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
---	----------------	---------------------------	-------------------------------	---

		TWA	0.2 mg/m3 (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	15 µg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal
Engineering measures	technologies less quick co All engineerir design and o protect produ Containment are required	to control airbor nnections). ng controls shou perated in accor icts, workers, an technologies su to control at sou d to uncontrolled ices).	controls and manufac ne concentrations (e.g Id be implemented by dance with GMP princ id the environment. itable for controlling c rce and to prevent mig d areas (e.g., open-fac	g., drip- facility ciples to ompounds gration of
		in nanaling.		
Personal protective equipmer Respiratory protection	If adequate lo sure assessn ommended g	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Combined particulates and organic vapour type		
Hand protection			.g	
Material	Chemical-res	istant gloves		
Remarks : Eye protection :	If the work er mists or aero Wear a faces	glasses with side ovironment or ac sols, wear the a shield or other fu	e shields or goggles. tivity involves dusty co ppropriate goggles. Il face protection if the the face with dusts, m	ere is a
Skin and body protection	Work uniform Additional bo task being pe posable suits	erformed (e.g., s) to avoid expos ate degowning t	bat. buld be used based up leevelets, apron, gaun ed skin surfaces. echniques to remove	tlets, dis-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available



Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
1.4	06.04.2024	10813901-00005	Date of first issue: 12.07.2022

рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
1.4	06.04.2024	10813901-00005	Date of first issue: 12.07.2022

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	: :	None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
Acute toxicity		
Harmful if swallowed.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 939.39 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Components:		
levamisole hydrochloride:		
Acute oral toxicity	:	LD50 (Rat): 180 mg/kg
		LD50 (Mouse): 223 mg/kg
		LD50 (Rabbit): 458 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

Cobalt disodium ethylenediaminetetraacetate:



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.4	Revision Date: 06.04.2024	SDS Number: 10813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022		
Acu	te oral toxicity	: LD50 (Rat): > 2, Remarks: Based	000 mg/kg d on data from similar materials		
Ber	zyl alcohol:				
Acu	te oral toxicity	: LD50 (Rat): 1,62	LD50 (Rat): 1,620 mg/kg		
Acu	te inhalation toxicity	: LC50 (Rat): > 4. Exposure time: 4 Test atmosphere Method: OECD	4 h		
Citr	ic acid:				
Acu	te oral toxicity	: LD50 (Mouse): {	5,400 mg/kg		
Acu	te dermal toxicity	Method: OECD	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity		
Soc	lium selenate:				
Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg Remarks: Based on data from s					
Acu	te inhalation toxicity	: LC50 (Rat): > 0. Exposure time: 4 Test atmosphere Method: OECD	4 h		
	mectin (combination of the oral toxicity	f avermectin B1a and : LD50 (Rat): 24 r	avermectin B1b) (ISO):		
		LD50 (Mouse): 7			
		LDLo (Monkey):			
Acu	te inhalation toxicity	: LC50 (Rat): 0.023 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
Acu	te dermal toxicity	: LD50 (Rat): 330	mg/kg		
		LD50 (Rabbit): 2	2,000 mg/kg		

Skin corrosion/irritation

Not classified based on available information.



Version 1.4	Revision Date: 06.04.2024	SDS Number: 10813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Com	ponents:		

levamisole hydrochloride:		
Remarks	:	No data available
Cobalt disodium ethylenedi	ami	inetetraacetate:
Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials
Benzyl alcohol:		
Species		Rabbit
Method	÷	OECD Test Guideline 404
Result		No skin irritation
Citric acid:		
Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Sodium selenate:		
Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 431
Species		reconstructed human epidermis (RhE)
Method	÷	OECD Test Guideline 439
	-	
Result	:	Skin irritation
abamectin (combination of	ave	rmectin B1a and avermectin B1b) (ISO):
Species	:	Rabbit
Result	:	No skin irritation
Serious eye damage/eye irri	itati	on
Not classified based on availa		
Components:		
levamisole hydrochloride:		
		Nie de General Velle

Cobalt disodium ethylenediaminetetraacetate:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials



rsion I	Revision Date: 06.04.2024	SDS Number: 10813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Benz	yl alcohol:		
Speci Resul Metho	t	: Rabbit : Irritation to eyes : OECD Test Gui	s, reversing within 21 days deline 405
Citric	acid:		
Speci Resul Metho	t	: Rabbit : Irritation to eyes : OECD Test Gui	s, reversing within 21 days Ideline 405
Sodiu	um selenate:		
Speci Metho		: Bovine cornea : OECD Test Gu	deline 437
Resul	t	: No eye irritatior	I
aham	ectin (combination	of avermectin B1a and	d avermectin B1b) (ISO):
Speci	•	: Rabbit	
Resul	t	: Mild eye irritatio	n
Resp	iratory or skin sensi	itisation	
-	sensitisation assified based on ava	ailable information.	
Resp	iratory sensitisation	1	
-		na symptoms or breathi	ng difficulties if inhaled.
<u>Comp</u>	oonents:		
levan Rema	nisole hydrochloride arks	: No data availab	le
Ttorne			
Coba	It disodium ethylene	ediaminetetraacetate:	
	sure routes	: inhalation (dust	/mist/fume)
Speci Resul		: Humans : positive	
Rema			from similar materials
Asses	ssment	: Probability or evaluation rate in hu	vidence of low to moderate respiratory sen umans
Benz	yl alcohol:		



Version 1.4	Revision Date: 06.04.2024	SDS Number 10813901-00	
Spe	oosure routes ecies hod sult	: Skin cont : Guinea p : OECD Te : negative	pig Fest Guideline 406
Tes	t Type osure routes	: Maximisa : Skin cont	B1a and avermectin B1b) (ISO): sation Test ntact sin sensitizer.
Ger Sus	ronic toxicity rm cell mutagenicity spected of causing gene mponents:	ic defects.	
leva	amisole hydrochloride notoxicity in vitro	: Test Type Result: ne	be: Chromosome aberration test in vitro
	Cobalt disodium ethylenediam Genotoxicity in vitro :		-
Ger	notoxicity in vivo	Test Type Method: 0 Result: po Remarks : Test Type Species: Applicatio Result: po	be: Chromosome aberration test in vitro CECD Test Guideline 473 positive s: Based on data from similar materials be: Micronucleus test : Mouse ion Route: Intraperitoneal injection positive
		Test Type	s: Based on data from similar materials be: Mutagenicity (in vivo mammalian bone-marrow etic test, chromosomal analysis) : Mouse



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.4	Revision Date: 06.04.2024	SDS Number: 10813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
		Result: positiv Remarks: Bas Test Type: Ro Species: Mou Application Ro Result: positiv	sed on data from similar materials odent dominant lethal test (germ cell) (in vivo) se oute: Ingestion
	n cell mutagenicity - ssment	genicity tests.	t(s) from in vivo mammalian somatic cell muta- sed on data from similar materials
Benz	yl alcohol:		
	otoxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES)
Genc	otoxicity in vivo	cytogenetic as Species: Mou	se pute: Intraperitoneal injection
Citric	c acid:		
Geno	otoxicity in vitro	Result: negat	
		Result: positiv	vitro micronucleus test /e
		Test Type: Ba Result: negat	acterial reverse mutation assay (AMES)
Genc	otoxicity in vivo	cytogenetic te Species: Rat	utagenicity (in vivo mammalian bone-marrow est, chromosomal analysis) oute: Ingestion ive
	um selenate: otoxicity in vitro	Method: OEC Result: negati	acterial reverse mutation assay (AMES) D Test Guideline 471 ive sed on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):



Version 1.4	Revision Date: 06.04.2024		0S Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Geno	otoxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
				o mammalian cell gene mutation test nese hamster lung cells
			Test Type: Alkalir Result: negative	ne elution assay
Gene	otoxicity in vivo	:	cytogenetic test, o Species: Mouse	jenicity (in vivo mammalian bone-marrow chromosomal analysis) e: Intraperitoneal injection
	inogenicity			
	bected of causing cancer	•		
<u>Com</u>	ponents:			
	misole hydrochloride:			
	ication Route	:	Mouse Oral 2 Years 80 mg/kg body we	eight
Rem	arks	:		verse effects were reported
	cies ication Route osure time	:	Rat Oral 2 Years	
NOA Rem	EL	:	40 mg/kg body w	eight verse effects were reported
Cob	alt disodium ethylenedi	iami	netetraacetate:	
Spec	cies	:	Rat	
	ication Route	:	inhalation (dust/m 105 weeks	nist/fume)
Resu		:	positive	
Rem	arks	:	Based on data fro	om similar materials
Spec	cies	:	Mouse	
	ication Route	÷	inhalation (dust/m 105 weeks	nist/fume)
Resu	osure time ult	÷	positive	
Rem		:		om similar materials
Carc ment	inogenicity - Assess- t	:		of carcinogenicity in animal studies on data from similar materials

Revision Date:

Version



Date of last issue: 04.12.2023

Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

SDS Number:

sion	06.04.2024		9813901-00005	Date of first issue: 12.07.2022
_				
	yl alcohol:			
Speci		:	Mouse	
	cation Route	:	Ingestion	
Metho	sure time	:	103 weeks OECD Test Gui	dolino 151
Resul		:	negative	
abam	ectin (combination	of ave	rmectin B1a and	l avermectin B1b) (ISO):
Speci	es	:	Rat	
	cation Route	:	Oral	
	sure time	:	105 weeks	
Resul	lt	:	negative	
Speci	es	:	Mouse	
Applic	cation Route	:	Oral	
	sure time	:	93 weeks	
Resul	lt	:	negative	
Suspe	oductive toxicity ected of damaging fer oonents:	tility. S	Suspected of dam	aging the unborn child.
Suspe Comp	ected of damaging fer	-	Suspected of dam	aging the unborn child.
Suspe <u>Comp</u> levan	ected of damaging fer	-	Test Type: Thre	aging the unborn child. e-generation reproduction toxicity study
Suspe <u>Comp</u> levan	ected of damaging fer conents: hisole hydrochloride	-	Test Type: Thre Species: Rat	e-generation reproduction toxicity study
Suspe <u>Comp</u> levan	ected of damaging fer conents: hisole hydrochloride	-	Test Type: Thre Species: Rat Application Rou	e-generation reproduction toxicity study
Suspe <u>Comp</u> levan	ected of damaging fer conents: hisole hydrochloride	-	Test Type: Thre Species: Rat Application Rou	e-generation reproduction toxicity study
Suspe Comp levan Effect	ected of damaging fer conents: hisole hydrochloride	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb	e-generation reproduction toxicity study
Suspe Comp levan Effect	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development
Suspe Comp levan Effect	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral
Suspe Comp levan Effect	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight
Suspe Comp levan Effect	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight
Suspe Comp levan Effect	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development
Suspe Comp levan Effect	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit Application Rou	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development te: Oral
Suspe Comp levan Effect	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit Application Rou	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development te: Oral Toxicity: LOAEL: 40 mg/kg body weight
Suspe Comp Ievan Effect ment	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility is on foetal develop-	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit Application Rou Developmental Result: Fetotoxi Some evidence	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development te: Oral Toxicity: LOAEL: 40 mg/kg body weight city of adverse effects on development, based
Suspe Comp levan Effect ment	ected of damaging fer <u>conents:</u> nisole hydrochloride is on fertility is on foetal develop-	-	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit Application Rou Developmental Result: Fetotoxi	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development te: Oral Toxicity: LOAEL: 40 mg/kg body weight city of adverse effects on development, based
Suspective Completion Effect Effect Reprosesson Coba	ected of damaging fer <u>conents:</u> hisole hydrochloride is on fertility is on foetal develop- bductive toxicity - As- nent It disodium ethylene	: :	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit Application Rou Developmental Result: Fetotoxi Some evidence animal experime	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development te: Oral Toxicity: LOAEL: 40 mg/kg body weight city of adverse effects on development, based ents.
Suspective Completion Effect Effect Reprosesson Coba	ected of damaging fer <u>ponents:</u> hisole hydrochloride is on fertility is on foetal develop- s on foetal develop-	: :	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit Application Rou Developmental Result: Fetotoxi Some evidence animal experime inetetraacetate: Test Type: Ferti	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development te: Oral Toxicity: LOAEL: 40 mg/kg body weight city of adverse effects on development, based
Suspective Completion Effect Effect Reprosesson Coba	ected of damaging fer <u>conents:</u> hisole hydrochloride is on fertility is on foetal develop- bductive toxicity - As- nent It disodium ethylene	: :	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit Application Rou Developmental Result: Fetotoxi Some evidence animal experime inetetraacetate: Test Type: Ferti Species: Rat	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development te: Oral Toxicity: LOAEL: 40 mg/kg body weight city of adverse effects on development, based ents.
Suspective Completion Effect Effect Reprosesson Coba	ected of damaging fer <u>conents:</u> hisole hydrochloride is on fertility is on foetal develop- bductive toxicity - As- nent It disodium ethylene	: :	Test Type: Thre Species: Rat Application Rou Result: No signi Test Type: Emb Species: Rat Application Rou Developmental Result: Fetotoxi Test Type: Emb Species: Rabbit Application Rou Developmental Result: Fetotoxi Some evidence animal experime inetetraacetate: Test Type: Ferti	e-generation reproduction toxicity study te: Oral ficant adverse effects were reported ryo-foetal development te: Oral Toxicity: NOAEL: 20 mg/kg body weight city ryo-foetal development te: Oral Toxicity: LOAEL: 40 mg/kg body weight city of adverse effects on development, based ents.



Version 1.4	Revision Date: 06.04.2024	-	OS Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
			Remarks: Based	l on data from similar materials
			Test Type: Ferti Species: Mouse	ity/early embryonic development
			Application Rou Result: positive	e: Ingestion
			Remarks: Based	d on data from similar materials
			Species: Mouse	ity/early embryonic development e: inhalation (dust/mist/fume)
			Result: positive	d on data from similar materials
			Species: Rat Application Rou	ity/early embryonic development te: inhalation (dust/mist/fume)
			Result: positive Remarks: Based	on data from similar materials
Effe men	cts on foetal develop- t	:	Species: Rat Application Rou Method: OECD	Test Guideline 414
			Result: negative Remarks: Based	d on data from similar materials
•	roductive toxicity - As- sment	:	fertility, based o	of adverse effects on sexual function and n animal experiments. d on data from similar materials
Ben	zyl alcohol:			
Effe	cts on fertility	:	Species: Rat Application Rou Result: negative	
Effe men	cts on foetal develop- It	:	Test Type: Emb Species: Mouse Application Rou Result: negative	e: Ingestion
Citr	ic acid:			
Effe men	cts on foetal develop- It	:	Test Type: One- Species: Rat Application Rou Result: negative	



Versio 1.4	on	Revision Date: 06.04.2024		DS Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
-		n selenate: on fertility	:	Species: Rat Application Route Result: negative	eneration reproduction toxicity study :: Ingestion on data from similar materials
	ffects nent	on foetal develop-	:	Species: Mouse Application Route Result: negative	ro-foetal development : Ingestion on data from similar materials
а	bame	ctin (combination of	ave	rmectin B1a and a	avermectin B1b) (ISO):
E	ffects	on fertility	:	Species: Rat Application Route	e :: Oral fertility eneration reproduction toxicity study :: Oral Development: NOAEL: 0.12 mg/kg body
	Effects	on foetal develop-	:	Species: Mouse Application Route General Toxicity I Developmental To Result: Cleft pala Remarks: Advers Test Type: Embry Species: Rabbit	Maternal: NOAEL: 0.05 mg/kg body weight oxicity: NOAEL: 0.2 mg/kg body weight te e developmental effects were observed vo-foetal development
				Result: Cleft pala survival Remarks: Advers Test Type: Develo Species: Rat Application Route	e developmental effects were observed popment comment
	Reprod essme	uctive toxicity - As- nt	:		f adverse effects on sexual function and animal experiments., Some evidence of



rsion	Revision Date: 06.04.2024	SDS Number: 10813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
		adverse effects ments.	on development, based on animal experi-
стот	- single exposure		
Not cl	assified based on av	ailable information.	
Comp	oonents:		
Citric	acid:		
Asses	ssment	: May cause resp	piratory irritation.
STOT	- repeated exposu	'e	
May c	•		Thyroid, Heart, Blood) through prolonged or
	oonents:		
levan	nisole hydrochloride	e :	
Targe	et Organs	: Blood, Testis	
Asses	ssment	: May cause dan exposure.	hage to organs through prolonged or repeate
Caba	lt dia adium athulan	a diamin atatras satata.	
	sure routes	ediaminetetraacetate: : inhalation (dust	/mist/fume)
	t Organs	: Respiratory Tra	
	ssment		ice significant health effects in animals at cor
			.02 mg/l/6h/d or less.
Rema	arks	: Based on data	from similar materials
Expos	sure routes	: Ingestion	
	et Organs	: Thyroid, Heart,	
Asses	ssment		uce significant health effects in animals at cor
Rema	arks		10 to 100 mg/kg bw. from similar materials
Sodiu	ım selenate:		
	sure routes	: Ingestion	
-	ssment	: Shown to produ	uce significant health effects in animals at cor 0 mg/kg bw or less.
abam	ectin (combination	of avermectin B1a and	d avermectin B1b) (ISO):
Expos	sure routes	: Ingestion	
	et Organs	: Central nervous	s system
-	ssment		e to organs through prolonged or repeated



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
1.4	06.04.2024	10813901-00005	Date of first issue: 12.07.2022

Repeated dose toxicity

Components:

levamisole hydrochloride:

Species NOAEL Application Route Exposure time Target Organs	: Rat : 2.5 mg/kg : Oral : 18 Months : Testis
Species LOAEL Application Route Exposure time Target Organs	: Dog : 20 mg/kg : Oral : 18 Months : Blood
Species LOAEL Application Route Exposure time	: Dog : 40 mg/kg : Oral : 3 Months
Cobalt disodium ethylenedia	aminetetraacetate:
Species LOAEL Application Route Exposure time Remarks	 Rat > 10 mg/kg Ingestion 90 Days Based on data from similar materials
Species LOAEL Application Route Exposure time Method Remarks	 Rat < 0.01 mg/l inhalation (dust/mist/fume) 13 Weeks OECD Test Guideline 413 Based on data from similar materials
Species LOAEL Application Route Exposure time Method Remarks	 Mouse < 0.01 mg/l inhalation (dust/mist/fume) 13 Weeks OECD Test Guideline 413 Based on data from similar materials
Benzyl alcohol: Species NOAEL Application Route Exposure time Method	 Rat 1.072 mg/l inhalation (dust/mist/fume) 28 Days OECD Test Guideline 412



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Citric acid: Species : Rat NOAEL :: 4,000 mg/kg Application Route : Ingestion Exposure time :: 10 Days Sodium selenate: : Species Species :: Rat NOAEL :: 0.4 mg/kg Application Route : Ingestion Exposure time :: 13 Weeks abamectin (combination of avermectin B1a and avermectin B1b) (ISO): Species Species : Rat NOAEL :: 1.5 mg/kg Application Route : Oral Exposure time :: 2.4 Months Target Organs :: Central nervous system Symptoms :: Tremors, ataxia Species : Mouse NOAEL :: 4.0 mg/kg Application Route :: Oral Exposure time : 2.4 Months Target Organs :: Central nervous system Symptoms :: Tremors, ataxia	Version 1.4	Revision Date: 06.04.2024		OS Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Species:RatNOAEL:4,000 mg/kgLOAEL:8,000 mg/kgApplication Route:IngestionExposure timeSpecies:RatNOAELNOAEL:Species:RatNOAELNOAEL:Species:RatNOAEL:Species:RatNOAEL:Species:RatNOAEL:NOAEL:Species:RatNOAEL:NOAEL:Symptoms:Central nervous systemSymptoms:Species:MOAEL:Application Route:OralExposure time:Symptoms:Target Organs:Central nervous systemSymptoms:Symptoms:Symptoms:Species:DogNOAEL:0.25 mg/kgLOAEL:Application Route:OralExposure time:Symptoms:Target Organs:Central nervous systemSymptoms:Symptoms:Charla nervous systemSymptoms:CoralExposure time:Symptoms:Central nervous syst	0.4				
NOAEL:4,000 mg/kgLOAEL:8,000 mg/kgApplication Route:IngestionExposure time:10 DaysSodium selenate:Species:RatNOAEL:0.4 mg/kgApplication Route:IngestionExposure time:13 Weeksabamectin (combination of avermectin B1a and avermectin B1b) (ISO):Species:RatNOAEL:1.5 mg/kgApplication Route:0 CralExposure time:2.4 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:MouseNOAEL:4.0 mg/kgApplication Route:OralExposure time::Symptoms:Tremors, ataxiaSpecies:MouseNOAEL::Application Route:Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgApplication Route:OralExposure time::Symptoms:Tremors, weight lossRemarks::Application Route::Symptoms::Remarks::Application Route:S					
LOAEL : 8,000 mg/kg Application Route : Ingestion Exposure time : 10 Days Sodium selenate: Species : Rat NOAEL : 0.4 mg/kg Application Route : Ingestion Exposure time : 13 Weeks abamectin (combination of avermectin B1a and avermectin B1b) (ISO): Species : Rat NOAEL : 1.3 Weeks abamectin (combination of avermectin B1a and avermectin B1b) (ISO): Species : Rat NOAEL : 1.5 mg/kg Application Route : Oral Exposure time : 24 Months Target Organs : Central nervous system Symptoms : Tremors, ataxia Species : Mouse NOAEL : 4.0 mg/kg Application Route : Oral Exposure time : 24 Months Target Organs : Central nervous system Symptoms : Tremors, ataxia Species : Mouse NOAEL : 0.7 oral Exposure time : 24 Months Target Organs : Central nervous system Symptoms : Tremors, ataxia Species : Dog NOAEL : 0.25 mg/kg LOAEL : 0.5 mg/kg Application Route : Oral Exposure time : 53 Weeks Target Organs : Central nervous system Symptoms : Tremors, weight loss Remarks : mortality observed Species : Monkey NOAEL : 1.0 mg/kg Application Route : Oral Exposure time : 14 Weeks			:		
Application Route : Ingestion Exposure time : 10 Days Sodium selenate: Species : Species : Rat NOAEL : 0.4 mg/kg Application Route : Ingestion Exposure time : 13 Weeks abamectin (combination of avermectin B1a and avermectin B1b) (ISO): Species : Rat NOAEL : 1.5 mg/kg Application Route : Oral Exposure time : 24 Months Target Organs : Central nervous system Symptoms : Tremors, ataxia Species : Mouse NOAEL : 4.0 mg/kg Application Route : Oral Exposure time : 24 Months Target Organs : Central nervous system Symptoms : Tremors, ataxia Species : Dog NOAEL : 0.25 mg/kg Application Route : Oral <td></td> <td></td> <td>:</td> <td></td> <td></td>			:		
Exposure time : 10 Days Sodium selenate: Species Species : Rat NOAEL : 0.4 mg/kg Application Route : Ingestion Exposure time : 13 Weeks abamectin (combination of avermectin B1a and avermectin B1b) (ISO): Species : Rat NOAEL : 1.5 mg/kg Application Route : Oral Exposure time : 24 Months Target Organs : Central nervous system Symptoms : Tremors, ataxia Species : Mouse NOAEL : 4.0 mg/kg Application Route : Oral Exposure time : 24 Months Target Organs : Central nervous system Symptoms : Tremors, ataxia Species : Dog NOAEL : 0.25 mg/kg Application Route : Oral Exposure time : 53 Weeks Target Organs : Central nervous system Symptoms : Tremors, weight loss Remarks : mortality observed Species : Doral Expo			:		
Species:RatNOAEL:0.4 mg/kgApplication Route:IngestionExposure time:13 Weeksabamectin (combination of avermectin B1a and avermectin B1b) (ISO):Species:RatNOAEL:1.5 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Symptoms:Species:MOAEL:4.0 mg/kgApplication Route:0.7alExposure time:24 MonthsTarget Organs:Species:NOAEL:4.0 mg/kgApplication Route:13 Exposure time:24 MonthsTarget Organs:Target Organs:Termors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgLOAEL:25 Species:Target Organs:27 Corgans:28 Central nervous systemSymptoms:Symptoms:29 Corgans:20 Corgans:20 Corgans:21 Central nervous systemSymptoms:22 Corgans:23 WeeksTarget Organs:24 MontheSpecies <td< td=""><td></td><td></td><td>:</td><td></td><td></td></td<>			:		
NOAEL:0.4 mg/kgApplication Route:IngestionExposure time:13 Weeksabamectin (combination of avermectin B1a and avermectin B1b) (ISO):Species:RatNOAEL:1.5 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:MouseNOAEL:4.0 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:MouseNOAEL:4.0 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgLOAEL:0.5 mg/kgLOAEL:0.5 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralEx	Sodi	um selenate:			
Application Route:IngestionExposure time:13 Weeksabamectin (combination of avermectin B1a and avermectin B1b) (ISO):Species:RatNOAEL:NOAEL:1.5 mg/kgApplication Route:CoralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:MOAEL:4.0 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:Symptoms:Tremors, ataxiaSpecies:Symptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.4EL:13 WeeksTarget Organs:14 WeeksSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route <td:< td="">Species:MonkeyNOAEL:Application Route:Species:MonkeyNOAEL:Application Route:Species:Application Route:Species:<td></td><td></td><td>:</td><td></td><td></td></td:<>			:		
Exposure time: 13 Weeksabamectin (combination of avermectin B1a and avermectin B1b) (ISO):Species: RatNOAEL: 1.5 mg/kgApplication Route: OralExposure time: 24 MonthsTarget Organs: Central nervous systemSymptoms: Tremors, ataxiaSpecies: MouseNOAEL: 4.0 mg/kgApplication Route: OralExposure time: 24 MonthsTarget Organs: Central nervous systemSymptoms: Tremors, ataxiaSpecies: MouseNOAEL: 24 MonthsTarget Organs: Central nervous systemSymptoms: Tremors, ataxiaSpecies: DogNOAEL: 0.25 mg/kgLOAEL: 0.5 mg/kgApplication Route: OralExposure time: 53 WeeksTarget Organs: Central nervous systemSymptoms: Tremors, weight lossRemarks: mortality observedSpecies: MonkeyNOAEL: 1.0 mg/kgApplication Route: OralExposure time: 1.4 Weeks	-		:		
abamectin (combination of avermectin B1a and avermectin B1b) (ISO):SpeciesRatNOAEL1.5 mg/kgApplication Route24 MonthsTarget Organs24 MonthsTarget Organs7 Central nervous systemSymptomsTremors, ataxiaSpeciesMouseNOAEL24 MonthsTarget OrgansCentral nervous systemSymptomsTremors, ataxiaSpeciesMouseNOAEL24 MonthsTarget OrgansCentral nervous systemSymptomsTremors, ataxiaSpeciesDogNOAEL0.25 mg/kgLOAEL0.25 mg/kgLOAEL0.5 mg/kgApplication RouteOralExposure time53 WeeksTarget OrgansCentral nervous systemSymptomsTremors, ataxiaSpeciesDogNOAEL0.5 mg/kgApplication RouteOralExposure time53 WeeksTarget OrgansTremors, weight lossRemarksmortality observedSpeciesMonkeyNOAEL1.0 mg/kgApplication RouteCralExposure time14 Weeks			:		
Species:RatNOAEL:1.5 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:MouseNOAEL:4.0 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgLOAEL:0.7 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks	Expo	sure time		13 Weeks	
NOAEL:1.5 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:MouseNOAEL:4.0 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgLOAEL:0.5 mg/kgLOAEL:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks		•	of ave		avermectin B1b) (ISO):
Application Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:MouseNOAEL:4.0 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:1.0 mg/kgApplication Route:1.4 Weeks			:		
Exposure time: 24 MonthsTarget Organs: Central nervous systemSymptoms: Tremors, ataxiaSpecies: MouseNOAEL: 4.0 mg/kgApplication Route: OralExposure time: 24 MonthsTarget Organs: Central nervous systemSymptoms: Tremors, ataxiaSpecies: DogNOAEL: 0.25 mg/kgLOAEL: 0.5 mg/kgLOAEL: 0.5 mg/kgApplication Route: OralExposure time: 53 WeeksTarget Organs: Central nervous systemSymptoms: Tremors, weight lossRemarks: mortality observedSpecies: MonkeyNOAEL: 1.0 mg/kgApplication Route: 1.1 mg/kg<			÷		
Target Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:MouseNOAEL:4.0 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgLOAEL:0.7alExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:1.0 mg/kgApplication Route:1.4 Weeks			:		
Symptoms:Tremors, ataxiaSpecies:MouseNOAEL:4.0 mg/kgApplication Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:Symptoms:Tremors, weight lossRemarks::MOAEL:1.0 mg/kgApplication Route:OralExposure time:1.4 Weeks			:		system
NOAEL: 4.0 mg/kgApplication Route: OralExposure time: 24 MonthsTarget Organs: Central nervous systemSymptoms: Tremors, ataxiaSpecies: DogNOAEL: 0.25 mg/kgLOAEL: 0.5 mg/kgApplication Route: OralExposure time: 53 WeeksTarget Organs: Central nervous systemSymptoms: Tremors, weight lossRemarks: mortality observedSpecies: MonkeyNOAEL: 1.0 mg/kgApplication Route: 1.4 Weeks			:		
Application Route:OralExposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks			:		
Exposure time:24 MonthsTarget Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:0ralExposure time:14 Weeks	-		:		
Target Organs:Central nervous systemSymptoms:Tremors, ataxiaSpecies:DogNOAEL:0.25 mg/kgLOAEL:0.5 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks			÷		
Symptoms: Tremors, ataxiaSpecies: DogNOAEL: 0.25 mg/kgLOAEL: 0.5 mg/kgApplication Route: OralExposure time: 53 WeeksTarget Organs: Central nervous systemSymptoms: Tremors, weight lossRemarks: mortality observedSpecies: MonkeyNOAEL: 1.0 mg/kgApplication Route: Oral			:		system
NOAEL:0.25 mg/kgLOAEL:0.5 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks			:		System
LOAEL:0.5 mg/kgApplication Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks			:		
Application Route:OralExposure time:53 WeeksTarget Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks	-		:		
Exposure time : 53 Weeks Target Organs : Central nervous system Symptoms : Tremors, weight loss Remarks : mortality observed Species : Monkey NOAEL : 1.0 mg/kg Application Route : Oral Exposure time : 14 Weeks			:		
Target Organs:Central nervous systemSymptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks			÷		
Symptoms:Tremors, weight lossRemarks:mortality observedSpecies:MonkeyNOAEL:1.0 mg/kgApplication Route:OralExposure time:14 Weeks			:		system
Remarks: mortality observedSpecies: MonkeyNOAEL: 1.0 mg/kgApplication Route: OralExposure time: 14 Weeks			:		
NOAEL: 1.0 mg/kgApplication Route: OralExposure time: 14 Weeks			:		
Application Route : Oral Exposure time : 14 Weeks			:		
Exposure time : 14 Weeks			:		
			:		
			:		system
	raige		•		oyotom

Aspiration toxicity

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
1.4	06.04.2024	10813901-00005	Date of first issue: 12.07.2022
-			

Experience with human exposure

Components:	
levamisole hydrochloride:	
Ingestion	: Symptoms: Nausea, Vomiting, Headache, Dizziness, hypo- tension
Cobalt disodium ethylenedia	minetetraacetate:
Inhalation	: Target Organs: Respiratory system Remarks: Based on data from similar materials
Ingestion	: Target Organs: Blood Remarks: Based on data from similar materials Target Organs: Heart Target Organs: Thyroid
abamectin (combination of a	vermectin B1a and avermectin B1b) (ISO):
Ingestion	: Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

levamisole hydrochloride:	
Toxicity to fish :	LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Cobalt disodium ethylenediam	inetetraacetate:
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic tox- icity)	:	EC10 (Danio rerio (zebra fish)): > 1 mg/l Exposure time: 34 d Remarks: Based on data from similar materials



ersion .4	Revision Date: 06.04.2024	-	9S Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
	ity to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 28 Method: OECD T	
Benzy	yl alcohol:			
Toxici	ty to fish	:	LC50 (Pimephale Exposure time: 90	s promelas (fathead minnow)): 460 mg/l 5 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202	
	Toxicity to algae/aquatic plants		EC50 (Pseudokin mg/l Exposure time: 72 Method: OECD T	
			NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD T	
	ty to daphnia and other ic invertebrates (Chron- city)	:	NOEC (Daphnia) Exposure time: 2 Method: OECD T	
Citric	acid:			
Toxici	ty to fish	:	LC50 (Pimephale Exposure time: 90	s promelas (fathead minnow)): > 100 mg/l 5 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 24	nagna (Water flea)): 1,535 mg/l 4 h
Sodiu	ım selenate:			
Toxici	ty to fish	:	Exposure time: 9	s promelas (fathead minnow)): > 1 - 10 mg/l 6 h on data from similar materials
	ty to daphnia and other ic invertebrates	:	Exposure time: 48	nagna (Water flea)): > 1 - 10 mg/l 3 h on data from similar materials
Toxici plants	ty to algae/aquatic	:	ErC50 (Chlamydo Exposure time: 90	omonas reinhardtii (green algae)): 245 μg/l δ h
			NOEC (Chlamydo Exposure time: 90	omonas reinhardtii (green algae)): 197 μg/l δ h



Version 1.4	Revision Date: 06.04.2024		S Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Toxi icity)	city to fish (Chronic tox-	:	mg/l Exposure time: 25	nacrochirus (Bluegill sunfish)): > 0.01 - 0.1 8 d on data from similar materials
aqua	city to daphnia and other atic invertebrates (Chron- xicity)	:	NOEC: > 0.1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials	
Тохі	city to microorganisms	:	EC10 (activated s Exposure time: 3 Method: OECD Te	n
	mectin (combination of a city to fish	ave :		hus mykiss (rainbow trout)): 3.2 µg/l
			LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 9.6 μg/l i h
			LC50 (Ictalurus pu Exposure time: 96	unctatus (channel catfish)): 24 μg/l i h
			LC50 (Cyprinus ca Exposure time: 96	arpio (Carp)): 42 μg/l ε h
			LC50 (Cyprinodor Exposure time: 96	n variegatus (sheepshead minnow)): 15 μg/l i h
	city to daphnia and other atic invertebrates	:	EC50 (Americamy Exposure time: 96	
			EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 0.34 µg/l ⊧h
Toxi plan	city to algae/aquatic ts	:	EC50 (Pseudokiro mg/l Exposure time: 72	hneriella subcapitata (green algae)): 100
Toxi icity)	city to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 32	es promelas (fathead minnow)): 0.52 μg/l : d
aqua	Toxicity to daphnia and other aquatic invertebrates (Chron-		NOEC (Daphnia r Exposure time: 21	nagna (Water flea)): 0.03 µg/l d
ic to	xicity)		NOEC (Mysidopsi Exposure time: 28	s bahia (opossum shrimp)): 0.0035 μg/l d
Toxi	city to microorganisms	:	EC50: > 1,000 mg Exposure time: 3	



ersion 4	Revision Date: 06.04.2024		DS Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
			Test Type: Resp	iration inhibition
Persi	istence and degradabil	lity		
	ponents:			
Benz	yl alcohol:			
	egradability	:	Result: Readily b Biodegradation: Exposure time: 1	92 - 96 %
Citric	c acid:			
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD 1	97 %
abam	nectin (combination of	ave	rmectin B1a and	avermectin B1b) (ISO):
Stabi	lity in water	:	Hydrolysis: 50 %	(< 12 h)
Bioa	ccumulative potential			
Com	ponents:			
Coba	alt disodium ethylened	iami	inetetraacetate:	
	ion coefficient: n- nol/water	:	log Pow: -3.86 Remarks: Calcul	ation
Benz	yl alcohol:			
	ion coefficient: n- nol/water	:	log Pow: 1.05	
Citric	c acid:			
	ion coefficient: n- nol/water	:	log Pow: -1.72	
	•			avermectin B1b) (ISO):
Bioac	ccumulation	:	Bioconcentration	factor (BCF): 52
	ion coefficient: n- nol/water	:	log Pow: 4	
Mobi	lity in soil			
Com	ponents:			
	nectin (combination of bution among environ-			avermectin B1b) (ISO):



Version	
1.4	

Revision Date: 06.04.2024

SDS Number: 10813901-00005

Date of last issue: 04.12.2023 Date of first issue: 12.07.2022

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)
Class Packing group Labels Environmentally hazardous	:	9 III 9 yes
IATA-DGR		
UN/ID No. Proper shipping name	:	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)
Class Packing group Labels Packing instruction (cargo aircraft)	:	9 III Miscellaneous 964
Packing instruction (passen- ger aircraft) Environmentally hazardous	:	964 yes
IMDG-Code UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ICO). On the diagonal and the diagonal activity of the diagonal activity
Class Packing group Labels EmS Code	:	B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate) 9 III 9 F-A, S-F



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
1.4	06.04.2024	10813901-00005	Date of first issue: 12.07.2022

Marine pollutant

: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

:	UN 3082
:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)
:	9
:	III
:	9
:	•3Z
:	yes
	:

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix- ture							
Therapeutic Goods (Poisons Standard) Instrument	publication to che	No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)					
Prohibition/Licensing Require	ements	: Cobalt disodium ethylenediaminetet- raacetate Refer to model WHS Act and Regu- lations for prohibition, authorisation and restricted use.					
The components of this product are reported in the following inventories:							
AICS	: not determined						
DSL	: not determined						
IECSC	: not determined						

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information	

Revision Date : 06.04.2024



Vers 1.4	ion Revision Date: 06.04.2024		DS Number: 813901-00005	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
	Sources of key data used to compile the Safety Data Sheet) :	Internal technical data, data from raw material SDSs, OEC eChem Portal search results and European Chemicals Age cy, http://echa.europa.eu/	
	Date format	:	dd.mm.yyyy	
Full text of other abbreviation				
	ACGIH AU OEL	:		eshold Limit Values (TLV) ace Exposure Standards for Airborne Con-
	ACGIH / TWA AU OEL / TWA	:	8-hour, time-weig Exposure standar	hted average d - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
1.4	06.04.2024	10813901-00005	Date of first issue: 12.07.2022

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN