

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

**SECTION 1: IDENTIFICATION**

Product name : Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia  
Telephone : 1 800 033 461  
Emergency telephone number : Poisons Information Centre: Phone 13 11 26  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**


Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 4  
Respiratory sensitisation : Category 1  
Germ cell mutagenicity : Category 2  
Carcinogenicity : Category 2  
Reproductive toxicity : Category 2  
Specific target organ toxicity - repeated exposure : Category 2 (Respiratory Tract, Thyroid, Heart, Blood)

**GHS label elements**

Hazard pictograms :   
Signal word : Danger  
Hazard statements : H302 Harmful if swallowed.  
H334 May cause allergy or asthma symptoms or breathing

# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

difficulties if inhaled.  
H341 Suspected of causing genetic defects.  
H351 Suspected of causing cancer.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	>= 3 -< 10
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	>= 3 -< 10
Benzyl alcohol	100-51-6	< 10
Citric acid	77-92-9	< 10
Sodium selenate	13410-01-0	< 1

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
 Date of first issue: 12.07.2022

abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	< 0.5
--	------------	-------

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 Suspected of causing genetic defects.  
 Suspected of causing cancer.  
 Suspected of damaging fertility. Suspected of damaging the unborn child.  
 May cause damage to organs through prolonged or repeated exposure.  
 Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing : None known.

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

media  
Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.  
Hazardous combustion products : Carbon oxides  
Oxides of phosphorus  
Cobalt compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : •3Z

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

---

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Sodium selenate	13410-01-0	TWA	0.1 mg/m <sup>3</sup> (selenium)	AU OEL
		TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
		TWA	0.2 mg/m <sup>3</sup> (selenium)	ACGIH

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
 Date of first issue: 12.07.2022

abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
 Use appropriate degowning techniques to remove potentially contaminated clothing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : suspension

**Colour** : No data available

**Odour** : No data available

**Odour Threshold** : No data available

**pH** : No data available

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 939.39 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****levamisole hydrochloride:**

Acute oral toxicity : LD50 (Rat): 180 mg/kg  
LD50 (Mouse): 223 mg/kg  
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**Cobalt disodium ethylenediaminetetraacetate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials



**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Sodium selenate:**

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg  
Remarks: Based on data from similar materials  
Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Acute oral toxicity : LD50 (Rat): 24 mg/kg  
LD50 (Mouse): 10 mg/kg  
LDLo (Monkey): 24 mg/kg  
Symptoms: Dilatation of the pupil  
Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rat): 330 mg/kg  
LD50 (Rabbit): 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Remarks : No data available

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

**Cobalt disodium ethylenediaminetetraacetate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Citric acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Sodium selenate:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

Result : Skin irritation

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Remarks : No data available

**Cobalt disodium ethylenediaminetetraacetate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Benzyl alcohol:**

Species : Rabbit

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Citric acid:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Sodium selenate:**

Species : Bovine cornea  
Method : OECD Test Guideline 437

Result : No eye irritation

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rabbit  
Result : Mild eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****levamisole hydrochloride:**

Remarks : No data available

**Cobalt disodium ethylenediaminetetraacetate:**

Exposure routes : inhalation (dust/mist/fume)  
Species : Humans  
Result : positive  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory sensitisation rate in humans

**Benzyl alcohol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Result : Not a skin sensitizer.

**Chronic toxicity****Germ cell mutagenicity**

Suspected of causing genetic defects.

**Components:****levamisole hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

**Cobalt disodium ethylenediaminetetraacetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
 Date of first issue: 12.07.2022

---

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
 Species: Mouse  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.  
 Remarks: Based on data from similar materials

### **Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

### **Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: in vitro micronucleus test  
 Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

### **Sodium selenate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: negative  
 Remarks: Based on data from similar materials

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
 Date of first issue: 12.07.2022

---

Test system: Chinese hamster lung cells  
 Result: negative

Test Type: Alkaline elution assay  
 Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

### Carcinogenicity

Suspected of causing cancer.

### Components:

#### levamisole hydrochloride:

Species : Mouse  
 Application Route : Oral  
 Exposure time : 2 Years  
 NOAEL : 80 mg/kg body weight  
 Remarks : No significant adverse effects were reported

Species : Rat  
 Application Route : Oral  
 Exposure time : 2 Years  
 NOAEL : 40 mg/kg body weight  
 Remarks : No significant adverse effects were reported

#### Cobalt disodium ethylenediaminetetraacetate:

Species : Rat  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 105 weeks  
 Result : positive  
 Remarks : Based on data from similar materials

Species : Mouse  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 105 weeks  
 Result : positive  
 Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies  
 Remarks: Based on data from similar materials

#### Benzyl alcohol:

Species : Mouse  
 Application Route : Ingestion

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
 Date of first issue: 12.07.2022

---

Exposure time : 103 weeks  
 Method : OECD Test Guideline 451  
 Result : negative

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat  
 Application Route : Oral  
 Exposure time : 105 weeks  
 Result : negative

Species : Mouse  
 Application Route : Oral  
 Exposure time : 93 weeks  
 Result : negative

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

### Components:

#### levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 20 mg/kg body weight  
 Result: Fetotoxicity

Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 40 mg/kg body weight  
 Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

#### Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10813901-00003	Date of first issue: 12.07.2022

---

Species: Mouse  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
 Species: Mouse  
 Application Route: inhalation (dust/mist/fume)  
 Result: positive  
 Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: inhalation (dust/mist/fume)  
 Result: positive  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative  
 Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.  
 Remarks: Based on data from similar materials

### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

### **Citric acid:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

### **Sodium selenate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat



## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10813901-00003	Date of first issue: 12.07.2022

---

Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Early Embryonic Development: NOAEL: 0.12 mg/kg body weight  
 Result: Fetotoxicity

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight  
 Developmental Toxicity: NOAEL: 0.2 mg/kg body weight  
 Result: Cleft palate  
 Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 2 mg/kg body weight  
 Result: Cleft palate, Teratogenic effects, Reduced embryonic survival  
 Remarks: Adverse developmental effects were observed

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 1.6 mg/kg body weight  
 Result: Teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10813901-00003	Date of first issue: 12.07.2022

---

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **Citric acid:**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

#### Components:

##### **levamisole hydrochloride:**

Target Organs : Blood, Testis  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

##### **Cobalt disodium ethylenediaminetetraacetate:**

Exposure routes : inhalation (dust/mist/fume)  
 Target Organs : Respiratory Tract  
 Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.  
 Remarks : Based on data from similar materials

Exposure routes : Ingestion  
 Target Organs : Thyroid, Heart, Blood  
 Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.  
 Remarks : Based on data from similar materials

##### **Sodium selenate:**

Exposure routes : Ingestion  
 Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Exposure routes : Ingestion  
 Target Organs : Central nervous system  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **levamisole hydrochloride:**

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

Species : Rat  
NOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Testis

Species : Dog  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Blood

Species : Dog  
LOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 3 Months

**Cobalt disodium ethylenediaminetetraacetate:**

Species : Rat  
LOAEL : > 10 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

Species : Rat  
LOAEL : < 0.01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

Species : Mouse  
LOAEL : < 0.01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

**Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

**Citric acid:**

Species : Rat  
NOAEL : 4,000 mg/kg  
LOAEL : 8,000 mg/kg

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

Application Route : Ingestion  
Exposure time : 10 Days

**Sodium selenate:**

Species : Rat  
NOAEL : 0.4 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rat  
NOAEL : 1.5 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

Species : Mouse  
NOAEL : 4.0 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

Species : Dog  
NOAEL : 0.25 mg/kg  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Central nervous system  
Symptoms : Tremors, weight loss  
Remarks : mortality observed

Species : Monkey  
NOAEL : 1.0 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Central nervous system

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****levamisole hydrochloride:**

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
 Date of first issue: 12.07.2022

### Cobalt disodium ethylenediaminetetraacetate:

Inhalation : Target Organs: Respiratory system  
 Remarks: Based on data from similar materials

Ingestion : Target Organs: Blood  
 Remarks: Based on data from similar materials  
 Target Organs: Heart  
 Target Organs: Thyroid

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### levamisole hydrochloride:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): 37.3 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 64 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202

#### Cobalt disodium ethylenediaminetetraacetate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10 (*Danio rerio* (zebra fish)): > 1 mg/l  
 Exposure time: 34 d  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (*Hyalella azteca* (Amphipod)): > 0.01 - 0.1 mg/l  
 Exposure time: 28 d  
 Method: OECD Test Guideline 211  
 Remarks: Based on data from similar materials

#### Benzyl alcohol:

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- Citric acid:**
- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h
- Sodium selenate:**
- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l  
Exposure time: 96 h
- NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l  
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1 mg/l  
Exposure time: 258 d  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other : NOEC: > 0.1 - 1 mg/l

## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10813901-00003	Date of first issue: 12.07.2022

---

aquatic invertebrates (Chronic toxicity)      Exposure time: 28 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms      :    EC10 (activated sludge): 590 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish      :    LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l  
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l  
Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l  
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 µg/l  
Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates      :    EC50 (Americamysis): 0.022 µg/l  
Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants      :    EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity)      :    NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l  
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :    NOEC (Daphnia magna (Water flea)): 0.03 µg/l  
Exposure time: 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l  
Exposure time: 28 d

Toxicity to microorganisms      :    EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version 1.2      Revision Date: 30.09.2023      SDS Number: 10813901-00003      Date of last issue: 04.04.2023  
Date of first issue: 12.07.2022

---

**Persistence and degradability****Components:****Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Stability in water : Hydrolysis: 50 %(< 12 h)

**Bioaccumulative potential****Components:****Cobalt disodium ethylenediaminetetraacetate:**

Partition coefficient: n-octanol/water : log Pow: -3.86  
Remarks: Calculation

**Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

**Citric acid:**

Partition coefficient: n-octanol/water : log Pow: -1.72

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

**Mobility in soil****Components:****abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Distribution among environmental compartments : log Koc: > 3.6

**Other adverse effects**

No data available



**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10813901-00003	Date of first issue: 12.07.2022

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10813901-00003	Date of first issue: 12.07.2022

---

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	•3Z
Environmentally hazardous	:	yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements	:	Cobalt disodium ethylenediaminetetraacetate Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.
------------------------------------	---	--

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**SECTION 16: ANY OTHER RELEVANT INFORMATION****Further information**

Revision Date	:	30.09.2023
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>

**Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10813901-00003	Date of first issue: 12.07.2022

---

Date format : dd.mm.yyyy

**Full text of other abbreviations**ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.ACGIH / TWA : 8-hour, time-weighted average  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.2	30.09.2023	10813901-00003	Date of first issue: 12.07.2022

---

AU / EN