

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
4.1	06.04.2024	10813340-00006	Date of first issue: 12.07.2022

Section 1: Identification

Product name	:	Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodi- um Selenate Formulation			
Other means of identification	:	Converge (A010119)			
Manufacturer or supplier's de	eta	ils			
Company	:	MSD			
Address	:	33 Whakatiki Street - Private Ba Upper Hutt - New Zealand	g 908		
Telephone	:	0800 800 543			
Emergency telephone number	:	0800 764 766 (0800 POISON) CHEMCALL)	0800 243 622 (0800		
E-mail address	:	EHSDATASTEWARD@msd.cor	n		
Recommended use of the ch	em	ical and restrictions on use			
Recommended use Restrictions on use	:	Veterinary product Not applicable			

Section 2: Hazard identification

GHS Classification Acute toxicity (Oral)	:	Category 4
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Germ cell mutagenicity	:	Category 2
Carcinogenicity	:	Category 2
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2 (Respiratory Tract, Thyroid, Heart, Blood)
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Blood, Testis)



ersion .1	Revision Date: 06.04.2024	SDS Number: 10813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
	rdous to the aquatic onment - acute hazard	: Category 1	
	rdous to the aquatic onment - chronic hazard	: Category 1	
GHS	label elements		
Haza	rd pictograms		!
Signa	l word	: Danger	• •
Haza	rd statements	H334 May cau difficulties if inh H341 Suspecte H351 Suspecte H361fd Suspect ing the unborn H373 May cau roid, Heart, Blo H373 May cau prolonged or re	se an allergic skin reaction. se allergy or asthma symptoms or breathing naled. ed of causing genetic defects. ed of causing cancer. cted of damaging fertility. Suspected of damag
Preca	autionary statements	Prevention:	
		P202 Do not hi and understood P260 Do not bi P264 Wash sk P270 Do not ei P272 Contamin the workplace. P273 Avoid rel P280 Wear prot tion/ face prote P284 Wear res Response: P301 + P312 + CENTER/ doct P302 + P352 II P304 + P340 II keep comfortal	reathe mist or vapours. in thoroughly after handling. at, drink or smoke when using this product. nated work clothing should not be allowed out ease to the environment. otective gloves/ protective clothing/ eye protec-



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
4.1	06.04.2024	10813340-00006	Date of first issue: 12.07.2022

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	>= 2.5 -< 10
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	>= 2.5 -< 10
Benzyl alcohol	100-51-6	>= 1 -< 10
Citric acid	77-92-9	>= 1 -< 10
Sodium selenate	13410-01-0	>= 0.1 -< 0.25
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	>= 0.1 -< 0.25

Section 4: First-aid measures

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	 If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	 In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention.



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.1	Revision Date: 06.04.2024	-	0S Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
and e delay Prote	ection of first-aiders	:	Never give anyth Harmful if swallo May cause an al May cause allerg ties if inhaled. Suspected of cau Suspected of dat unborn child. May cause dama exposure. Excessive expos other respiratory tive airways dysf First Aid respond and use the reco when the potenti	lergic skin reaction. gy or asthma symptoms or breathing difficul- using genetic defects. using cancer. maging fertility. Suspected of damaging the age to organs through prolonged or repeated ure may aggravate preexisting asthma and disorders (e.g. emphysema, bronchitis, reac- unction syndrome). lers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8).
	s to physician	:	I reat symptomat	ically and supportively.
	5: Fire-fighting measure	S		
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (Dry chemical	
Unsu medi	uitable extinguishing a	:	None known.	
Spec fighti	sific hazards during fire- ng	:	Exposure to com	bustion products may be a hazard to health.
Haza ucts	ardous combustion prod-	:	Carbon oxides Oxides of phosp Cobalt compoun Nitrogen oxides Metal oxides	ds
Spec ods	ific extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do
for fir	cial protective equipment refighters chem Code	:	In the event of fir	e, wear self-contained breathing apparatus. otective equipment.

Section 6: Accidental release measures

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	Follow safe handling advice (see section 7) and personal pro-
gency procedures	tective equipment recommendations (see section 8).



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

/ersion .1	Revision Date: 06.04.2024		DS Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Enviro	onmental precautions	:	Prevent spreadin barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oi se of contaminated wash water. should be advised if significant spillages
	ods and materials for inment and cleaning up	:	For large spills, p ment to keep mat be pumped, store Clean up remaining bent. Local or national posal of this mate employed in the of mine which regular Sections 13 and	t absorbent material. rovide dyking or other appropriate contain- erial from spreading. If dyked material can a recovered material in appropriate container, ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding ational requirements.
Section 7	: Handling and storage	<u>;</u>		
Techr	nical measures	:		measures under EXPOSURE
Local	/Total ventilation	:	Use only with ade	
	e on safe handling	:	Wash skin thorou Handle in accord practice, based o sessment Keep container tig Already sensitise to asthma, allergi should consult that tory irritants or se Do not eat, drink Take care to prev environment.	h eyes. or repeated contact with skin. ghly after handling. ance with good industrial hygiene and safety n the results of the workplace exposure as- ghtly closed. d individuals, and those susceptible es, chronic or recurrent respiratory disease, eir physician regarding working with respira- insitisers. or smoke when using this product. rent spills, waste and minimize release to the
Hygie	ne measures	:		emical is likely during typical use, provide ey and safety showers close to the working

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of

place.



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.1	Revision Date: 06.04.2024	SDS Number: 10813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
	ditions for safe storage erials to avoid	appropriate deguindustrial hygien use of administri Keep in properly Store locked up. Keep tightly clos Store in accorda	/ labelled containers.
Materials to avoid		Store locked up Keep tightly clos Store in accorda	sed. ance with the particular national regulations. h the following product types:

Section 8: Exposure controls/personal protection

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m3 (OEB 3)	Internal
	Further inform	ation: Skin		
		Wipe limit	200 µg/100 cm ²	Internal
Sodium selenate	13410-01-0	WES-TWA	0.02 mg/m3 (selenium)	NZ OEL
	Further inform	ation: Skin abso	rption	
		TWA	20 µg/m3 (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0.2 mg/m3 (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Components with workplace control parameters

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Developed another three equipment	

Personal protective equipment

i oloonal protootivo oquipin	0	
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo-
		sure assessment demonstrates exposures outside the rec-
		ommended guidelines, use respiratory protection.



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.1	Revision Date: 06.04.2024		Number: 3340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
	ter type protection	: C	Combined particu	lates and organic vapour type
Ma	aterial	: C	Chemical-resistar	nt gloves
	emarks protection	: V If N V P	 Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty condition mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 	
Skin a	and body protection	: V A ta D	Vork uniform or la ditional body g ask being perforr osable suits) to a	arments should be used based upon the ned (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. legowning techniques to remove potentially

Section 9: Physical and chemical properties

Appearance	:	suspension
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
4.1	06.04.2024	10813340-00006	Date of first issue: 12.07.2022

Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

Section 10: Stability and reactivity

Reactivity Chemical stability		Not classified as a reactivity hazard. Stable under normal conditions.
tions	•	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
Acute toxicity	

Harmful if swallowed.



Versi 4.1	ion	Revision Date: 06.04.2024		9S Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
-	Produ Acute (<u>ct:</u> oral toxicity		Acute toxicity esti	mate: 939.39 mg/kg
	, louio		•	Method: Calculati	
	Acute i	inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method	
	Acute	dermal toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2,000 mg/kg on method
<u>(</u>	<u>Comp</u>	onents:			
I	levami	isole hydrochloride:			
	Acute	oral toxicity	:	LD50 (Rat): 180 r	ng/kg
				LD50 (Mouse): 22	23 mg/kg
				LD50 (Rabbit): 45	i8 mg/kg
	Acute i	inhalation toxicity	:	Remarks: No data	a available
	Acute	dermal toxicity	:	Remarks: No data	a available
	Cobalt	t disodium ethylenedi	ami	netetraacetate:	
	Acute	oral toxicity	:	LD50 (Rat): > 2,0 Remarks: Based	00 mg/kg on data from similar materials
I	Benzy	l alcohol:			
	Acute	oral toxicity	:	LD50 (Rat): 1,620) mg/kg
	Acute i	inhalation toxicity	:	LC50 (Rat): > 4.1 Exposure time: 4	
				Test atmosphere: Method: OECD T	dust/mist
,	Acute	dermal toxicity	:	Method: Expert ju	mate: 1,100 mg/kg dgement on national or regional regulation.
(Citric a	acid:			
	Acute	oral toxicity	:	LD50 (Mouse): 5,	400 mg/kg
,	Acute	dermal toxicity	:	LD50 (Rat): > 2,0 Method: OECD T Assessment: The toxicity	



ersion 1	Revision Date: 06.04.2024		DS Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Sodiu	um selenate:			
Acute	e oral toxicity	:	LD50 (Rat): > 5 Remarks: Based	- 50 mg/kg I on data from similar materials
Acute	e inhalation toxicity	:	LC50 (Rat): > 0.0 Exposure time: 4 Test atmosphere Method: OECD	ł h
abam	nectin (combination	of ave	rmectin B1a and	avermectin B1b) (ISO):
Acute	e oral toxicity	:	LD50 (Rat): 24 n	ng/kg
			LD50 (Mouse): 1	0 mg/kg
			LDLo (Monkey): Symptoms: Dilat	24 mg/kg ation of the pupil
Acute	e inhalation toxicity	:	LC50 (Rat): 0.02 Exposure time: 4 Test atmosphere	1 h
Acute	e dermal toxicity	:	LD50 (Rat): 330	mg/kg
			LD50 (Rabbit): 2	2,000 mg/kg
Not c	corrosion/irritation lassified based on ava ponents:	ailable	information.	
	nisole hydrochloride			
Rema	-	:	No data available	e
Coba	llt disodium ethylene	ediami	inetetraacetate:	
Speci	-	:	Rabbit	
Metho	od	:	OECD Test Guid	
Resu		:	No skin irritation	
Rema	arks	:	Based on data fr	rom similar materials
	yl alcohol:			
Speci		:	Rabbit	
Metho Resu		:	OECD Test Guid No skin irritation	
Citric	acid:			
			Rabbit	
Speci	ies	:	Rabbit	



ersion 1	Revision Date: 06.04.2024	SDS Number: 10813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Metho	bd	: OECD Test Gui	deline 404
Resul		: No skin irritation	
	ım selenate:		
Specie Metho		: reconstructed he : OECD Test Gui	uman epidermis (RhE) deline 431
Specie Metho		: reconstructed here : OECD Test Guid	uman epidermis (RhE) deline 439
Resul	t	: Skin irritation	
abam	ectin (combination	of avermectin B1a and	l avermectin B1b) (ISO):
Speci		: Rabbit	
Resul	t	: No skin irritation	1
Serio	us eye damage/eye	irritation	
Not cl	assified based on av	ailable information.	
<u>Comp</u>	oonents:		
levam	nisole hydrochloride	; :	
Rema	ırks	: No data availab	le
Coba	It disodium ethylen	ediaminetetraacetate:	
Specie	es	: Rabbit	
Resul		. No ava irritation	
		: No eye irritation	
Rema		: Based on data f	rom similar materials
		: Based on data f	rom similar materials
	ırks yl alcohol:	: Based on data f	rom similar materials
Benzy Specie Resul	ırks yl alcohol: es t	 Based on data f Rabbit Irritation to eyes 	rom similar materials s, reversing within 21 days
Benzy Specie	ırks yl alcohol: es t	: Based on data f : Rabbit	rom similar materials s, reversing within 21 days
Benzy Specie Resul	ırks yl alcohol: es t od	 Based on data f Rabbit Irritation to eyes 	rom similar materials s, reversing within 21 days
Benzy Specie Resul Metho	ırks y l alcohol: es t od acid:	 Based on data f Rabbit Irritation to eyes 	rom similar materials s, reversing within 21 days
Benzy Specie Result Metho Citric Specie Result	ırks y l alcohol: es t od acid: es t	 Based on data f Rabbit Irritation to eyes OECD Test Guid Rabbit Irritation to eyes 	rom similar materials , reversing within 21 days deline 405 , reversing within 21 days
Benzy Specie Resul Metho Citric Specie	ırks y l alcohol: es t od acid: es t	 Based on data f Rabbit Irritation to eyes OECD Test Guid Rabbit 	rom similar materials , reversing within 21 days deline 405 , reversing within 21 days
Benzy Specie Resul Metho Citric Specie Resul Metho	ırks y l alcohol: es t od acid: es t	 Based on data f Rabbit Irritation to eyes OECD Test Guid Rabbit Irritation to eyes 	rom similar materials , reversing within 21 days deline 405 , reversing within 21 days
Benzy Specie Resul Metho Citric Specie Resul Metho	urks yl alcohol: es t od acid: es t od um selenate:	 Based on data f Rabbit Irritation to eyes OECD Test Guid Rabbit Irritation to eyes 	rom similar materials , reversing within 21 days deline 405 , reversing within 21 days
Benzy Specie Result Metho Citric Specie Result Metho Sodiu	urks yl alcohol: es t od acid: es t od um selenate: es	 Based on data f Rabbit Irritation to eyes OECD Test Guid Rabbit Irritation to eyes OECD Test Guid 	rom similar materials , reversing within 21 days deline 405 , reversing within 21 days deline 405



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.1	Revision Date: 06.04.2024	SDS Number: 10813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
abam	ectin (combination o	of avermectin B1a and	avermectin B1b) (ISO):
Speci Resul	es	: Rabbit : Mild eye irritation	

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

levamisole hydrochloride:

Remarks

: No data available

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes Species Result Remarks Assessment		inhalation (dust/mist/fume) Humans positive Based on data from similar materials Probability or evidence of low to moderate respiratory sensi		
		sation rate in humans		
Benzyl alcohol:				
Assessment Remarks	:	Probability or evidence of skin sensitisation in humans Based on national or regional regulation.		
abamectin (combination of a	ve	rmectin B1a and avermectin B1b) (ISO):		
Test Type	:	Maximisation Test		
Exposure routes	:	Skin contact		
Result	:	Not a skin sensitizer.		
Chronic toxicity				
Germ cell mutagenicity				
Suspected of causing genetic	def	ects.		
Components:				
levamisole hydrochloride:				
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative			
		Test Type: Chromosome aberration test in vitro		



4.1 06.04.2024 10813340-00006 Date of first issue: 12.07.2022

Result: negative

Cobalt disodium ethylenediaminetetraacetate:					
Genotoxicity in vitro	:	Method: OECD Test Guideline 471 Result: negative			
		Remarks: Based on data from similar materials			
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: positive Remarks: Based on data from similar materials			
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive			
		Remarks: Based on data from similar materials			
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse			
		Application Route: Intraperitoneal injection			
		Result: positive Remarks: Based on data from similar materials			
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse			
		Application Route: Ingestion Result: positive			
		Remarks: Based on data from similar materials			
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion			
		Result: positive			
		Remarks: Based on data from similar materials			
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo mammalian somatic cell muta- genicity tests. Remarks: Based on data from similar materials			
Benzyl alcohol:					
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative			
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse			
		Application Route: Intraperitoneal injection			



Versi 4.1	ion	Revision Date: 06.04.2024		9S Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022	
				Result: negative		
	Citric a	cid:				
		xicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)	
				Test Type: in vitro Result: positive	micronucleus test	
				Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)	
	Genotoxicity in vivo		:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative		
;	Sodiun	n selenate:				
	Genoto	xicity in vitro	:	Method: OECD T Result: negative	ial reverse mutation assay (AMES) est Guideline 471 on data from similar materials	
i	abame	ctin (combination of	ave	rmectin B1a and a	avermectin B1b) (ISO):	
(Genoto	xicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)	
					o mammalian cell gene mutation test nese hamster lung cells	
				Test Type: Alkalir Result: negative	e elution assay	
	Genoto	xicity in vivo	:	cytogenetic test, o Species: Mouse	enicity (in vivo mammalian bone-marrow chromosomal analysis) : Intraperitoneal injection	

Carcinogenicity

Suspected of causing cancer.



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
4.1	06.04.2024	10813340-00006	Date of first issue: 12.07.2022

Components:

levamisole hydrochloride:	Mouro
Species Application Route	: Mouse : Oral
Exposure time	2 Years
NOAEL Remarks	 80 mg/kg body weight No significant adverse effects were reported
Remarks	
Species	: Rat
Application Route	: Oral
Exposure time NOAEL	: 2 Years : 40 mg/kg body weight
Remarks	No significant adverse effects were reported
Cobalt disodium ethylenedia	ninetetraacetate:
Species	: Rat
Application Route Exposure time	: inhalation (dust/mist/fume) : 105 weeks
Result	: positive
Remarks	Based on data from similar materials
	M
Species Application Route	: Mouse : inhalation (dust/mist/fume)
Exposure time	: 105 weeks
Result	: positive
Remarks	: Based on data from similar materials
Carcinogenicity - Assess- ment	: Limited evidence of carcinogenicity in animal studies Remarks: Based on data from similar materials
Benzyl alcohol:	
Species	: Mouse
Application Route	: Ingestion
Exposure time Method	: 103 weeks : OECD Test Guideline 451
Result	: negative
•	vermectin B1a and avermectin B1b) (ISO):
Species	: Rat
Application Route Exposure time	: Oral : 105 weeks
Result	negative
- ·	-
Species	
Application Route Exposure time	: Oral : 93 weeks
Result	: negative



Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
4.1	06.04.2024	10813340-00006	Date of first issue: 12.07.2022

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

levamisole hydrochloride:	
Effects on fertility :	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral Result: No significant adverse effects were reported
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 20 mg/kg body weight Result: Fetotoxicity
	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity
Reproductive toxicity - As- : sessment	Some evidence of adverse effects on development, based on animal experiments.

Cobalt disodium ethylenediaminetetraacetate:

•••••••••••••••••••••••••••••••••••••••	
Effects on fertility :	Species: Rat Application Route: Ingestion Result: positive
	Remarks: Based on data from similar materials
	Test Type: Fertility/early embryonic development Species: Mouse Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
	Test Type: Fertility/early embryonic development Species: Mouse Application Route: inhalation (dust/mist/fume) Result: positive Remarks: Based on data from similar materials
	Test Type: Fertility/early embryonic development Species: Rat Application Route: inhalation (dust/mist/fume) Result: positive Remarks: Based on data from similar materials



Versi 4.1	-	Revision Date: 06.04.2024		S Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
	Effects o ment	n foetal develop-	:	Species: Rat Application Route Method: OECD Te Result: negative	
	Reprodu sessmen	ctive toxicity - As- It	:	fertility, based on a	adverse effects on sexual function and animal experiments. on data from similar materials
F	Benzyl a	lcohol.			
	-	n fertility	:	Species: Rat Application Route Result: negative	//early embryonic development Ingestion on data from similar materials
	Effects o ment	n foetal develop-	:	Test Type: Embry Species: Mouse Application Route Result: negative	o-foetal development
	Citric ac	id			
E		n foetal develop-	:	Test Type: One-ge Species: Rat Application Route Result: negative	eneration reproduction toxicity study
c	Sodium	selenate:			
		n fertility	:	Species: Rat Application Route Result: negative	eneration reproduction toxicity study Ingestion on data from similar materials
	Effects o ment	n foetal develop-	:	Species: Mouse Application Route Result: negative	o-foetal development Ingestion on data from similar materials
:	abamec	tin (combination of	ave	mectin B1a and a	vermectin B1b) (ISO):
		n fertility	:	Test Type: Fertility Species: Rat, male Application Route Result: Effects on	/ e : Oral



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

		SDS Numb 10813340-0		Date of last issue: 04.12.2023 Date of first issue: 12.07.2022	
4.1 06.04.2024 1 Effects on foetal development : Reproductive toxicity - As-sessment :		Test Ty Species Applica Early Ei weight Result: : Test Ty Species Applica Genera Develop Result: Remark Test Ty Species	pe: Two-ge s: Rat tion Route: mbryonic E Fetotoxicit pe: Embryo s: Mouse tion Route: I Toxicity Momental To Cleft palate s: Adverse	eneration reproduction toxicity study Oral Development: NOAEL: 0.12 mg/kg body y p-foetal development Oral Maternal: NOAEL: 0.05 mg/kg body weight a developmental effects were observed p-foetal development	
		Develop Result: survival Remark Test Ty Species Applica Develop Result: : Some e	comental To Cleft palate ks: Adverse pe: Develo s: Rat tion Route: comental To Teratogen	xicity: LOAEL: 2 mg/kg body weight e, Teratogenic effects, Reduced embryon e developmental effects were observed pment Oral xicity: LOAEL: 1.6 mg/kg body weight	

Not classified based on available information.

Components:

Citric acid:

Assessment

: May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.



Version	Revision Date:		S Number:	Date of last issue: 04.12.2023
4.1	06.04.2024	10	813340-00006	Date of first issue: 12.07.2022
Com	oonents:			
levan	nisole hydrochloride	e :		
	et Organs		Blood, Testis	
	ssment			age to organs through prolonged or repeated
7.0000		-	exposure.	
Coba	It disodium ethylen	ediami	netetraacetate:	
	sure routes	:	inhalation (dust/	nist/fume)
	et Organs		Respiratory Trac	,
•	ssment	:		ce significant health effects in animals at con-
				02 mg/l/6h/d or less.
Rema	arks	:		om similar materials
	sure routes	:	Ingestion	
Targe	et Organs	:	Thyroid, Heart, E	
Asses	ssment	:		ce significant health effects in animals at con-
				0 to 100 mg/kg bw.
D			Description of the form	and a first the second state of a second state of the second state

Remarks : Based on data from similar materials

	Sodium	selenate:
--	--------	-----------

Exposure routes	:	Ingestion
Assessment	:	Shown to produce significant health effects in animals at con-
		centrations of 10 mg/kg bw or less.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Exposure routes	:	Ingestion
Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

Repeated dose toxicity

Components:

levamisole hydrochloride:

Species	:	Rat
NOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	18 Months
Target Organs	:	Testis
Species	:	Dog
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	18 Months
Target Organs	:	Blood



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Date of last issue: 04.12.2023 Date of first issue: 12.07.2022		
similar materials		
(f		
t/fume)		
าย 413		
similar materials		
t/fume)		
ne 413		
similar materials		
t/fume)		
ne 412		

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):



	Revision Date: 06.04.2024	SDS Number:Date of last issue: 04.12.202310813340-00006Date of first issue: 12.07.2022
Expo	EL cation Route sure time et Organs	 Rat 1.5 mg/kg Oral 24 Months Central nervous system Tremors, ataxia
Expo	EL cation Route sure time et Organs	 Mouse 4.0 mg/kg Oral 24 Months Central nervous system Tremors, ataxia
Expos	EL EL cation Route sure time et Organs otoms	 Dog 0.25 mg/kg 0.5 mg/kg Oral 53 Weeks Central nervous system Tremors, weight loss mortality observed
Expo		 Monkey 1.0 mg/kg Oral 14 Weeks Central nervous system
Not c	ration toxicity lassified based on ava rience with human e	
•	ponents:	
<u>Com</u>	ponents: nisole hydrochloride	
<u>Com</u>	nisole hydrochloride	: : Symptoms: Nausea, Vomiting, Headache, Dizziness, hyp tension
<u>Com</u> levan Inges Coba	nisole hydrochloride tion It disodium ethylene	: Symptoms: Nausea, Vomiting, Headache, Dizziness, hyp tension diaminetetraacetate:
<u>Com</u> levan Inges	nisole hydrochloride tion It disodium ethylene	: Symptoms: Nausea, Vomiting, Headache, Dizziness, hyp tension
<u>Com</u> levan Inges Coba	nisole hydrochloride tion It disodium ethylene ation	 Symptoms: Nausea, Vomiting, Headache, Dizziness, hyp tension diaminetetraacetate: Target Organs: Respiratory system
Com levan Inges Coba Inhala	nisole hydrochloride tion It disodium ethylene ation	 Symptoms: Nausea, Vomiting, Headache, Dizziness, hyp tension diaminetetraacetate: Target Organs: Respiratory system Remarks: Based on data from similar materials Target Organs: Blood Remarks: Based on data from similar materials Target Organs: Heart



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revisio
4.1	06.04.2

ision Date: 04.2024 SDS Number: 10813340-00006

Date of last issue: 04.12.2023 Date of first issue: 12.07.2022

Section 12: Ecological information

Ecotoxicity		
Components:		
levamisole hydrochloride:		
Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Cobalt disodium ethylenedia	ami	inetetraacetate:
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic tox- icity)	:	EC10 (Danio rerio (zebra fish)): > 1 mg/l Exposure time: 34 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC10 (Hyalella azteca (Amphipod)): > 0.01 - 0.1 mg/l Exposure time: 28 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	1
Benzyl alcohol:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h



Version 4.1	Revision Date: 06.04.2024		0S Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
			Method: OECD	Test Guideline 201
			mg/l	irchneriella subcapitata (green algae)): 310
			Exposure time: 7 Method: OECD	72 h Test Guideline 201
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 2	magna (Water flea)): 51 mg/l 21 d Test Guideline 211
Citric	acid:			
Toxici	ty to fish	:	LC50 (Pimephal Exposure time: §	es promelas (fathead minnow)): > 100 mg/l 96 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time: 2	magna (Water flea)): 1,535 mg/l 24 h
Sodiu	ım selenate:			
Toxici	ty to fish	:	Exposure time: 9	es promelas (fathead minnow)): > 1 - 10 mg/l 96 h I on data from similar materials
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time: 4	magna (Water flea)): > 1 - 10 mg/l I8 h
- 1				on data from similar materials
Toxici plants	ty to algae/aquatic	:	ErC50 (Chlamyc Exposure time: 9	lomonas reinhardtii (green algae)): 245 μg/l 96 h
			NOEC (Chlamyo Exposure time: 9	lomonas reinhardtii (green algae)): 197 μg/l 96 h
	ctor (Acute aquatic tox-	:	1	
icity) Toxici icity)	ty to fish (Chronic tox-	:	mg/l Exposure time: 2	macrochirus (Bluegill sunfish)): > 0.01 - 0.1 258 d I on data from similar materials
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 2	
M-Fac toxicit	ctor (Chronic aquatic	:	1	
	ty to microorganisms	:	Exposure time: 3	sludge): 590 mg/l 3 h Fest Guideline 209



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
4.1	06.04.2024	10813340-00006	Date of first issue: 12.07.2022

abamectin (combination of avermectin B1a and avermectin B1b) (ISO): LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l Toxicity to fish Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l Exposure time: 96 h LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l Exposure time: 96 h LC50 (Cyprinus carpio (Carp)): 42 µg/l Exposure time: 96 h LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l Exposure time: 96 h Toxicity to daphnia and other : EC50 (Americamysis): 0.022 µg/l Exposure time: 96 h aquatic invertebrates EC50 (Daphnia magna (Water flea)): 0.34 µg/l Exposure time: 48 h Toxicity to algae/aquatic EC50 (Pseudokirchneriella subcapitata (green algae)): 100 : plants mg/l Exposure time: 72 h M-Factor (Acute aquatic tox-10,000 : icity) NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l Toxicity to fish (Chronic tox-: icity) Exposure time: 32 d Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.03 µg/l aquatic invertebrates (Chron-Exposure time: 21 d ic toxicity) NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l Exposure time: 28 d M-Factor (Chronic aquatic 10,000 : toxicity) EC50: > 1,000 mg/l Toxicity to microorganisms : Exposure time: 3 h Test Type: Respiration inhibition Persistence and degradability **Components:** Benzyl alcohol:

Benzyi alconol.		
Biodegradability	:	Result: Readily biodegradable.



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

ersion 1	Revision Date: 06.04.2024		S Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
			Biodegradation:	
			Exposure time: 1	14 0
Citric	acid:			
Biode	gradability	:	Result: Readily be Biodegradation:	
			Exposure time: 2	28 d
			Method: OECD	Test Guideline 301B
abam	ectin (combination o	f ave	rmectin B1a and	avermectin B1b) (ISO):
Stabil	ity in water	:	Hydrolysis: 50 %	b(< 12 h)
Bioad	cumulative potential			
Comp	oonents:			
Coba	It disodium ethylened	diami	netetraacetate:	
	on coefficient: n-	:	log Pow: -3.86	
octan	ol/water		Remarks: Calcul	lation
Benz	yl alcohol:			
	on coefficient: n- ol/water	:	log Pow: 1.05	
Citric				
	on coefficient: n- ol/water	:	log Pow: -1.72	
	•			avermectin B1b) (ISO):
Bioac	cumulation	:	Bioconcentratior	n factor (BCF): 52
	on coefficient: n- ol/water	:	log Pow: 4	
Mobil	ity in soil			
<u>Comp</u>	oonents:			
Distrik	ectin (combination o pution among environ- al compartments			avermectin B1b) (ISO):
Other	adverse effects			
No da	ita available			

Disposal methods

Waste from residues : Do not dispose of waste into sewer.



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

ersion 1	Revision Date: 06.04.2024		OS Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022	
Contaminated packaging		 Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. 			
ection 14	4: Transport information	on			
Intern	national Regulations				
UNRT	DG				
UN nu		:	UN 3082		
	Proper shipping name			ALLY HAZARDOUS SUBSTANCE, LIQUID	
•			N.O.S.		
				nbination of avermectin B1a and avermectir	
				alt disodium ethylenediaminetetraacetate)	
Class		:	9		
	ng group	:			
Label		÷	9		
Enviro	onmentally hazardous	•	yes		
IATA-	DGR				
UN/ID		:	UN 3082		
Prope	r shipping name	:	(abamectin (con	hazardous substance, liquid, n.o.s. nbination of avermectin B1a and avermectir alt disodium ethylenediaminetetraacetate)	
Class		:	9		
	ng group	:	III		
Labels		:	Miscellaneous		
Packii aircra	ng instruction (cargo ft)	:	964		
Packii ger ai	ng instruction (passen- rcraft)	:	964		
Enviro	onmentally hazardous	:	yes		
IMDG	-Code				
UN nu	umber	:	UN 3082		
	r shipping name	:	ENVIRONMENT N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUIE	
			(abamectin (com	bination of avermectin B1a and avermectin alt disodium ethylenediaminetetraacetate)	
Class		:	9	- ,	
Packi	ng group	:	III		
Labels		:	9		
EmS		:	F-A, S-F		
Marin	e pollutant	:	yes		

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433 UN number

: UN 3082



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version 4.1	Revision Date: 06.04.2024		OS Number: 813340-00006	Date of last issue: 04.12.2023 Date of first issue: 12.07.2022
Proper shipping name		:	N.O.S. (abamectin (com	ALLY HAZARDOUS SUBSTANCE, LIQUID, bination of avermectin B1a and avermectin It disodium ethylenediaminetetraacetate)
Class Packing group Labels Hazchem Code Marine pollutant			9 III 9 3Z no	

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100758 Veterinary Medicines Non dispersive Closed System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date	:	06.04.2024
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/



Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2023
4.1	06.04.2024	10813340-00006	Date of first issue: 12.07.2022

Date format	:	dd.mm.yyyy
Full text of other abbreviation	ons	
ACGIH NZ OEL	:	USA. ACGIH Threshold Limit Values (TLV) New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants
ACGIH / TWA NZ OEL / WES-TWA	:	8-hour, time-weighted average Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen. Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

VersionRevision Date:SDS Number:Date of last issue: 04.12.20234.106.04.202410813340-00006Date of first issue: 12.07.2022

NZ / EN