

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Other means of identification : Alliance (A010249)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Kilsheelan  
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

H302 Harmful if swallowed.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H341 Suspected of causing genetic defects.  
H351 Suspected of causing cancer.  
H360FD May damage fertility. May damage the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

#### Prevention:

P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.  
P391 Collect spillage.

#### Hazardous components which must be listed on the label:

levamisole hydrochloride  
Cobalt disodium ethylenediaminetetraacetate  
oxfendazole  
Sodium selenate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
levamisole hydrochloride	16595-80-5 240-654-6	Acute Tox. 3; H301 Repr. 2; H361d STOT RE 2; H373 (Blood, Testis) Aquatic Chronic 3; H412	>= 3 - < 10
Cobalt disodium ethylenedia- minetetraacetate	15137-09-4 239-198-0	Resp. Sens. 1B; H334 Muta. 2; H341 Carc. 2; H351 Repr. 2; H361f STOT RE 1; H372 (Respiratory Tract, Thyroid, Heart, Blood) Aquatic Chronic 1; H410  M-Factor (Chronic aquatic toxicity): 1	>= 3 - < 10
oxfendazole	53716-50-0 258-714-5	Repr. 1B; H360FD STOT RE 2; H373 (Liver, Testis) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10	>= 2.5 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

		M-Factor (Chronic aquatic toxicity): 1	
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 <hr/> Acute toxicity estimate  Acute oral toxicity: 1,620 mg/kg	$\geq 1 - < 10$
Citric acid	77-92-9 201-069-1 607-750-00-3	Eye Irrit. 2; H319 STOT SE 3; H335	$\geq 1 - < 10$
Sodium selenate	13410-01-0 236-501-8 034-002-00-8	Acute Tox. 2; H300 Acute Tox. 2; H330 Skin Irrit. 2; H315 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 <hr/> Acute toxicity estimate  Acute oral toxicity: 5.01 mg/kg	$\geq 0.1 - < 0.25$
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2 606-143-00-0	Acute Tox. 2; H300 Acute Tox. 1; H330 Acute Tox. 3; H311 Repr. 2; H361fd STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity):	$\geq 0.1 - < 0.25$

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

		10,000 M-Factor (Chronic aquatic toxicity): 10,000	
		specific concentration limit STOT RE 1; H372 >= 5 % STOT RE 2; H373 0.5 - < 5 %	

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Risks : Harmful if swallowed.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Suspected of causing genetic defects.  
Suspected of causing cancer.  
May damage fertility. May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Cobalt compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Cobalt disodium ethylenedia-	15137-09-4	OELV - 8 hrs (TWA)	0.02 mg/m <sup>3</sup> (Cobalt)	IE OEL



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

minetetraacetate				
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			
oxfendazole	53716-50-0	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Polyethylene glycol stearate	9004-99-3	OELV - 8 hrs (TWA)	10 mg/m <sup>3</sup>	IE OEL
Sodium selenate	13410-01-0	OELV - 8 hrs (TWA)	0.1 mg/m <sup>3</sup> (selenium)	IE OEL
		TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Cobalt disodium ethylenediaminetetraacetate	Workers	Inhalation	Long-term systemic effects	0.349 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.087 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	0.5 mg/kg bw/day
Benzyl alcohol	Consumers	Ingestion	Long-term systemic effects	0.025 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	22 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	110 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5.4 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute systemic effects	27 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day
Sodium selenate	Workers	Inhalation	Long-term systemic effects	0.12 mg/m3
	Workers	Skin contact	Long-term systemic effects	16.73 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.036 mg/m3
	Consumers	Skin contact	Long-term systemic effects	10.28 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.01028 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Cobalt disodium ethylenediaminetetraacetate	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Fresh water sediment	0.758 mg/kg dry weight (d.w.)
	Marine sediment	0.0758 mg/kg dry weight (d.w.)
	Soil	0.5636 mg/kg dry weight (d.w.)
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0.1 mg/l
	Intermittent use/release	2.3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5.27 mg/kg
	Marine sediment	0.527 mg/kg
Citric acid	Soil	0.456 mg/kg
	Fresh water	0.44 mg/l
	Marine water	0.044 mg/l
	Sewage treatment plant	1000 mg/l
Sodium selenate	Fresh water sediment	34.6 mg/kg dry weight (d.w.)
	Marine sediment	3.46 mg/kg dry weight (d.w.)
	Soil	33.1 mg/kg dry weight (d.w.)
Sodium selenate	Fresh water	6.38 µg/l
	Freshwater - intermittent	6.38 µg/l
	Marine water	4.09 µg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	19.7 mg/kg dry weight (d.w.)
	Marine sediment	12.6 mg/kg dry

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

		weight (d.w.)
	Soil	0.47 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	2.39 mg/kg food

### 8.2 Exposure controls

#### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to I.S. EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : Aqueous solution, suspension

Colour : purple

Odour : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

---

Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	3.4 - 4.4 (20 °C)
Viscosity		
Viscosity, kinematic	:	770 - 5000 mm <sup>2</sup> /s (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Relative density	:	1.05 - 1.08
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable

### 9.2 Other information

Explosives	:	Not explosive
------------	---	---------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 980.32 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

---

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### **Components:**

#### **levamisole hydrochloride:**

Acute oral toxicity : LD50 (Rat): 180 mg/kg  
LD50 (Mouse): 223 mg/kg  
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

#### **Cobalt disodium ethylenediaminetetraacetate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

#### **oxfendazole:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
LD50 (Dog): 1,600 mg/kg  
LD50 (sheep): 250 mg/kg

#### **Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

#### **Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Sodium selenate:**

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg  
LD50 (Mouse): 10 mg/kg  
LDLo (Monkey): 24 mg/kg  
Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg  
LD50 (Rabbit): 2,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### levamisole hydrochloride:

Remarks : No data available

#### Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### oxfendazole:

Species : Rabbit  
Result : No skin irritation

#### Benzyl alcohol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

---

### **Citric acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Sodium selenate:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

Result : Skin irritation

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **levamisole hydrochloride:**

Remarks : No data available

#### **Cobalt disodium ethylenediaminetetraacetate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### **oxfendazole:**

Species : Rabbit  
Result : No eye irritation

#### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

#### **Citric acid:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

### Sodium selenate:

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Result : No eye irritation

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit  
Result : Mild eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### Components:

#### levamisole hydrochloride:

Remarks : No data available

#### Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)  
Species : Humans  
Result : positive  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory sensitisation rate in humans

#### Benzyl alcohol:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Result : Not a skin sensitizer.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Components:

#### **levamisole hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

#### **Cobalt disodium ethylenediaminetetraacetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

---

### **oxfendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Oral  
Result: positive

### **Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Sodium selenate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: Alkaline elution assay  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Suspected of causing cancer.

### Components:

#### **levamisole hydrochloride:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 80 mg/kg body weight  
Remarks : No significant adverse effects were reported

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 40 mg/kg body weight  
Remarks : No significant adverse effects were reported

#### **Cobalt disodium ethylenediaminetetraacetate:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 105 weeks  
Result : positive  
Remarks : Based on data from similar materials

Species : Mouse  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 105 weeks  
Result : positive  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

---

### oxfendazole:

Species : Rat  
Application Route : Oral  
Exposure time : 1 Years  
Symptoms : No adverse effects  
Target Organs : Liver

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Symptoms : No adverse effects  
Target Organs : Liver

### Benzyl alcohol:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat  
Application Route : Oral  
Exposure time : 105 weeks  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 93 weeks  
Result : negative

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### Components:

#### levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: Fetotoxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### **Cobalt disodium ethylenediaminetetraacetate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: inhalation (dust/mist/fume)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.  
Remarks: Based on data from similar materials

### **oxfendazole:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male  
Application Route: Oral

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Fertility: NOAEL: 17 mg/kg body weight  
Target Organs: Testes  
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 0.9 mg/kg body weight  
Target Organs: Liver  
Result: No effects on fertility

Test Type: Fertility  
Species: Mouse  
Application Route: Oral  
Duration of Single Treatment: 1 Months  
Fertility: NOAEL: 750 mg/kg body weight  
Target Organs: Testes  
Result: Effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: positive, Fetal effects

Test Type: Embryo-foetal development  
Species: Rat  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: positive, Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 108 mg/kg body weight  
Result: positive, Embryo-foetal toxicity, foetal abnormalities

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Citric acid:

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: NOAEL: 0.12 mg/kg body weight  
Result: Fetotoxicity

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight  
Developmental Toxicity: NOAEL: 0.2 mg/kg body weight  
Result: Cleft palate  
Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 2 mg/kg body weight  
Result: Cleft palate, Teratogenic effects, Reduced embryonic survival  
Remarks: Adverse developmental effects were observed

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 1.6 mg/kg body weight  
Result: Teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **Citric acid:**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### **levamisole hydrochloride:**

Target Organs : Blood, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

##### **Cobalt disodium ethylenediaminetetraacetate:**

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Respiratory Tract  
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.  
Remarks : Based on data from similar materials

Exposure routes : Ingestion  
Target Organs : Thyroid, Heart, Blood  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

---

### **oxfendazole:**

Exposure routes : Oral  
Target Organs : Liver, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Sodium selenate:**

Exposure routes : Ingestion  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

#### **levamisole hydrochloride:**

Species : Rat  
NOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Testis

Species : Dog  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Blood

Species : Dog  
LOAEL : 40 mg/kg  
Application Route : Oral  
Exposure time : 3 Months

#### **Cobalt disodium ethylenediaminetetraacetate:**

Species : Rat  
LOAEL : > 10 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

Species : Rat

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

LOAEL : < 0.01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

Species : Mouse  
LOAEL : < 0.01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

### **oxfendazole:**

Species : Rat  
NOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Blood, Liver, Testis

Species : Rat  
NOAEL : 3.8 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver, Testis

Species : Mouse  
NOAEL : 750 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Target Organs : Liver

Species : Mouse  
NOAEL : 37.5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver

Species : Dog  
NOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Lymph nodes, thymus gland

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

---

Species : Dog  
NOAEL : 13.5 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Liver

### **Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

### **Citric acid:**

Species : Rat  
NOAEL : 4,000 mg/kg  
LOAEL : 8,000 mg/kg  
Application Route : Ingestion  
Exposure time : 10 Days

### **Sodium selenate:**

Species : Rat  
NOAEL : 0.4 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species : Rat  
NOAEL : 1.5 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

Species : Mouse  
NOAEL : 4.0 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Target Organs : Central nervous system  
Symptoms : Tremors, ataxia

Species : Dog  
NOAEL : 0.25 mg/kg  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Central nervous system

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Symptoms : Tremors, weight loss  
Remarks : mortality observed

Species : Monkey  
NOAEL : 1.0 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Central nervous system

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

#### Components:

##### levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

##### Cobalt disodium ethylenediaminetetraacetate:

Inhalation : Target Organs: Respiratory system  
Remarks: Based on data from similar materials  
Ingestion : Target Organs: Blood  
Remarks: Based on data from similar materials  
Target Organs: Heart  
Target Organs: Thyroid

##### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### levamisole hydrochloride:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): 37.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 64 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

### **Cobalt disodium ethylenediaminetetraacetate:**

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): >  
plants : 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox- : EC10: > 1 mg/l  
icity) : Exposure time: 34 d  
Species: *Danio rerio* (zebra fish)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC10: > 0.01 - 0.1 mg/l  
aquatic invertebrates (Chron- : Exposure time: 28 d  
ic toxicity) : Species: *Hyalella azteca* (Amphipod)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic : 1  
toxicity)

### **oxfendazole:**

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 2.7 mg/l  
Exposure time: 96 h  
  
LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 2.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 0.059 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 4  
plants : mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.023 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

### **Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 51 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### **Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

### **Sodium selenate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l  
Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: > 0.01 - 0.1 mg/l  
Exposure time: 258 d  
Species: Lepomis macrochirus (Bluegill sunfish)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l  
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l  
Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l  
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 µg/l  
Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.022 µg/l  
Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 µg/l



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10,000

Toxicity to microorganisms : EC50 : > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

Toxicity to fish (Chronic toxicity) : NOEC: 0.52 µg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.03 µg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0.0035 µg/l  
Exposure time: 28 d  
Species: Mysidopsis bahia (opossum shrimp)

M-Factor (Chronic aquatic toxicity) : 10,000

### 12.2 Persistence and degradability

#### Components:

##### **oxfendazole:**

Stability in water : Hydrolysis: < 5 % (4 d)

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

##### **Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Stability in water : Hydrolysis: 50 % (< 12 h)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

---

### 12.3 Bioaccumulative potential

#### Components:

##### **Cobalt disodium ethylenediaminetetraacetate:**

Partition coefficient: n-octanol/water : log Pow: -3.86  
Remarks: Calculation

##### **oxfendazole:**

Partition coefficient: n-octanol/water : log Pow: 1.95

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

##### **Citric acid:**

Partition coefficient: n-octanol/water : log Pow: -1.72

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-octanol/water : log Pow: 4

### 12.4 Mobility in soil

#### Components:

##### **oxfendazole:**

Distribution among environmental compartments : log Koc: 3.2

##### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Distribution among environmental compartments : log Koc: > 3.6

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

REACH Article 57(f) or Commission Delegated regulation  
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at  
levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

### 14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

**IATA** : (abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)  
: Environmentally hazardous substance, liquid, n.o.s.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 964

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is appli-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H300 : Fatal if swallowed.  
H301 : Toxic if swallowed.  
H302 : Harmful if swallowed.  
H311 : Toxic in contact with skin.  
H315 : Causes skin irritation.  
H319 : Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 2.3      Revision Date: 13.11.2023      SDS Number: 10813930-00005      Date of last issue: 30.09.2023  
Date of first issue: 11.07.2022

H330	: Fatal if inhaled.
H332	: Harmful if inhaled.
H334	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	: May cause respiratory irritation.
H341	: Suspected of causing genetic defects.
H351	: Suspected of causing cancer.
H360FD	: May damage fertility. May damage the unborn child.
H361d	: Suspected of damaging the unborn child.
H361f	: Suspected of damaging fertility.
H361fd	: Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure if swallowed.
H372	: Causes damage to organs through prolonged or repeated exposure.
H373	: May cause damage to organs through prolonged or repeated exposure.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Carc.	: Carcinogenicity
Eye Irrit.	: Eye irritation
Muta.	: Germ cell mutagenicity
Repr.	: Reproductive toxicity
Resp. Sens.	: Respiratory sensitisation
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
IE OEL	: List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Acute Tox. 4	H302
Resp. Sens. 1	H334
Muta. 2	H341
Carc. 2	H351
Repr. 1B	H360FD
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## **Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.3	13.11.2023	10813930-00005	Date of first issue: 11.07.2022

---

IE / EN