

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Other means of identification : Alliance (A010249)
COOPERS TRIFECTA TRIPLE ACTIVE DRENCH FOR SHEEP AND CATTLE MINERALISED (67327)

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Respiratory sensitisation : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Specific target organ toxicity - repeated exposure : Category 2 (Respiratory Tract, Thyroid, Heart, Blood)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H333 May be harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H360FD May damage fertility. May damage the unborn child.
H373 May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P203 Obtain, read and follow all safety instructions before use.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:
P301 + P317 + P330 IF SWALLOWED: Get medical help. Rinse mouth.
P304 + P317 IF INHALED: Get medical help.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P318 IF exposed or concerned, get medical advice.
P342 + P316 If experiencing respiratory symptoms: Get emergency medical help immediately.
P391 Collect spillage.

Storage:
P405 Store locked up.

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	$\geq 5 - < 10$
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	$\geq 3 - < 5$
oxfendazole	53716-50-0	$\geq 2.5 - < 5$
Benzyl alcohol	100-51-6	$\geq 1 - < 5$
Polyethylene glycol stearate	9004-99-3	$\geq 1 - < 5$
Citric acid	77-92-9	$\geq 1 - < 5$
Sodium selenate	13410-01-0	$\geq 0.1 - < 0.25$
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	$\geq 0.1 - < 0.25$

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May be harmful if inhaled.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.02.2024
1.6	20.03.2024	10812612-00007	Date of first issue: 11.07.2022

- Suspected of causing genetic defects.
Suspected of causing cancer.
May damage fertility. May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure.
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Cobalt compounds
Nitrogen oxides (NO_x)
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 µg/m ³ (OEB 3)	Internal

**Abamectin / Levamisole Hydrochloride /
Oxfendazole / Cobalt Disodium EDTA / Sodium
Selenate Formulation**

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

		Further information: Skin		
		Wipe limit	200 µg/100 cm ²	Internal
oxfendazole	53716-50-0	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal
Polyethylene glycol stearate	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Sodium selenate	13410-01-0	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal
		TWA	0.2 mg/m ³ (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m ³ (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.02.2024
1.6	20.03.2024	10812612-00007	Date of first issue: 11.07.2022

Hygiene measures : suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aqueous solution, suspension
Colour	: pink, to, purple
Odour	: No data available
Odour Threshold	: No data available
pH	: 3.4 - 4.4 (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.05 - 1.08
Density	: No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-
octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : 770 - 5000 mm²/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-
tions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition
products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation
exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.
May be harmful if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 980.32 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 7.16 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg
LD50 (Mouse): 223 mg/kg
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

oxfendazole:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg
LD50 (Dog): 1,600 mg/kg
LD50 (sheep): 250 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Polyethylene glycol stearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Assessment: The substance or mixture has no acute dermal toxicity

Sodium selenate:

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg
LD50 (Mouse): 10 mg/kg
LDLo (Monkey): 24 mg/kg
Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg
LD50 (Rabbit): 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

oxfendazole:

Species : Rabbit
Result : No skin irritation

Benzyl alcohol:

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Polyethylene glycol stearate:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Sodium selenate:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : Skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

oxfendazole:

Species : Rabbit
Result : No eye irritation

Benzyl alcohol:

Species : Rabbit

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Polyethylene glycol stearate:

Species : Rabbit
Method : Draize Test
Result : No eye irritation

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Sodium selenate:

Species : Bovine cornea
Method : OECD Test Guideline 437
Result : No eye irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)
Species : Humans
Result : positive
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory sensitisation rate in humans

Benzyl alcohol:

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Polyethylene glycol stearate:

Test Type : Open epicutaneous test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximisation Test
Exposure routes : Skin contact
Result : Not a skin sensitizer.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Cobalt disodium ethylenediaminetetraacetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: positive

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Remarks: Based on data from similar materials

oxfendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Oral

Result: positive

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Polyethylene glycol stearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro micronucleus test

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative

Test Type: Alkaline elution assay
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

levamisole hydrochloride:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
NOAEL : 80 mg/kg body weight
Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Exposure time : 2 Years
NOAEL : 40 mg/kg body weight
Remarks : No significant adverse effects were reported

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 105 weeks
Result : positive
Remarks : Based on data from similar materials

Species : Mouse
Application Route : inhalation (dust/mist/fume)
Exposure time : 105 weeks
Result : positive
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies
Remarks: Based on data from similar materials

oxfendazole:

Species : Rat
Application Route : Oral
Exposure time : 1 Years
Symptoms : No adverse effects
Target Organs : Liver

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Symptoms : No adverse effects
Target Organs : Liver

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 20 mg/kg body weight
Result: Fetotoxicity

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 40 mg/kg body weight
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: inhalation (dust/mist/fume)
Result: positive
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Test Type: Fertility/early embryonic development
Species: Rat
Application Route: inhalation (dust/mist/fume)
Result: positive
Remarks: Based on data from similar materials

Effects on foetal develop-
ment

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - As-
sessment

: Some evidence of adverse effects on sexual function and
fertility, based on animal experiments.
Remarks: Based on data from similar materials

oxfendazole:

Effects on fertility

: Test Type: Fertility/early embryonic development
Species: Rat, male
Application Route: Oral
Fertility: NOAEL: 17 mg/kg body weight
Target Organs: Testes
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 0.9 mg/kg body weight
Target Organs: Liver
Result: No effects on fertility

Test Type: Fertility
Species: Mouse
Application Route: Oral
Duration of Single Treatment: 1 Months
Fertility: NOAEL: 750 mg/kg body weight
Target Organs: Testes
Result: Effects on fertility

Effects on foetal develop-
ment

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: positive, Fetal effects

Test Type: Embryo-foetal development
Species: Rat
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: positive, Embryo-foetal toxicity

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: NOAEL: 108 mg/kg body weight
Result: positive, Embryo-foetal toxicity, foetal abnormalities

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Citric acid:

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

- Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Result: Effects on fertility
- Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: NOAEL: 0.12 mg/kg body weight
Result: Fetotoxicity
- Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight
Developmental Toxicity: NOAEL: 0.2 mg/kg body weight
Result: Cleft palate
Remarks: Adverse developmental effects were observed
- Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 2 mg/kg body weight
Result: Cleft palate, Teratogenic effects, Reduced embryonic survival
Remarks: Adverse developmental effects were observed
- Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 1.6 mg/kg body weight
Result: Teratogenic effects
- Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Citric acid:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Components:

levamisole hydrochloride:

Target Organs : Blood, Testis
Assessment : May cause damage to organs through prolonged or repeated exposure.

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Respiratory Tract
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.
Remarks : Based on data from similar materials

Exposure routes : Ingestion
Target Organs : Thyroid, Heart, Blood
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.
Remarks : Based on data from similar materials

oxfendazole:

Exposure routes : Oral
Target Organs : Liver, Testis
Assessment : May cause damage to organs through prolonged or repeated exposure.

Sodium selenate:

Exposure routes : Ingestion
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Exposure routes : Ingestion
Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

levamisole hydrochloride:

Species : Rat
NOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Testis

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Species : Dog
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Blood

Species : Dog
LOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 3 Months

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat
LOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Species : Rat
LOAEL : < 0.01 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

Species : Mouse
LOAEL : < 0.01 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

oxfendazole:

Species : Rat
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Blood, Liver, Testis

Species : Rat
NOAEL : 3.8 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver, Testis

Species : Mouse
NOAEL : 750 mg/kg
Application Route : Oral
Exposure time : 1 Months
Target Organs : Liver

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Species : Mouse
NOAEL : 37.5 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Species : Dog
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 1 Months
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Lymph nodes, thymus gland

Species : Dog
NOAEL : 13.5 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Liver

Benzyl alcohol:

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Citric acid:

Species : Rat
NOAEL : 4,000 mg/kg
LOAEL : 8,000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days

Sodium selenate:

Species : Rat
NOAEL : 0.4 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
NOAEL : 1.5 mg/kg

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Application Route : Oral
Exposure time : 24 Months
Target Organs : Central nervous system
Symptoms : Tremors, ataxia

Species : Mouse
NOAEL : 4.0 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Central nervous system
Symptoms : Tremors, ataxia

Species : Dog
NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Target Organs : Central nervous system
Symptoms : Tremors, weight loss
Remarks : mortality observed

Species : Monkey
NOAEL : 1.0 mg/kg
Application Route : Oral
Exposure time : 14 Weeks
Target Organs : Central nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension

Cobalt disodium ethylenediaminetetraacetate:

Inhalation : Target Organs: Respiratory system
Remarks: Based on data from similar materials
Ingestion : Target Organs: Blood
Remarks: Based on data from similar materials
Target Organs: Heart
Target Organs: Thyroid

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

levamisole hydrochloride:

- Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): 37.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 64 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Cobalt disodium ethylenediaminetetraacetate:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : EC10: > 1 mg/l
Exposure time: 34 d
Species: *Danio rerio* (zebra fish)
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 0.01 - 0.1 mg/l
Exposure time: 28 d
Species: *Hyalella azteca* (Amphipod)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

oxfendazole:

- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 2.7 mg/l
Exposure time: 96 h
- LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 2.5 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 0.059 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

aquatic invertebrates		Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.023 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1
Benzyl alcohol:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
Polyethylene glycol stearate:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l Exposure time: 96 h

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l
Exposure time: 16 h

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,535 mg/l
aquatic invertebrates Exposure time: 24 h

Sodium selenate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
aquatic invertebrates Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l
plants Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l
Exposure time: 96 h

M-Factor (Acute aquatic tox- : 1
icity)

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox- : NOEC: > 0.01 - 0.1 mg/l
icity) Exposure time: 258 d
Species: Lepomis macrochirus (Bluegill sunfish)
Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC: > 0.1 - 1 mg/l
aquatic invertebrates (Chron- Exposure time: 28 d
ic toxicity) Remarks: Based on data from similar materials

M-Factor (Chronic aquatic : 1
toxicity)

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 9.6 µg/l
Exposure time: 96 h

LC50 (*Ictalurus punctatus* (channel catfish)): 24 µg/l
Exposure time: 96 h

LC50 (*Cyprinus carpio* (Carp)): 42 µg/l
Exposure time: 96 h

LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 15 µg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Americamysis*): 0.022 µg/l
Exposure time: 96 h

EC50 (*Daphnia magna* (Water flea)): 0.34 µg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 100 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10,000

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition

Toxicity to fish (Chronic toxicity) : NOEC: 0.52 µg/l
Exposure time: 32 d
Species: *Pimephales promelas* (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.03 µg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

NOEC: 0.0035 µg/l
Exposure time: 28 d
Species: *Mysidopsis bahia* (opossum shrimp)

M-Factor (Chronic aquatic toxicity) : 10,000

Persistence and degradability

Components:

oxfendazole:

Stability in water : Hydrolysis: < 5 % (4 d)

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Polyethylene glycol stearate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 10 d
Method: OECD Test Guideline 302B

Citric acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

Bioaccumulative potential

Components:

Cobalt disodium ethylenediaminetetraacetate:

Partition coefficient: n- : log Pow: -3.86
octanol/water Remarks: Calculation

oxfendazole:

Partition coefficient: n- : log Pow: 1.95
octanol/water

Benzyl alcohol:

Partition coefficient: n- : log Pow: 1.05
octanol/water

Citric acid:

Partition coefficient: n- : log Pow: -1.72
octanol/water

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n- : log Pow: 4

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.02.2024
1.6	20.03.2024	10812612-00007	Date of first issue: 11.07.2022

octanol/water

Mobility in soil

Components:

oxfendazole:

Distribution among environmental compartments : log Koc: 3.2

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environmental compartments : log Koc: > 3.6

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)

Class : 9

Packing group : III

Labels : Miscellaneous

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version 1.6 Revision Date: 20.03.2024 SDS Number: 10812612-00007 Date of last issue: 01.02.2024
Date of first issue: 11.07.2022

Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), oxfendazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Revision Date : 20.03.2024

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SAFETY DATA SHEET

according to the Globally Harmonized System



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.02.2024
1.6	20.03.2024	10812612-00007	Date of first issue: 11.07.2022

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN