

Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium **Selenate Formulation**

Version SDS Number: Date of last issue: 20.03.2024 Revision Date: 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Section 1: Identification

Product identifier Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt

Disodium EDTA / Sodium Selenate Formulation

Other means of identifica-

tion

: Alliance (A010249)

COOPERS TRIFECTA TRIPLE ACTIVE DRENCH FOR

SHEEP AND CATTLE MINERALISED (67327)

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

Manufacturer or supplier's details

Company : MSD

Address 50 Tuas West Drive

Singapore - Singapore 638408

: +1-908-740-4000 Telephone

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Acute toxicity (Oral) : Category 4

Respiratory sensitisation : Category 1

Germ cell mutagenicity Category 2

Carcinogenicity Category 2

Reproductive toxicity Category 1B

repeated exposure

Specific target organ toxicity - : Category 2 (Respiratory Tract, Thyroid, Heart, Blood)

Short-term (acute) aquatic

hazard

Category 1



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Long-term (chronic) aquatic

hazard

Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection. P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor. P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	>= 3 -< 10
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	>= 3 -< 10
oxfendazole	53716-50-0	>= 2.5 -< 10
Benzyl alcohol	100-51-6	>= 1 -< 10
Citric acid	77-92-9	>= 1 -< 10
Polyethylene glycol stearate	9004-99-3	>= 1 -< 10
Sodium selenate	13410-01-0	>= 0.1 -< 0.25
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	>= 0.1 -< 0.25

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium **Selenate Formulation**

Version SDS Number: Date of last issue: 20.03.2024 Revision Date: 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

Suspected of causing genetic defects.

Suspected of causing cancer.

May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: : Carbon oxides ucts

Cobalt compounds

Nitrogen oxides (NOx)

Metal oxides

Special protective actions for fire-fighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
levamisole hydrochloride	16595-80-5	TWA	20 μg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 μg/100 cm ²	Internal
oxfendazole	53716-50-0	TWA	40 μg/m3 (OEB 3)	Internal
		Wipe limit	400 μg/100 cm ²	Internal
Polyethylene glycol stearate	9004-99-3	PEL (long term)	10 mg/m3	SG OEL
		TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
Sodium selenate	13410-01-0	PEL (long term)	0.2 mg/m3 (selenium)	SG OEL
		TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100 cm ²	Internal



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium **Selenate Formulation**

Version SDS Number: Revision Date: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

		TWA	0.2 mg/m3 (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Wear safety glasses with side shields or goggles. Eye/face protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Work uniform or laboratory coat. Skin protection

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Combined particulates and organic vapour type

Material Chemical-resistant gloves

Remarks Consider double gloving.

Section 9: Physical and chemical properties

Aqueous solution, suspension **Appearance**

Colour pink, to, purple

Odour No data available



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Odour Threshold : No data available

pH : 3.4 - 4.4 (20 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.05 - 1.08

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 770 - 5000 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Particle characteristics

Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

s reac- : Can react with strong oxidizing agents.

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of : Inhalation

exposure

Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 980.32 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg

LD50 (Mouse): 223 mg/kg

LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Acute dermal toxicity : Remarks: No data available

Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

oxfendazole:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

LD50 (Dog): 1,600 mg/kg

LD50 (sheep): 250 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Polyethylene glycol stearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Sodium selenate:

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

LD50 (Mouse): 10 mg/kg

LDLo (Monkey): 24 mg/kg

Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg

LD50 (Rabbit): 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

oxfendazole:

Species : Rabbit

Result : No skin irritation

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Citric acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Polyethylene glycol stearate:

Species : Rabbit
Method : Draize Test
Result : No skin irritation



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Sodium selenate:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Result : Skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

oxfendazole:

Species : Rabbit

Result : No eye irritation

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Citric acid:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Polyethylene glycol stearate:

Species : Rabbit

Result : No eye irritation



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Method : Draize Test

Sodium selenate:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)

Species : Humans Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory sensiti-

sation rate in humans

Benzyl alcohol:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Polyethylene glycol stearate:

Test Type : Open epicutaneous test

Exposure routes : Skin contact Species : Guinea pig



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximisation Test Exposure routes : Skin contact

Result : Not a skin sensitizer.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Cobalt disodium ethylenediaminetetraacetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: positive

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Remarks: Based on data from similar materials

oxfendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse Application Route: Oral

Result: positive

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro micronucleus test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Polyethylene glycol stearate:



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Test Type: Alkaline elution assay

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

levamisole hydrochloride:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 80 mg/kg body weight

Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 40 mg/kg body weight

Remarks : No significant adverse effects were reported

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Application Route : inhalation (dust/mist/fume)

Exposure time : 105 weeks Result : positive

Remarks : Based on data from similar materials

Species : Mouse

Application Route : inhalation (dust/mist/fume)

Exposure time : 105 weeks Result : positive

Remarks : Based on data from similar materials

Carcinogenicity - Assess- : Limited evidence of carcinogenicity in animal studies

ment Remarks: Based on data from similar materials

oxfendazole:

Species : Rat
Application Route : Oral
Exposure time : 1 Years

Symptoms : No adverse effects

Target Organs : Liver

Species : Rat
Application Route : Oral
Exposure time : 2 Years

Symptoms : No adverse effects

Target Organs : Liver

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Result: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: Fetotoxicity

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: inhalation (dust/mist/fume)

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: inhalation (dust/mist/fume)

Result: positive



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Remarks: Based on data from similar materials

oxfendazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male Application Route: Oral

Fertility: NOAEL: 17 mg/kg body weight

Target Organs: Testes Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 0.9 mg/kg body weight

Target Organs: Liver

Result: No effects on fertility

Test Type: Fertility Species: Mouse Application Route: Oral

Duration of Single Treatment: 1 Months Fertility: NOAEL: 750 mg/kg body weight

Target Organs: Testes Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Fetal effects

Test Type: Embryo-foetal development

Species: Rat

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: positive, Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Mouse



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Application Route: Oral

Developmental Toxicity: NOAEL: 108 mg/kg body weight Result: positive, Embryo-foetal toxicity, foetal abnormalities

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Citric acid:

Effects on foetal develop-

ment

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: 2.1 23.07.2024

SDS Number: 10812599-00008

Date of last issue: 20.03.2024 Date of first issue: 11.07.2022

Species: Rat, male Application Route: Oral Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 0.12 mg/kg body

weight

Result: Fetotoxicity

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight Developmental Toxicity: NOAEL: 0.2 mg/kg body weight

Result: Cleft palate

Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight Result: Cleft palate, Teratogenic effects, Reduced embryonic

survival

Remarks: Adverse developmental effects were observed

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 1.6 mg/kg body weight

Result: Teratogenic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi-

ments.

STOT - single exposure

Not classified based on available information.

Components:

Citric acid:

Assessment : May cause respiratory irritation.



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

STOT - repeated exposure

May cause damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

Components:

levamisole hydrochloride:

Target Organs : Blood, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Cobalt disodium ethylenediaminetetraacetate:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Respiratory Tract

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

Remarks : Based on data from similar materials

Exposure routes : Ingestion

Target Organs : Thyroid, Heart, Blood

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Remarks : Based on data from similar materials

oxfendazole:

Exposure routes : Oral

Target Organs : Liver, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Sodium selenate:

Exposure routes : Ingestion

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Exposure routes : Ingestion

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

levamisole hydrochloride:



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Species : Rat
NOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Testis

Species : Dog
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Blood

Species : Dog LOAEL : 40 mg/kg Application Route : Oral Exposure time : 3 Months

Cobalt disodium ethylenediaminetetraacetate:

Species : Rat

LOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

Species : Rat

LOAEL : < 0.01 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Method : OECD Test Guideline 413

Remarks : Based on data from similar materials

Species : Mouse LOAEL : < 0.01 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Method : OECD Test Guideline 413

Remarks : Based on data from similar materials

oxfendazole:

Species : Rat
NOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 2 Weeks

Target Organs : Blood, Liver, Testis

Species : Rat NOAEL : 3.8 mg/kg Application Route : Oral



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Exposure time : 3 Months
Target Organs : Liver, Testis

Species : Mouse
NOAEL : 750 mg/kg
Application Route : Oral
Exposure time : 1 Months
Target Organs : Liver

Species : Mouse
NOAEL : 37.5 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Species : Dog
NOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 1 Months

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 11 mg/kg Application Route : Oral Exposure time : 2 Weeks

Target Organs : Lymph nodes, thymus gland

Species : Dog
NOAEL : 13.5 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Liver

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Citric acid:

Species : Rat

NOAEL : 4,000 mg/kg LOAEL : 8,000 mg/kg Application Route : Ingestion Exposure time : 10 Days



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Sodium selenate:

Species : Rat
NOAEL : 0.4 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
NOAEL : 1.5 mg/kg
Application Route : Oral
Exposure time : 24 Months

Target Organs : Central nervous system

Symptoms : Tremors, ataxia

Species : Mouse
NOAEL : 4.0 mg/kg
Application Route : Oral
Exposure time : 24 Months

Target Organs : Central nervous system

Symptoms : Tremors, ataxia

Species : Dog
NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 53 Weeks

Target Organs : Central nervous system
Symptoms : Tremors, weight loss
Remarks : mortality observed

Species : Monkey
NOAEL : 1.0 mg/kg
Application Route : Oral
Exposure time : 14 Weeks

Target Organs : Central nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

levamisole hydrochloride:

Ingestion : Symptoms: Nausea, Vomiting, Headache, Dizziness, hypo-

tension

Cobalt disodium ethylenediaminetetraacetate:

Inhalation : Target Organs: Respiratory system



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

Remarks: Based on data from similar materials

Ingestion : Target Organs: Blood

Remarks: Based on data from similar materials

Target Organs: Heart Target Organs: Thyroid

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous

system effects, Salivation, tearing

Section 12: Ecological information

Toxicity

Components:

levamisole hydrochloride:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 64 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Cobalt disodium ethylenediaminetetraacetate:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

EC10 (Danio rerio (zebra fish)): > 1 mg/l

Exposure time: 34 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Hyalella azteca (Amphipod)): > 0.01 - 0.1 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

1



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

oxfendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.059 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.023 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

NOEC (Daphnia magna (Water flea)): 51 mg/l

aquatic invertebrates (Chron-

Exposure time: 21 d



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

ic toxicity) Method: OECD Test Guideline 211

Citric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,535 mg/l

Exposure time: 24 h

Polyethylene glycol stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l

Exposure time: 16 h

Sodium selenate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l

Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox- :

icity)

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1

mg/l

Exposure time: 258 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.1 - 1 mg/l Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to microorganisms :

EC10 (activated sludge): 590 mg/l

Exposure time: 3 h



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision I 2.1 23.07.202

Revision Date: SDS Number: 23.07.2024 10812599-00008

Date of last issue: 20.03.2024 Date of first issue: 11.07.2022

Method: OECD Test Guideline 209

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 μg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 μg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 0.022 µg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 μg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10,000

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l

Exposure time: 32 d

Toxicity to daphnia and other :

NOEC (Daphnia magna (Water flea)): 0.03 µg/l

Exposure time: 21 d

aquatic invertebrates (Chron-

ic toxicity)

Exposure time. 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): $0.0035 \mu g/l$ Exposure time: 28 d

M-Factor (Chronic aquatic

toxicity)

10,000

Toxicity to microorganisms

EC50: > 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Persistence and degradability

Components:

oxfendazole:

Stability in water : Hydrolysis: < 5 %(4 d)

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 % Exposure time: 14 d

Citric acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Polyethylene glycol stearate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 % Exposure time: 10 d

Method: OECD Test Guideline 302B

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

Bioaccumulative potential

Components:

Cobalt disodium ethylenediaminetetraacetate:

Partition coefficient: n- : log Pow: -3.86

octanol/water Remarks: Calculation

oxfendazole:

Partition coefficient: n- : log Pow: 1.95

octanol/water

Benzyl alcohol:

Partition coefficient: n- : log Pow: 1.05

octanol/water
Citric acid:

Partition coefficient: n-

Partition coefficient: n-

octanol/water

: log Pow: -1.72



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium **Selenate Formulation**

Version SDS Number: Date of last issue: 20.03.2024 Revision Date: 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation Bioconcentration factor (BCF): 52

Partition coefficient: n-

octanol/water

log Pow: 4

Mobility in soil

Components:

oxfendazole:

Distribution among environ-

: log Koc: 3.2

mental compartments

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environ-

mental compartments

: log Koc: > 3.6

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste han-Contaminated packaging

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO), oxfendazole)

Transport hazard class(es)

9 Ш Packing group Labels 9 Environmental hazards yes

IATA-DGR

UN/ID No. UN 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO), oxfendazole)



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

Transport hazard class(es) : 9
Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO), oxfendazole)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Not applicable

Fire Safety (Petroleum and Flammable Materials) : Not applicable

Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 20.03.2024 2.1 23.07.2024 10812599-00008 Date of first issue: 11.07.2022

IECSC : not determined

Section 16: Other information

Revision Date : 23.07.2024

Further information

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-



Abamectin / Levamisole Hydrochloride / Oxfendazole / Cobalt Disodium EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.03.2024

 2.1
 23.07.2024
 10812599-00008
 Date of first issue: 11.07.2022

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN