

### **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

### **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Acetyl Methionine Formulation		
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against		
	Use of the Sub- stance/Mixture		Veterinary product		
	Recommended restrictions on use	:	Not applicable		
1.3	1.3 Details of the supplier of the safety data sheet				
	Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom		
	Telephone	:	+1-908-740-4000		
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com		

### 1.4 Emergency telephone number

+1-908-423-6000

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

EUH210 Safety data sheet available on request.



### **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Index-No.			
	Registration number			
nicotinamide	98-92-0	Eye Irrit. 2; H319	>= 1 - < 10	
	202-713-4			
Caffeine	58-08-2	Acute Tox. 4; H302	>= 1 - < 10	
	200-362-1	Acute Tox. 4; H332		
	613-086-00-5			
Pyridoxine hydrochloride	58-56-0		>= 0.1 - < 1	
	200-386-2			
Substances with a workplace exposure limit :				
N-Acetyl-DL-methionine	1115-47-5		>= 10 - < 20	
	214-224-3			

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Protection of first-aiders	: No special precautions are necessary for first aid responders
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

### **4.2 Most important symptoms and effects, both acute and delayed** None known.

**4.3 Indication of any immediate medical attention and special treatment needed** Treatment : Treat symptomatically and supportively.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

### **SECTION 5: Firefighting measures**

5.1	Extinguishing media		
	Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
	Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Chlorine compounds
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.
	Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

### **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environ- ment Agency (emergency telephone number 0800 807060).
---------------------------	---	---



## **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.
	Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

7.1 Precautions for sale handling	g			
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.		
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.		
7.2 Conditions for safe storage,	inc	luding any incompatibilities		
Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.		
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents Gases		
7.3 Specific end use(s)				
Specific use(s)	:	No data available		



## **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N-Acetyl-DL- methionine	1115-47-5	TWA	2000 µg/m3 (OEB 1)	Internal
Pyridoxine hydro- chloride	58-56-0	TWA	OEB 3 (>= 10 < 100 μg/m3)	Internal

### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
nicotinamide	Workers	Inhalation	Long-term systemic effects	43.75 mg/m3
	Workers	Skin contact	Long-term systemic effects	12.5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	21.88 mg/m3
	Consumers	Skin contact	Long-term systemic effects	12.5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12.5 mg/kg bw/day
Caffeine	Workers	Inhalation	Long-term systemic effects	44.37 mg/m3
	Workers	Skin contact	Long-term systemic effects	25.17 mg/kg bw/day
Choline chloride	Workers	Inhalation	Long-term systemic effects	338.5 mg/m3
	Workers	Skin contact	Long-term systemic effects	120 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	83.48 mg/m3
	Consumers	Skin contact	Long-term systemic effects	60 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12 mg/kg bw/day

### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
nicotinamide	Fresh water	1 mg/l
	Marine water	0.1 mg/l
	Intermittent use/release	10 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1.1085 mg/kg
	Marine sediment	0.1109 mg/kg
	Soil	0.33 mg/kg
Caffeine	Fresh water	0.087 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



1

## **Acetyl Methionine Formulation**

Version 5.1	Revision Date: 28.09.2024	SDS Number: 9374273-00008	Date of last issue: 06.0 Date of first issue: 27.0	
		Freshwater - i	ntermittent	0.87 mg/l

	Freshwater - intermittent	0.87 mg/l
	Marine water	0.009 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.4 mg/kg dry weight (d.w.)
	Soil	0.029 mg/kg dry weight (d.w.)
Choline chloride	Fresh water	0.604 mg/l
	Marine water	0.0604 mg/l
	Intermittent use/release	5 mg/l
	Sewage treatment plant	112.9 mg/l
	Fresh water sediment	0.5 mg/kg
	Marine sediment	0.05 mg/kg
	Soil	0.09 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387
Filter type	:	Combined particulates and organic vapour type (A-P)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

5.1	information on basic physical	an	a onennoar properties
	Appearance Colour Odour Odour Threshold	:	liquid Colorless to pale yellow characteristic No data available
	рН	:	3.30 - 4.30
	Melting point/freezing point	:	No data available
	Initial boiling point and boiling range	:	99 °C
	Flash point	:	No data available
	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	Not applicable
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Vapour pressure	:	No data available
	Relative vapour density	:	1.03 - 1.09
	Relative density	:	No data available
	Density	:	No data available
	Solubility(ies) Water solubility Partition coefficient: n- octanol/water	:	soluble Not applicable
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	Viscosity Viscosity, kinematic	:	No data available
	Explosive properties	:	Not explosive
	Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
9.2	<b>Other information</b> Flammability (liquids)	:	No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Acetyl Methionine Formulation**

Version 5.1	Revision Date: 28.09.2024		S Number: 74273-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Moleo	cular weight	:	No data availab	le
Partic	ele size	:	Not applicable	
SECTION	10: Stability and re	eacti	vity	
<b>10.1 Reac</b> Not c	t <b>ivity</b> lassified as a reactivity	haza	rd.	
	nical stability e under normal conditio	ons.		
10.3 Poss	ibility of hazardous re	actio	ons	
Haza	rdous reactions	:	Can react with s	strong oxidizing agents.
10.4 Conc	litions to avoid			
Cond	itions to avoid	:	None known.	
10.5 Incor	npatible materials			
Mater	rials to avoid	:	Oxidizing agents	S
	rdous decomposition azardous decompositior	-		
SECTION	11: Toxicological i	nfor	mation	
11.1 Infor	mation on toxicologic	al eff	ects	
Inform	nation on likely routes o	of:	Inhalation	
expos	sure		Skin contact	
			Ingestion Eye contact	
Acute	e toxicity		5	
	lassified based on avail	lable	information.	
Prod	uct:			
-	e oral toxicity	:	Acute toxicity est Method: Calculat	timate: > 2,000 mg/kg tion method
Acute	inhalation toxicity	:	Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat	l h e: dust/mist
Com	nonents:			
	ponents:			

### nicotinamide:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Acetyl Methionine Formulation**

Version 5.1	Revision Date: 28.09.2024		Number: 1273-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Acute	e oral toxicity	N A		2,500 mg/kg Test Guideline 423 he substance or mixture has no acute oral tox-
Acute	Acute inhalation toxicity		<ul> <li>LC50 (Rat): &gt; 3.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhala tion toxicity Remarks: Based on data from similar materials</li> </ul>	
Acute	e dermal toxicity	N A	Method: OECD	> 2,000 mg/kg Test Guideline 402 he substance or mixture has no acute dermal
Caffe	eine:			
Acute	e oral toxicity	: L	D50 (Rat): 36	7.7 mg/kg
Acute	e inhalation toxicity	E	C50 (Rat): 4.9 Exposure time: Fest atmosphe Method: OECD	4 h
Acute	e dermal toxicity	A	.D50 (Rat): > 2 Assessment: T oxicity	2,000 mg/kg he substance or mixture has no acute dermal
Pyrid	loxine hydrochloride	:		
-	e oral toxicity		D50 (Rat): 4,0	000 mg/kg
N-Ac	etyl-DL-methionine:			
	e oral toxicity		-D50 (Rat): > 5 Remarks: Base	5,000 mg/kg ed on data from similar materials
Acute	e inhalation toxicity	E T N		4 h
-	corrosion/irritation lassified based on ava	ilable in	formation.	
Com	ponents:			
nicot	inamide:			
~		-		

Species : Rabbit

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



rsion I	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.20249374273-00008Date of first issue: 27.08.2021
Metho Resu		<ul><li>: OECD Test Guideline 404</li><li>: No skin irritation</li></ul>
Caffe	ine:	
Speci		: Rabbit
Metho		: OECD Test Guideline 404
Resu	lt	: No skin irritation
Pyrid	oxine hydrochloride	:
Speci		: Rabbit
Resu	lt	: No skin irritation
N-Ac	etyl-DL-methionine:	
Speci		: Rabbit
Metho	bd	: OECD Test Guideline 404
Resu		: No skin irritation
Rema	arks	: Based on data from similar materials
	us eye damage/eye lassified based on ava	
<u>Com</u>	oonents:	
nicot	inamide:	
Speci		: Rabbit
Metho		: OECD Test Guideline 405
Resu	It	: Irritation to eyes, reversing within 7 days
Caffe	ine:	
Speci		: Rabbit
Metho		: OECD Test Guideline 405
Resu	It	: No eye irritation
Pyrid	oxine hydrochloride	:
Speci		: Rabbit
Resu	lt	: No eye irritation
Resp	iratory or skin sensi	tisation
	sensitisation lassified based on ava	ailable information.
-	iratory sensitisation lassified based on ava	
<u>Com</u>	oonents:	
nicot	inamide:	
Test <sup>-</sup>	Гуре	: Maximisation Test

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Exposure routes       : Skin contact         Species       : Guinea pig         Method       : OECD Test Guideline 406         Result       : negative         Caffeine:         Test Type       : Local lymph node assay (LLNA)         Exposure routes       : Skin contact         Species       : Mouse         Method       : OECD Test Guideline 429
Test Type:Local lymph node assay (LLNA)Exposure routes:Skin contactSpecies:Mouse
Result : negative
Pyridoxine hydrochloride:Test Type:Maximisation TestExposure routes:Skin contactSpecies:Guinea pigMethod:OECD Test Guideline 406Result:negative
N-Acetyl-DL-methionine:Test Type:Buehler TestExposure routes:Species:Method:GecD Test Guideline 406Result:negativeRemarks:Based on data from similar materials
Germ cell mutagenicity Not classified based on available information. Components:
nicotinamide: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in viv cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative
Caffeine:       Genotoxicity in vitro       : Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Test Type: In vitro mammalian cell gene mutation test Result: negative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Acetyl Methionine Formulation**

Version 5.1	Revision Date: 28.09.2024		OS Number: 74273-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
			Test Type: Chro Result: positive	mosome aberration test in vitro	
Geno	Genotoxicity in vivo		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative		
Pyrid	oxine hydrochloride:				
-	toxicity in vitro	:	Test Type: Bact Result: negative	erial reverse mutation assay (AMES)	
N-Ac	etyl-DL-methionine:				
	toxicity in vitro	:	Result: negative	erial reverse mutation assay (AMES) d on data from similar materials	
			Result: negative	ro mammalian cell gene mutation test d on data from similar materials	
Geno	Genotoxicity in vivo		Test Type: Mammalian erythrocyte micronucleus test (in viv cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials		
	nogenicity				
	lassified based on avai	lable	information.		
<u>Com</u>	oonents:				
Caffe	-	_	Det		
	cation Route sure time	:	Rat Ingestion 104 weeks negative		
Repr	oductive toxicity				
Not c	lassified based on avai	lable	information.		

### **Components:**

### nicotinamide:

Effects on foetal develop-	:	Test Type: Embryo-foetal development
ment		Species: Rabbit
		Application Route: Ingestion
		Method: OECD Test Guideline 414
		Result: negative



Version 5.1	Revision Date: 28.09.2024	SDS Number: 9374273-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Cat	ffeine:		
Effe	ects on fertility	Species: Rat	coute: Ingestion
Effe me	ects on foetal develop- nt	Species: Rat	coute: Ingestion
Ру	ridoxine hydrochloride:		
Effe me	ects on foetal develop- nt	Species: Rat	coute: Ingestion
	<b>OT - single exposure</b> t classified based on avail	able information.	
	<b>OT - repeated exposure</b> t classified based on avail	able information.	
Repeated dose toxicity			
<u>Co</u>	mponents:		
nic	otinamide:		
NO Apj Exp	ecies DAEL plication Route posure time thod	: Rat : 215 mg/kg : Ingestion : 28 Days : OECD Test 0	Guideline 407
Cat	ffeine:		
NO LO Apj	ecies DAEL AEL plication Route posure time	: Rat, male : 151 mg/kg : 271.9 mg/kg : Ingestion : 90 Days	
N-A	Acetyl-DL-methionine:		
NO App Exp Me	ecies AEL plication Route posure time thod marks	: Rat : > 100 mg/kg : Ingestion : 90 Days : OECD Test ( : Based on da	Guideline 408 ta from similar materials

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

### Aspiration toxicity

Not classified based on available information.

### **SECTION 12: Ecological information**

12.1 Toxicity

Components:

nic	0	tin	an	nide	:
_					

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): 560 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): 4,235 mg/l Exposure time: 18 h Method: OECD Test Guideline 209
Caffeine:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 87 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 182 mg/l Exposure time: 48 h Method: DIN 38412
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 1,530 mg/l Exposure time: 17 h Method: DIN 38 412 Part 8



## **Acetyl Methionine Formulation**

Vers 5.1	sion	Revision Date: 28.09.2024		DS Number: 374273-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	Toxicit	y to fish	:	Exposure time: 9	
		c invertebrates	•	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h	
	N-Ace	tyl-DL-methionine:			
	Toxicit	y to fish	:	<ul> <li>LC50 (Danio rerio (zebra fish)): &gt; 100 mg/l</li> <li>Exposure time: 96 h</li> <li>Method: OECD Test Guideline 203</li> <li>Remarks: Based on data from similar materials</li> </ul>	
		y to daphnia and other c invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials	
	Toxicit plants	y to algae/aquatic	:	<ul> <li>ErC50 (Pseudokirchneriella subcapitata (green algae)): &gt; mg/l</li> <li>Exposure time: 72 h</li> <li>Method: OECD Test Guideline 201</li> <li>Remarks: Based on data from similar materials</li> </ul>	
			NOEC (Pseudokirchneriella subcapitata (green alga mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials		2 h est Guideline 201
12.2	Persis	tence and degradabil	lity		
	Comp	onents:			
		namide: Jradability	:	Result: Readily b Biodegradation: Exposure time: 20 Method: OECD T	95 %
	Caffeii	ne:			
	Biodeg	radability	: Result: Readily biodegradable. Remarks: Based on data from similar materials		

### Pyridoxine hydrochloride:

Biodegradability	:	Result: Readily biodegradable.
		Biodegradation: 94 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301E

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Acetyl Methionine Formulation**

Ver 5.1	sion	Revision Date: 28.09.2024		DS Number: 374273-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
		<b>tyl-DL-methionine:</b> Jradability	:	Result: Readily b Remarks: Based	iodegradable. on data from similar materials
12.3	Bioac	cumulative potential			
	<u>Comp</u>	onents:			
	Partitic	n <b>amide:</b> on coefficient: n- I/water	:	log Pow: -0.38	
		<b>ne:</b> on coefficient: n- I/water	:	log Pow: -0.091	
	Partitic	oxine hydrochloride: on coefficient: n- I/water	:	log Pow: 4.32	
	Partitic	<b>tyl-DL-methionine:</b> on coefficient: n- I/water	:	log Pow: -0.313 Remarks: Calcula	ation
12.4		<b>ty in soil</b> a available			
12.5	5 Resul	ts of PBT and vPvB a	sse	ssment	
	Produ Assess		:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6	6 Other	adverse effects			
	<u>Produ</u> Endoci tial	<u>ct:</u> rine disrupting poten-	:	ered to have end	nixture does not contain components consid- ocrine disrupting properties for environment REACH Article 57(f).

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product

 Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.



Version 5.1	Revision Date: 28.09.2024		Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Contaminated packaging		dling site for recycli	hould be taken to an approved waste han- ng or disposal. cified: Dispose of as unused product.
SECTION	14: Transport info	nation	
14.1 UN n	umber		
ADN		: Not regulated as a	dangerous good
ADR		: Not regulated as a	dangerous good
RID		: Not regulated as a	dangerous good
IMDG	ì	: Not regulated as a	dangerous good
ΙΑΤΑ		: Not regulated as a	dangerous good
14.2 UN p	roper shipping name		
ADN		: Not regulated as a	dangerous good
ADR		: Not regulated as a	
RID		: Not regulated as a	dangerous good
IMDG	ì	: Not regulated as a	dangerous good
ΙΑΤΑ		: Not regulated as a	dangerous good
14.3 Trans	sport hazard class(es		
ADN		: Not regulated as a	dangerous good
ADR		: Not regulated as a	dangerous good
RID		: Not regulated as a	dangerous good
IMDG	ì	: Not regulated as a	dangerous good
ΙΑΤΑ		: Not regulated as a	dangerous good
14.4 Pack	ing group		
ADN		: Not regulated as a	dangerous good
ADR		: Not regulated as a	• •
RID		: Not regulated as a	dangerous good
IMDG	ì	: Not regulated as a	dangerous good
ΙΑΤΑ	(Cargo)	: Not regulated as a	dangerous good
ΙΑΤΑ	(Passenger)	: Not regulated as a	dangerous good
-	<b>conmental hazards</b> egulated as a dangerou	good	
-	ial precautions for us	r	
14.7 Trans Rema	-	to Annex II of Marpol : Not applicable for p	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

## **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit-	:	Not applicable
ain) Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (CC Not applicable	MA	H)

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H302	:	Harmful if swallowed.

H302	Ξ.	Harmful if swallowed.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.

#### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Eye Irrit.	:	Eye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-

UK REACH Regulations SI 2019/758



### **Acetyl Methionine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	9374273-00008	Date of first issue: 27.08.2021

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

compile the Safety Data Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN