

Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 1.10
 28.09.2024
 5459052-00011
 Date of first issue: 02.03.2020

SECTION 1: IDENTIFICATION

Product name : Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobala-

min Acetate Formulation

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street

Bendigo 3550, Victoria Austrailia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
N-Acetyl-DL-methionine	1115-47-5	>= 10 -< 30	
Acetatocobalamin	22465-48-1	< 10	

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 1.10 28.09.2024 5459052-00011 Date of first issue: 02.03.2020

Get medical attention if symptoms occur.

In case of skin contact Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

None known.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delaved

Protection of first-aiders

Notes to physician

No special precautions are necessary for first aid responders.

Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx) Sulphur oxides

Chlorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.



Acetyl Methionine / L-Arginine hydrochloride / **Hydroxocobalamin Acetate Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 1.10 28.09.2024 5459052-00011 Date of first issue: 02.03.2020

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use only with adequate ventilation.

Handle in accordance with good industrial hygiene and safety Advice on safe handling

practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

If exposure to chemical is likely during typical use, provide eye Hygiene measures

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 1.10
 28.09.2024
 5459052-00011
 Date of first issue: 02.03.2020

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
N-Acetyl-DL-methionine	1115-47-5	TWA	2000 μg/m3 (OEB	Internal
			1)	
Acetatocobalamin	22465-48-1	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : pink

Odour : No data available



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 1.10 28.09.2024 5459052-00011 Date of first issue: 02.03.2020

Odour Threshold : No data available

pH : 5-7

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics



Acetyl Methionine / L-Arginine hydrochloride / **Hydroxocobalamin Acetate Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 1.10 28.09.2024 5459052-00011 Date of first issue: 02.03.2020

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac- :

None known.

Incompatible materials Oxidizing agents

Hazardous decomposition

Conditions to avoid

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

N-Acetyl-DL-methionine:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5.25 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acetatocobalamin:

LD50 Oral (Mouse): > 5,000 mg/kg Acute oral toxicity

Acute toxicity (other routes of :

administration)

LD50 (Mouse): > 2,000 mg/kg Application Route: Intravenous

LDLo (Mouse): 1.4 mg/kg

Application Route: Intraperitoneal

LDLo (Mouse): 2.7 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 1.10
 28.09.2024
 5459052-00011
 Date of first issue: 02.03.2020

Components:

N-Acetyl-DL-methionine:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Acetatocobalamin:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Acetatocobalamin:

Remarks : No data available

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

N-Acetyl-DL-methionine:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Acetatocobalamin:

Remarks : No data available

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

N-Acetyl-DL-methionine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 1.10
 28.09.2024
 5459052-00011
 Date of first issue: 02.03.2020

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

Acetatocobalamin:

Genotoxicity in vitro : Test Type: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: Mutagenicity (Salmonella typhimurium - reverse

mutation assay) Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Acetatocobalamin:

Target Organs : Kidney, Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 1.10 28.09.2024 5459052-00011 Date of first issue: 02.03.2020

Repeated dose toxicity

Components:

N-Acetyl-DL-methionine:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

Remarks : Based on data from similar materials

Acetatocobalamin:

Species : Dog
LOAEL : 300 mg/kg
Application Route : Oral
Number of exposures : 3 days

Target Organs : Kidney, Liver

Symptoms : kidney effects, liver function change Remarks : May cause damage to organs.

Species : Dog
LOAEL : 75 mg/kg
Application Route : Intravenous
Number of exposures : 4 weeks
Target Organs : Kidney, Liver

Remarks : May cause damage to organs.

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Acetatocobalamin:

General Information : Symptoms: asthenia, Dizziness, Headache, Nausea, sinusitis

Remarks: The most common side effects are:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N-Acetyl-DL-methionine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 1.10 28.09.2024 5459052-00011 Date of first issue: 02.03.2020

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Persistence and degradability

Components:

N-Acetyl-DL-methionine:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

N-Acetyl-DL-methionine:

Partition coefficient: n-octanol/water

log Pow: -0.313 Remarks: Calculation

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 1.10 28.09.2024 5459052-00011 Date of first issue: 02.03.2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

IMDG-Code

UN number Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Not applicable Labels **EmS Code** Not applicable Not applicable Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 1.10
 28.09.2024
 5459052-00011
 Date of first issue: 02.03.2020

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons :

Standard) Instrument

Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

Prohibition/Licensing Requirements

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Sheet

Revision Date : 28.09.2024

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median



Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 1.10
 28.09.2024
 5459052-00011
 Date of first issue: 02.03.2020

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN