

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
5.0	2024/09/28	5459058-00011	Date of first issue: 2020/03/02

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name	:	Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobala- min Acetate Formulation
Supplier's company name, a	ddr	ess and phone number
Company name of supplier	:	MSD
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

### Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

### 2. HAZARDS IDENTIFICATION

### GHS classification of chemical product

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
N-Acetyl-DL-methionine	1115-47-5	>= 20 - < 30	9-1631
Acetatocobalamin	22465-48-1	< 0.1	-



	Version 5.0	Revision Date: 2024/09/28	SDS Number: 5459058-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/03/02
--	----------------	---------------------------	------------------------------	---

4. FIRST AID MEASURES		
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders Notes to physician	:	No special precautions are necessary for first aid responders. Treat symptomatically and supportively.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Chlorine compounds
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Follow safe handling advice (see section 7) and personal pro-
tive equipment and emer-	tective equipment recommendations (see section 8).



Version 5.0	Revision Date: 2024/09/28			Date of last issue: 2024/04/06 Date of first issue: 2020/03/02
gency	rocedures			
Enviro	onmental precautions	:	Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages
	Methods and materials for containment and cleaning up		For large spills, pr ment to keep mate be pumped, store Clean up remainin bent. Local or national r posal of this mate employed in the c mine which regula Sections 13 and 1	t absorbent material. rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. 5 of this SDS provide information regarding tional requirements.

### 7. HANDLING AND STORAGE

Handling		
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the
		environment.
Avoidance of contact	:	Oxidizing agents
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
		The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Storage		
Conditions for safe storage	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.



Version 5.0	Revision Date: 2024/09/28	-	DS Number: 459058-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/03/02
Mater	rials to avoid	:	Do not store with Strong oxidizing a	the following product types: agents
Packa	aging material	:	Unsuitable mater	ial: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
N-Acetyl-DL-methionine	1115-47-5	TWA	2000 µg/m3 (OEB 1)	Internal
Acetatocobalamin	22465-48-1	OEL-M	0.05 mg/m3 (Cobalt)	JP OEL JSOH
	Further information: Airway sensitizing agent; Group 1 substance which induce allergic reactions in humans, Skin sensitizing agent Group 1 substances which induce allergic reactions in humans, Group 2B: possibly carcinogenic to humans			sitizing agent;
		TŴA	10 µg/m3 (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Personal protective equipment	i de la constante de
Respiratory protection : Filter type : Hand protection	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type
Material :	Chemical-resistant gloves
Remarks : Eye protection :	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.



# Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
5.0		5459058-00011	Date of first issue: 2020/03/02
Skin	and body protection	potential for dir aerosols. : Work uniform of Additional body task being perf posable suits)	eld or other full face protection if there is a ect contact to the face with dusts, mists, or or laboratory coat. / garments should be used based upon the ormed (e.g., sleevelets, apron, gauntlets, dis- to avoid exposed skin surfaces. e degowning techniques to remove potentially clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Colour	:	pink
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
	re: :	xplosion limit / flammability limit No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
рН	:	5 - 7
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available



### Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version 5.0	Revision Date: 2024/09/28		S Number: 9058-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/03/02
	tition coefficient: n- anol/water	:	Not applicable	
Vap	our pressure	:	No data available	9
	sity and / or relative densi Relative density	ty :	No data available	9
C	Density	:	No data available	)
Rela	ative vapour density	:	No data available	)
Exp	losive properties	:	Not explosive	
Oxic	dizing properties	:	The substance of	r mixture is not classified as oxidizing.
Mole	ecular weight	:	No data available	9
	ticle characteristics Particle size	:	Not applicable	

### **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

### **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

### Acute toxicity

Not classified based on available information.

### **Components:**

### N-Acetyl-DL-methionine:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials



# Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

ersion .0	Revision Date: 2024/09/28		S Number: 59058-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/03/02
Acute i	nhalation toxicity	:	LC50 (Rat): > 5.25 Exposure time: 4 Test atmosphere: Method: OECD Te Remarks: Based o	h dust/mist
	ocobalamin:			
	oral toxicity	:	LD50 Oral (Mouse	e): > 5.000 mg/kg
Acute t	toxicity (other routes of stration)		LD50 (Mouse): > 2 Application Route	2,000 mg/kg
			LDLo (Mouse): 1.4 Application Route	
			LDLo (Mouse): 2.7 Application Route	
Comp		:	Rabbit OECD Test Guide No skin irritation	line 404
Remar	ks	:	Based on data from similar materials	
Acetat Remar	<b>ocobalamin:</b> ks	:	No data available	
	is eye damage/eye irri Issified based on availa			
Comp	onents:			
Acetat Remar	<b>ocobalamin:</b> ks	:	No data available	
Respir	atory or skin sensitisa	atio	n	
Skin s	ensitisation Issified based on availa			
-	atory sensitisation	ble	information.	



VersionRevision Date:SDS Number:Date of last issue: 2024/04/065.02024/09/285459058-00011Date of first issue: 2020/03/02	
---	--

### **Components:**

N-Acetyl-DL-methionine: Test Type Exposure routes Species Method Result Remarks		Buehler Test Skin contact Guinea pig OECD Test Guideline 406 negative Based on data from similar materials
Acetatocobalamin:		
Remarks	:	No data available
Germ cell mutagenicity Not classified based on avail <u>Components:</u>	able	information.
N-Acetyl-DL-methionine:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials
Acetatocobalamin:		
Genotoxicity in vitro	:	Test Type: Mutagenicity (Escherichia coli - reverse mutation assay) Result: negative Test Type: Ames test Test system: Salmonella typhimurium Result: negative
		Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)

Result: negative



Version	
5.0	

Revision Date: 2024/09/28

SDS Number: 5459058-00011

Date of last issue: 2024/04/06 Date of first issue: 2020/03/02

### Carcinogenicity

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### **Components:**

### Acetatocobalamin:

5 5	Kidney, Liver May cause damage to organs through prolonged or repeated exposure.
-----	--

### Repeated dose toxicity

### **Components:**

### N-Acetyl-DL-methionine:

Species NOAEL	: Rat
NOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

#### Acetatocobalamin:

Species	: Dog
LOAEL	: 300 mg/kg
Application Route	: Oral
Number of exposures	: 3 days
Target Organs	: Kidney, Liver
Symptoms	: kidney effects, liver function change
Remarks	: May cause damage to organs.
Species	: Dog
LÖAEL	: 75 mg/kg
Application Route	: Intravenous
Number of exposures	: 4 weeks
Target Organs	: Kidney, Liver
Remarks	: May cause damage to organs.

### Aspiration toxicity

Not classified based on available information.



Version	Revision Date:	SDS N
5.0	2024/09/28	54590

S Number: 9058-00011

Date of last issue: 2024/04/06 Date of first issue: 2020/03/02

### Experience with human exposure

### **Components:**

### Acetatocobalamin:

General Information

: Symptoms: asthenia, Dizziness, Headache, Nausea, sinusitis Remarks: The most common side effects are:

### **12. ECOLOGICAL INFORMATION**

LOUIDAIGIU	Ecotoxicity	
------------	-------------	--

### Components:

N-Acetyl-DL-methionine:		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h
		Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

### Persistence and degradability

### Components:

### N-Acetyl-DL-methionine:

Biodegradability	:	Result: Readily biodegradable. Remarks: Based on data from similar materials

### Bioaccumulative potential

### Components:

N-Acetyl-DL-methionine:



# Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version 5.0	Revision Date: 2024/09/28	SDS Number 5459058-000	
	ion coefficient: n- ol/water	: log Pow: Remarks	-0.313 : Calculation
	<b>lity in soil</b> ata available		
	rdous to the ozone la pplicable	yer	
••	r adverse effects ata available		
3. DISPO	SAL CONSIDERATIO	NS	
	osal methods		
Disp	Joan methodo		
•	e from residues	•	of in accordance with local regulations. spose of waste into sewer.

### International Regulations

UNRTDG
--------

UN number		Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group		Not applicable
Labels		Not applicable
Environmentally hazardous	:	no
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable
IMDG-Code		
UN number		Not applicable
Proper shipping name	÷	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
	•	



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
5.0	2024/09/28	5459058-00011	Date of first issue: 2020/03/02

Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

Not applicable

### **15. REGULATORY INFORMATION**

### **Related Regulations**

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### **Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### **Substances Prevented From Impairment of Health**

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Not applicable

#### Substances Subject to be Indicated Names

Not applicable

### Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2) Not applicable



Version	Revision Date:
5.0	2024/09/28

SDS Number: 5459058-00011

Date of last issue: 2024/04/06 Date of first issue: 2020/03/02

### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

# Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

### Poisonous and Deleterious Substances Control Law

Not applicable

# Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

### High Pressure Gas Safety Act

Not applicable

#### **Explosive Control Law**

Not applicable

#### Vessel Safety Law

Not regulated as a dangerous good

### **Aviation Law**

Not regulated as a dangerous good

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation

: Not classified as marine pollutant

### **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable

### Waste Disposal and Public Cleansing Law

Industrial waste

### The components of this product are reported in the following inventories:



### Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version 5.0	Revision Date: 2024/09/28	SDS Number: 5459058-00011	Date of last issue: 2024/04/06 Date of first issue: 2020/03/02
AICS		: not determined	
DSL		: not determined	
IECSC	;	: not determined	

### **16. OTHER INFORMATION**

### Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Date format : yyyy/mm/dd

### Full text of other abbreviations

JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recom-	
		mendation of Occupational Exposure Limits	

### JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-



## Acetyl Methionine / L-Arginine hydrochloride / Hydroxocobalamin Acetate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
5.0	2024/09/28	5459058-00011	Date of first issue: 2020/03/02

portation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN