

Albendazole Sulfoxide (1.9%) Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 3903429-00016 Date of last issue: 2023/04/04
Date of first issue: 2018/12/10

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Albendazole Sulfoxide (1.9%) Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD
Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory
Telephone : 048-588-8411
E-mail address : EHSDATASTEWARD@msd.com
Emergency telephone number : +1-908-423-6000


Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Skin sensitisation : Category 1
Short-term (acute) aquatic hazard : Category 2
Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Albendazole Sulfoxide	54029-12-8	$\geq 1 - < 2.5$	
Polyethylene glycol sorbitan monolaurate	9005-64-5	$\geq 0.1 - < 1$	7-110, 8-55, 8-55
Benzoic acid	65-85-0	$\geq 0.1 - < 0.25$	3-1397

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

Most important symptoms and effects, both acute and delayed	:	Never give anything by mouth to an unconscious person. May cause an allergic skin reaction.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and dis-

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

- Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

Albendazole Sulfoxide (1.9%) Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 3903429-00016 Date of last issue: 2023/04/04
 Date of first issue: 2018/12/10

		(Form of exposure)	ters / Reference concentration / Permissible concentration	
Albendazole Sulfoxide	54029-12-8	TWA	40 µg/m ³ (OEB 3)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Internal
Benzoic acid	65-85-0	TWA (Inhalable fraction and vapor)	0.5 mg/m ³	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection
 Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : suspension

Colour : white

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit
Upper explosion limit / Up- : No data available
per flammability limit

Lower explosion limit / : No data available
Lower flammability limit

Flash point : No data available

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n- : Not applicable
octanol/water

Vapour pressure : No data available

Density and / or relative density
Relative density : No data available

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Albendazole Sulfoxide:**

Acute oral toxicity	:	LD50 (Mouse): 1,500 mg/kg LD50 (Rat): 2,400 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 265 mg/kg Application Route: Intravenous

Polyethylene glycol sorbitan monolaurate:

Acute inhalation toxicity	:	LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
---------------------------	---	---

Benzoic acid:

Acute oral toxicity	:	LD50 (Rat): 2,250 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 12.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Albendazole Sulfoxide (1.9%) Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 3903429-00016 Date of last issue: 2023/04/04
Date of first issue: 2018/12/10

II**Skin corrosion/irritation**

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Species : Rabbit
Result : No skin irritation

Polyethylene glycol sorbitan monolaurate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Benzoic acid:

Species : Guinea pig
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Species : Rabbit
Result : No eye irritation

Polyethylene glycol sorbitan monolaurate:

Species : Rabbit
Result : No eye irritation

Benzoic acid:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Test Type : Maximisation Test
Exposure routes : Dermal

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans
Result	:	positive

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Result	:	Sensitiser

Polyethylene glycol sorbitan monolaurate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Benzoic acid:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Result: negative

Polyethylene glycol sorbitan monolaurate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative

Benzoic acid:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro
		Result: equivocal
		Test Type: in vitro micronucleus test Result: negative

Albendazole Sulfoxide (1.9%) Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 3903429-00016 Date of last issue: 2023/04/04
Date of first issue: 2018/12/10

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
NOAEL : 400 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : 20 mg/kg body weight
Result : negative

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified based on available information.

Components:**Albendazole Sulfoxide:**

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Oral
Fertility: NOAEL: 30 mg/kg body weight
Result: No effects on fertility

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Embryotoxic effects., Skeletal malformations

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: Embryotoxic effects., Skeletal malformations, Maternal toxicity observed.

Test Type: Development

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 5.8 mg/kg body weight
 Result: Effects on postnatal development

Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 7 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

Polyethylene glycol sorbitan monolaurate:

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Benzoic acid:

Effects on fertility : Test Type: Four-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Exposure routes : Oral
 Target Organs : Gastrointestinal tract, Central nervous system
 Assessment : May cause damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Exposure routes : Oral
 Target Organs : Gastrointestinal tract, Central nervous system, Immune system, Liver
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

Benzoic acid:

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Lungs
Assessment	: Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Albendazole Sulfoxide:

Species	: Rat
LOAEL	: 168 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Target Organs	: Gastrointestinal tract, Testis
Symptoms	: Diarrhoea, Vomiting

Species	: Dog
LOAEL	: 48 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Target Organs	: Gastrointestinal tract
Symptoms	: Diarrhoea, Vomiting

Species	: Mouse
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Blood, Liver, Nose
Symptoms	: Hematologic effects, Liver effects

Species	: Rat
LOAEL	: >= 30 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Blood
Symptoms	: Hematologic effects

Species	: Dog
LOAEL	: 40 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Blood, Liver
Symptoms	: Hematologic effects, Liver effects

Species	: Rat
NOAEL	: 7 mg/kg
Application Route	: Oral
Exposure time	: 60 d
Target Organs	: Liver, Testis
Symptoms	: Liver effects, male reproductive effects

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

Benzoic acid:

Species	: Rat
LOAEL	: < 0.025 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Albendazole Sulfoxide:

General Information	: Symptoms: Allergic reactions, hair loss, Gastrointestinal disturbance, Headache, Dizziness
Skin contact	: Target Organs: Skin Symptoms: Allergic reactions Remarks: May cause sensitisation by skin contact.
Ingestion	: Target Organs: Gastrointestinal tract Symptoms: Gastrointestinal disturbance, Diarrhoea, Abdominal pain Target Organs: Central nervous system Symptoms: Headache, Dizziness Target Organs: Liver Symptoms: liver function change Target Organs: Immune system Symptoms: immune system effects

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Albendazole Sulfoxide:

Toxicity to fish	: EC50 (Brachydanio rerio (zebrafish)): 0.042 mg/l Exposure time: 144 hrs
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.068 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic	: EC50 (Raphidocelis subcapitata (freshwater green alga)):

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

plants : 0.024 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

Polyethylene glycol sorbitan monolaurate:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Benzoic acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 44.6 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
 Method: EPA-660/3-75-009

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 33.1 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 3.4 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Toxicity to microorganisms : IC50: > 1,000 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Persistence and degradability

Components:

Polyethylene glycol sorbitan monolaurate:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: > 60 %
 Exposure time: 28 d

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

||

Benzoic acid:

|| Biodegradability : Result: rapidly degradable
 || Biodegradation: 89.5 %
 || Exposure time: 35 d

Bioaccumulative potential

Components:

Albendazole Sulfoxide:

|| Partition coefficient: n- : log Pow: 1.27
 || octanol/water : pH: 7

Benzoic acid:

|| Partition coefficient: n- : log Pow: 1.88
 || octanol/water

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
 Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S.
 (Albendazole Sulfoxide)

Class : 9
 Packing group : III
 Labels : 9
 Environmentally hazardous : yes

IATA-DGR

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

UN/ID No. : UN 3082
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
 (Albendazole Sulfoxide)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S.
 (Albendazole Sulfoxide)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Mono(or poly)ether of (mono ester of anhydro(or dianhydro)glucitol and dodecanoic acid) and alpha-hydro-omega-hydroxypoly(oxyethylene)	222

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Albendazole Sulfoxide (1.9%) Formulation

Version 7.0 Revision Date: 2023/09/30 SDS Number: 3903429-00016 Date of last issue: 2023/04/04
Date of first issue: 2018/12/10

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
benzoic acid	≥ 0.1 - < 1	From April 1st, 2025

Substances Subject to be Indicated Names

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

|| Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
7.0	2023/09/30	3903429-00016	Date of first issue: 2018/12/10

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN