

Albendazole Sulfoxide (10%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 3884312-00020 Date of first issue: 30.11.2018 4.0

SECTION 1. IDENTIFICATION

Product identifier Albendazole Sulfoxide (10%) Formulation

Manufacturer or supplier's details

MSD Company

Address Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone 908-740-4000

1-908-423-6000 Emergency telephone

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Skin sensitization Category 1

Reproductive toxicity Category 2

single exposure (Oral)

Specific target organ toxicity - : Category 2 (Gastrointestinal tract, Central nervous system)

repeated exposure (Oral)

Specific target organ toxicity - : Category 2 (Gastrointestinal tract, Central nervous system,

Immune system, Liver)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

: Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms



Signal Word Warning

Hazard Statements H317 May cause an allergic skin reaction.



Albendazole Sulfoxide (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 3884312-00020 Date of first issue: 30.11.2018

H361d Suspected of damaging the unborn child.

H371 May cause damage to organs (Gastrointestinal tract,

Central nervous system) if swallowed.

H373 May cause damage to organs (Gastrointestinal tract, Central nervous system, Immune system, Liver) through pro-

longed or repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protective //

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Albendazole Sulfoxide	54029-12-8	Acute Tox. (Oral), 4 Skin Sens., 1B Repr., 2 STOT SE, (Oral)(Gastrointestinal tract, Central nervous system), 2 STOT RE, (Oral)(Gastrointestinal tract, Central nervous system, Immune system, Liver), 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 10 -< 20



Albendazole Sulfoxide (10%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 3884312-00020 Date of first issue: 30.11.2018 4.0 28.09.2024

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled, remove to fresh air. If inhaled

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. In case of eye contact

Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction. Suspected of damaging the unborn child.

May cause damage to organs if swallowed.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment: In the event of fire, wear self-contained breathing apparatus.



Albendazole Sulfoxide (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 3884312-00020
 Date of first issue: 30.11.2018

for fire-fighters

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation. Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.



Albendazole Sulfoxide (10%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 3884312-00020 Date of first issue: 30.11.2018 4.0 28.09.2024

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame- Basis		
		(Form of	ters / Permissible		
		exposure)	concentration		
Albendazole Sulfoxide	54029-12-8	TWA	45 μg/m3 (OEB 3)	Internal	
	Further information: DSEN				
		Wipe limit	100 μg/100 cm2	Internal	

Engineering measures Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection. Combined particulates and organic vapor type

Filter type Hand protection

Material

Ш

Chemical-resistant gloves

Consider double gloving. Remarks

Wear safety glasses with side shields or goggles. Eye protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.



Albendazole Sulfoxide (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 3884312-00020
 Date of first issue: 30.11.2018

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : suspension

Color : white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity



Albendazole Sulfoxide (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 3884312-00020
 Date of first issue: 30.11.2018

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Components:

Albendazole Sulfoxide:

Acute oral toxicity : LD50 (Mouse): 1.500 mg/kg

LD50 (Rat): 2.400 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 265 mg/kg

administration) Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Species : Rabbit



Albendazole Sulfoxide (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 3884312-00020 Date of first issue: 30.11.2018

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Test Type : Maximization Test

Routes of exposure : Dermal

Assessment : Probability or evidence of low to moderate skin sensitization

rate in humans

Result : positive

Test Type : Maximization Test

Routes of exposure : Dermal Result : Sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Result: negative

Carcinogenicity

Not classified based on available information.



Albendazole Sulfoxide (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 3884312-00020 Date of first issue: 30.11.2018

Components:

Albendazole Sulfoxide:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NÖAEL : 400 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NÖAEL : 20 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Albendazole Sulfoxide:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 30 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations., Mater-

nal toxicity observed.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 5,8 mg/kg body weight

Result: Effects on postnatal development.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-

spring were detected.



Albendazole Sulfoxide (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 3884312-00020 Date of first issue: 30.11.2018

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

STOT-single exposure

May cause damage to organs (Gastrointestinal tract, Central nervous system) if swallowed.

Components:

Albendazole Sulfoxide:

Routes of exposure : Ora

Target Organs : Gastrointestinal tract, Central nervous system

Assessment : May cause damage to organs.

STOT-repeated exposure

May cause damage to organs (Gastrointestinal tract, Central nervous system, Immune system, Liver) through prolonged or repeated exposure if swallowed.

Components:

Albendazole Sulfoxide:

Routes of exposure : Oral

Target Organs : Gastrointestinal tract, Central nervous system, Immune sys-

tem, Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Albendazole Sulfoxide:

Species : Rat
LOAEL : 168 mg/kg
Application Route : Oral
Exposure time : 4 Weeks

Target Organs : Gastrointestinal tract, Testis

Symptoms : Diarrhea, Vomiting

Species: DogLOAEL: 48 mg/kgApplication Route: OralExposure time: 4 Weeks

Target Organs : Gastrointestinal tract Symptoms : Diarrhea, Vomiting

Species: MouseLOAEL: 40 mg/kgApplication Route: OralExposure time: 3 Months

Target Organs : Blood, Liver, Nose

Symptoms : Hematologic effects, Liver effects

Species : Rat

LOAEL : >= 30 mg/kg

Application Route : Oral



Albendazole Sulfoxide (10%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 3884312-00020 Date of first issue: 30.11.2018 4.0

Exposure time 6 Months Target Organs Blood

Symptoms Hematologic effects

Species Dog LOAEL 40 mg/kg Application Route Oral Exposure time 6 Months Target Organs Blood, Liver

Symptoms Hematologic effects, Liver effects

Species Rat NOAEL 7 mg/kg Application Route Oral Exposure time 60 d Target Organs Liver, Testis

Symptoms Liver effects, male reproductive effects

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Albendazole Sulfoxide:

General Information : Symptoms: Allergic reactions, hair loss, Gastrointestinal dis-

turbance, Headache, Dizziness

Skin contact : Target Organs: Skin

Symptoms: Allergic reactions

Remarks: May cause sensitization by skin contact.

Target Organs: Gastrointestinal tract Ingestion

Symptoms: Gastrointestinal disturbance, Diarrhea, Abdominal

pain

Target Organs: Central nervous system Symptoms: Headache, Dizziness

Target Organs: Liver

Symptoms: liver function change Target Organs: Immune system Symptoms: immune system effects

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Albendazole Sulfoxide:

EC50 (Brachydanio rerio (zebrafish)): 0,042 mg/l Toxicity to fish

Exposure time: 144 hrs

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,068 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202



Albendazole Sulfoxide (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 3884312-00020 Date of first issue: 30.11.2018

Toxicity to algae/aquatic : EC50 (Raphidocelis subcapitata (freshwater green alga)):

plants 0,024 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 10

city)

M-Factor (Chronic aquatic : 10

toxicity)

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Albendazole Sulfoxide:

Partition coefficient: n- : log Pow: 1,27

octanol/water pH: 7

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Albendazole Sulfoxide)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Albendazole Sulfoxide)

Class : 9



Albendazole Sulfoxide (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 4.0 28.09.2024 3884312-00020 Date of first issue: 30.11.2018

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Albendazole Sulfoxide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Albendazole Sulfoxide)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal : Not applicable

Police

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined



Albendazole Sulfoxide (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 3884312-00020
 Date of first issue: 30.11.2018

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided



Albendazole Sulfoxide (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 4.0
 28.09.2024
 3884312-00020
 Date of first issue: 30.11.2018

relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8