

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version 2.7      Revision Date: 2023/09/30      SDS Number: 5842516-00009      Date of last issue: 2023/04/04  
Date of first issue: 2020/05/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Altrenogest (0.22%) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : liquid  
**Colour** : No data available  
**Odour** : odourless

Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version 2.7      Revision Date: 2023/09/30      SDS Number: 5842516-00009      Date of last issue: 2023/04/04  
Date of first issue: 2020/05/08

### Response:

P391 Collect spillage.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Not classified based on available information.

### Environmental hazards

Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	>= 1 -< 10
altrenogest	850-52-2	>= 0.1 -< 0.25

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and : None known.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

delayed  
Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Unsuitable extinguishing media : None known.  
Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.  
Hazardous combustion products : Carbon oxides  
Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  
Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version 2.7      Revision Date: 2023/09/30      SDS Number: 5842516-00009      Date of last issue: 2023/04/04  
Date of first issue: 2020/05/08

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapours or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents

#### Storage

- Conditions for safe storage : Keep in properly labelled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
altrenogest	850-52-2	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Essentially no open handling permitted.  
Use closed processing systems or containment technologies.  
If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist,

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

---

handle over lined trays or benchtops.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : No data available
- Odour : odourless
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

---

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

##### **altrenogest:**

Acute oral toxicity : LD50 (Rat): 177 mg/kg  
LD50 (Dog): 400 mg/kg

#### **Skin corrosion/irritation**

Not classified based on available information.

#### Components:

##### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

---

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### **Benzyl alcohol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **Benzyl alcohol:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Benzyl alcohol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

##### **altrenogest:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

---

Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative
-------------------------------	--

#### altrenogest:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 0.016 mg/kg body weight Result: Effects on fertility, No effects on mating performance
----------------------	---

	: Test Type: Fertility/early embryonic development Species: Monkey, female Application Route: Oral Fertility: NOAEL: 0.004 mg/kg body weight
--	---

Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments
------------------------------------	--

### STOT - single exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

---

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### **altrenogest:**

Exposure routes : Oral  
Target Organs : Immune system, Adrenal gland  
Assessment : May cause damage to organs through prolonged or repeated exposure.

Exposure routes : Oral  
Target Organs : Pituitary gland

### Repeated dose toxicity

#### Components:

##### **Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

##### **altrenogest:**

Species : Rat  
NOAEL : 0.06 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Immune system, male reproductive organs, female reproductive organs, Adrenal gland  
Remarks : Effects on fertility

Species : Pig  
NOAEL : 0.004 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : male reproductive organs, female reproductive organs  
Remarks : Effects on fertility

Species : Pig  
NOAEL : 0.002 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : male reproductive organs, Pituitary gland  
Remarks : Effects on fertility

Species : Horse  
LOAEL : 220 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

Application Route : Oral  
Exposure time : 86 Days  
Remarks : No significant adverse effects were reported

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **altrenogest:**

Inhalation : Symptoms: respiratory tract irritation  
Skin contact : Symptoms: Skin irritation  
Eye contact : Symptoms: Eye irritation

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 770  
plants : mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 51 mg/l  
aquatic invertebrates (Chronic : Exposure time: 21 d  
toxicity) : Method: OECD Test Guideline 211

##### **altrenogest:**

Toxicity to fish (Chronic tox- : NOEC (Danio rerio (zebra fish)): 0.0004 µg/l  
icity) : Exposure time: 32 d  
Method: OECD Test Guideline 210

M-Factor (Chronic aquatic : 100,000

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

---

toxicity)

### Persistence and degradability

#### Components:

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

### Bioaccumulative potential

#### Components:

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

##### **altrenogest:**

Partition coefficient: n-octanol/water : log Pow: 3.78

### Mobility in soil

#### Components:

##### **altrenogest:**

Distribution among environmental compartments : log Koc: 3.3

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(altrenogest)

---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

---

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(altrenogest)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(altrenogest)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(altrenogest)

Class : 9  
Packing group : III  
Labels : 9  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

### 15. REGULATORY INFORMATION

#### National regulatory information

##### Law on the Prevention and Control of Occupational Diseases

##### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

##### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 16. OTHER INFORMATION

Revision Date : 2023/09/30

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

#### Full text of other abbreviations

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Altrenogest (0.22%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.7	2023/09/30	5842516-00009	Date of first issue: 2020/05/08

---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN