

# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023
1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

**SECTION 1: IDENTIFICATION** 

Product name : Amitraz (12.5%) EC Liquid Formulation

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street

Bendigo 3550, Victoria Austrailia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irri-

tation

Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity - :

single exposure

Category 3

Specific target organ toxicity - :

repeated exposure

Category 2 (Liver, Central nervous system, Kidney, Heart, Gas-

trointestinal tract, Lymph nodes)

Aspiration hazard : Category 1

**GHS** label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

> H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.

H360F May damage fertility.

H373 May cause damage to organs (Liver, Central nervous system, Kidney, Heart, Gastrointestinal tract, Lymph nodes)

through prolonged or repeated exposure.

Supplemental Hazard State-

ments

AUH066 Repeated exposure may cause skin dryness or crack-

ing.

Precautionary statements

### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection

tion/ face protection.

## Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

#### Storage:

P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C10, aromatics, <1% naphtha-	64742-94-5	>= 60 -<= 100



# Amitraz (12.5%) EC Liquid Formulation

Revision Date: SDS Number: Date of last issue: 30.09.2023 Version 06.04.2024 11171622-00003 Date of first issue: 23.02.2023 1.2

lene		
Nonylphenol, ethoxylated	9016-45-9	>= 10 -< 30
amitraz (ISO)	33089-61-1	>= 10 -< 30
Bis(2,6-diisopropylphenyl)carbodiimide	2162-74-5	>= 1 -< 10

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of contact, immediately flush skin with plenty of water. In case of skin contact

Remove contaminated clothing and shoes.

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes serious eye damage.

May cause drowsiness or dizziness.

May damage fertility.

May cause damage to organs through prolonged or repeated

exposure.

Repeated exposure may cause skin dryness or cracking.

First Aid responders should pay attention to self-protection. Protection of first-aiders

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: : Carbon oxides



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

ucts Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : •3Z

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Mist)	5 mg/m3	AU OEL
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
amitraz (ISO)	33089-61-1	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	1250 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.



# Amitraz (12.5%) EC Liquid Formulation

Date of last issue: 30.09.2023 Version **Revision Date:** SDS Number: 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection

Combined particulates and organic vapour type

Material Chemical-resistant gloves

Remarks Consider double gloving.

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance liquid

Colour clear

yellow

Odour No data available

Odour Threshold No data available

No data available pΗ

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation

Skin contact Ingestion Eye contact



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

**Acute toxicity** 

Harmful if swallowed.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 1,491 mg/kg

Method: Calculation method

**Components:** 

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 420

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.778 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

amitraz (ISO):

Acute oral toxicity : LD50 (Rat): > 400 mg/kg

LD50 (Mouse): > 1,085 mg/kg

LD50 (Guinea pig): > 400 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 1,600 mg/kg

Bis(2,6-diisopropylphenyl)carbodiimide:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

#### Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

#### Components:

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

## Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

amitraz (ISO):

Species : Rabbit

Result : No skin irritation

## Bis(2,6-diisopropylphenyl)carbodiimide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

## Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

## Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

## Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

amitraz (ISO):

Species : Rabbit

Result : No eye irritation

## Bis(2,6-diisopropylphenyl)carbodiimide:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023
1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

#### **Components:**

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

## Nonylphenol, ethoxylated:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

## amitraz (ISO):

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

### Bis(2,6-diisopropylphenyl)carbodiimide:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

## **Chronic toxicity**

### Germ cell mutagenicity

Not classified based on available information.

## **Components:**

## Hydrocarbons, C10, aromatics, <1% naphthalene:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

amitraz (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Bis(2,6-diisopropylphenyl)carbodiimide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

amitraz (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : > 10.18 mg/kg body weight

Result : negative



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

Species : Mouse Exposure time : 2 Years

LOAEL : 2.3 mg/kg body weight

Result : positive

Target Organs : Liver, Stomach

Reproductive toxicity

May damage fertility.

**Components:** 

Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

amitraz (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: > 4.8 mg/kg body weight

Result: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: No significant adverse effects were reported

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Result: Effects on foetal development

Bis(2,6-diisopropylphenyl)carbodiimide:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: positive



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023
1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

Test Type: Fertility Species: Rat

**Application Route: Ingestion** 

Result: positive

Effects on foetal develop-

ment

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: equivocal

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, based on animal experiments.

### STOT - single exposure

May cause drowsiness or dizziness.

### **Components:**

## Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : May cause drowsiness or dizziness.
Remarks : Based on data from similar materials

#### STOT - repeated exposure

May cause damage to organs (Liver, Central nervous system, Kidney, Heart, Gastrointestinal tract, Lymph nodes) through prolonged or repeated exposure.

### Components:

## amitraz (ISO):

Target Organs : Liver, Central nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure

## Bis(2,6-diisopropylphenyl)carbodiimide:

Exposure routes : Ingestion

Target Organs : Kidney, Heart, Gastrointestinal tract, Lymph nodes

Assessment : Causes damage to organs through prolonged or repeated

exposure.

## Repeated dose toxicity

### **Components:**

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rat
NOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Remarks : Based on data from similar materials



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023
1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

amitraz (ISO):

Species : Mouse
NOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Liver

Species : Dog NOAEL : 0.25 mg/kg Application Route : Oral Exposure time : 90 Days

Target Organs : Central nervous system, Liver

## Bis(2,6-diisopropylphenyl)carbodiimide:

Species : Rat

NOAEL : 4 mg/kg

LOAEL : 16 mg/kg

Application Route : Ingestion

Exposure time : 28 Days

Method : OECD Test Guideline 407

## **Aspiration toxicity**

May be fatal if swallowed and enters airways.

### **Components:**

## Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **Experience with human exposure**

## **Components:**

amitraz (ISO):

Ingestion : Target Organs: Central nervous system

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## **Components:**

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

ma/l

Exposure time: 28 d

Remarks: Based on data from similar materials

amitraz (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.45 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

plants mg/l

Exposure time: 91 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.00148

mg/l

Exposure time: 32 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0011 mg/l

Exposure time: 21 d

Bis(2,6-diisopropylphenyl)carbodiimide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.1 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

**Components:** 

Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 49.56 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Bis(2,6-diisopropylphenyl)carbodiimide:

Biodegradability : Result: Not readily biodegradable.



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023
1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

**Bioaccumulative potential** 

**Components:** 

Nonylphenol, ethoxylated:

Partition coefficient: n-

octanol/water

log Pow: 4.48

amitraz (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1,333

Partition coefficient: n-

octanol/water

log Pow: 5.5

Bis(2,6-diisopropylphenyl)carbodiimide:

Bioaccumulation : Bioconcentration factor (BCF): > 500

Partition coefficient: n-

octanol/water

log Pow: > 6.2

Mobility in soil

**Components:** 

amitraz (ISO):

Distribution among environ-

mental compartments

log Koc: 3.3

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023
1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

(amitraz (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(amitraz (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(amitraz (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

**ADG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(amitraz (ISO))

Class : 9
Packing group : III
Labels : 9
Hazchem Code : •3Z
Environmentally hazardous : yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023
1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons:

Standard) Instrument

Schedule 7 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16: ANY OTHER RELEVANT INFORMATION**

**Further information** 

Revision Date : 06.04.2024

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-



# Amitraz (12.5%) EC Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 1.2 06.04.2024 11171622-00003 Date of first issue: 23.02.2023

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN