

Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

SECTION 1. IDENTIFICATION

Product identifier : Amitraz (50%) Solid Formulation

Other means of identification : COOPERS AMITIK CATTLE DIP AND SPRAY (41044)

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 4

Skin irritation : Category 3

Serious eye damage : Category 1

Skin sensitization : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Specific target organ toxicity - :

repeated exposure

Category 2 (Liver, Central nervous system)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

Hazard pictograms









Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H373 May cause damage to organs (Liver, Central nervous

system) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Amitraz (ISO)	33089-61-1	Acute Tox. (Oral), 4	>= 50 -< 70



Amitraz (50%) Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 27.11.2023 28.09.2024 10650642-00006 Date of first issue: 09.04.2022 3.0

		STOT RE, (Liver, Central nervous sys- tem), 2 Aquatic Acute, 1 Aquatic Chronic, 1	
Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	9084-06-4	Acute Tox. (Oral), 5	>= 10 -< 20
Nonylphenol, ethoxylated	9016-45-9	Acute Tox. (Oral), 4 Eye Dam., 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 1 -< 2,5
Paraformaldehyde	30525-89-4	Acute Tox. (Oral), 4 Acute Tox. (Inhalation), 4 Skin Irrit., 2 Eye Dam., 1 Skin Sens., 1A Muta., 2 Carc., 1B STOT SE, 3 Aquatic Acute, 2	>= 1 -< 2,5

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and Harmful if swallowed.

Causes mild skin irritation.

delayed

May cause an allergic skin reaction. Causes serious eye damage.

Suspected of causing genetic defects.

May cause cancer.

May cause damage to organs through prolonged or repeated



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides
Sulfur oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed. Keep away from water. Protect from moisture.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Amitraz (ISO)	33089-61-1	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	1250 µg/100 cm ²	Internal

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Formaldehyde	50-00-0	CEIL	1,6 ppm	BR OEL
			2,3 mg/m ³	
	Further information: Degree of harmfulness: maximum			
		TWA	0,1 ppm	ACGIH
		STEL	0,3 ppm	ACGIH

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection. Combined particulates and inorganic gas/vapor type

Filter type
Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : powder

Color : white

gray

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Hazardous decomposition products will be formed upon

contact with water or humid air.

Conditions to avoid : Exposure to moisture.

Heat, flames and sparks.

Avoid dust formation.

Incompatible materials : Oxidizing agents

Water

Hazardous decomposition products

Contact with water or humid

air

: Formaldehyde

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 911,67 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Amitraz (ISO):

Acute oral toxicity : LD50 (Rat): > 400 mg/kg

LD50 (Mouse): > 1.085 mg/kg



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

LD50 (Guinea pig): > 400 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 1.600 mg/kg

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): > 2.000 - 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2.000 mg/kg

Paraformaldehyde:

Acute oral toxicity : LD50 (Rat, male): 592 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1,07 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 10.000 mg/kg

Skin corrosion/irritation

Causes mild skin irritation.

Components:

Amitraz (ISO):

Species : Rabbit

Result : No skin irritation

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Paraformaldehyde:

Species : Rabbit Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.



Amitraz (50%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 27.11.2023 3.0 28.09.2024 10650642-00006 Date of first issue: 09.04.2022

Components:

Amitraz (ISO):

Species : Rabbit

Result : No eye irritation

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Paraformaldehyde:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Amitraz (ISO):

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Nonylphenol, ethoxylated:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials



Amitraz (50%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 27.11.2023 3.0 28.09.2024 10650642-00006 Date of first issue: 09.04.2022

Paraformaldehyde:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact
Species : Mouse
Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of high skin sensitization rate in

humans

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Amitraz (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Paraformaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test

Result: positive

Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA syn-



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

thesis in mammalian cells (in vitro)

Result: positive

Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: inhalation (vapor)

Result: positive

Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell

mutagenicity tests.

Carcinogenicity

May cause cancer.

Components:

Amitraz (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : > 10,18 mg/kg body weight

Result : negative

Species : Mouse Exposure time : 2 Years

LOAEL : 2,3 mg/kg body weight

Result : positive

Target Organs : Liver, Stomach

Paraformaldehyde:

Species : Rat
Application Route : Ingestion
Exposure time : 105 weeks
Result : negative

Species: RatApplication Route: InhalationExposure time: 28 MonthsResult: positive



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

Remarks : Based on data from similar materials

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

Components:

Amitraz (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: > 4,8 mg/kg body weight

Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: No significant adverse effects were reported

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Result: Effects on fetal development.

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

STOT-single exposure

Not classified based on available information.

Components:

Paraformaldehyde:

Assessment : May cause respiratory irritation.



Amitraz (50%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 27.11.2023 3.0 28.09.2024 10650642-00006 Date of first issue: 09.04.2022

STOT-repeated exposure

May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

Components:

Amitraz (ISO):

Target Organs : Liver, Central nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Amitraz (ISO):

Species : Mouse

NOAEL : 3 mg/kg

Application Route : Oral

Exposure time : 90 Days

Target Organs : Liver

Species: DogNOAEL: 0,25 mg/kgApplication Route: OralExposure time: 90 Days

Target Organs : Central nervous system, Liver

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species : Rat

NOAEL : >= 1.000 mg/kg
Application Route : Ingestion
Exposure time : 42 Days

Method : OECD Test Guideline 422

Paraformaldehyde:

Species: Rat, maleNOAEL: 15 mg/kgApplication Route: IngestionExposure time: 105 Weeks

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Amitraz (ISO):

Ingestion : Target Organs: Central nervous system



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Amitraz (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,45 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04

mg/l

10

Exposure time: 91 h

M-Factor (Acute aquatic tox-

city)

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0,00148

mg/i

Exposure time: 32 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Daphnia magna (Water flea)): 0,0011 mg/l

Exposure time: 21 d

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

10

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0,1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): > 0,1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): > 0,001 - 0,01

mg/l

Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

10

Paraformaldehyde:

Toxicity to fish : LC50 : > 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): > 1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Orange-red killifish)): > 1 mg/l

Exposure time: 28 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 10 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Paraformaldehyde:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials



Amitraz (50%) Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 27.11.2023 28.09.2024 10650642-00006 Date of first issue: 09.04.2022 3.0

II

Bioaccumulative potential

Components:

Amitraz (ISO):

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1.333

Partition coefficient: n-

octanol/water

log Pow: 5,5

Nonylphenol, ethoxylated:

Partition coefficient: n-

octanol/water

log Pow: 4,48

Paraformaldehyde:

Partition coefficient: n-

octanol/water

log Pow: -1,40

Remarks: Calculation

Mobility in soil

Components:

Amitraz (ISO):

Distribution among environ- : log Koc: 3,3

mental compartments

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number **UN 3077**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.

(amitraz (ISO), Nonylphenol, ethoxylated)

Class 9 Ш Packing group Labels 9 Environmentally hazardous yes

IATA-DGR

17 / 20



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Amitraz (ISO), Nonylphenol, ethoxylated)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Amitraz (ISO), Nonylphenol, ethoxylated)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(amitraz (ISO), Nonylphenol, ethoxylated)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal : Calcium carbonate

Police

The ingredients of this product are reported in the following inventories:



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

BR OEL : Brazil. NR 15 - Unhealthy activities and operations

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

BR OEL / CEIL : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transporta-



Amitraz (50%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.11.2023

 3.0
 28.09.2024
 10650642-00006
 Date of first issue: 09.04.2022

tion of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8