

Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

SECTION 1. IDENTIFICATION

Product name : Amitraz Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma

Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 3

Serious eye damage/eye

irritation

Category 1

Skin sensitization : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Specific target organ toxicity - :

repeated exposure

Category 2 (Liver, Central nervous system)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements



Amitraz Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1734732-00014
 Date of first issue: 06.06.2017

Hazard pictograms









Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H373 May cause damage to organs (Liver, Central nervous

system) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 10 %

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Amitraz (ISO)	33089-61-1	50
Aluminium silicate	12141-46-7	>= 10 -<= 20
Paraformaldehyde	30525-89-4	2,55
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7	1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person. Harmful if swallowed.

Most important symptoms

and effects, both acute and

delayed

Causes mild skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

Suspected of causing genetic defects.

May cause cancer.

May cause damage to organs through prolonged or repeated

exposure.



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides
Silicon oxides

Metal oxides

Nitrogen oxides (NOx)

Sulfur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed. Keep away from water. Protect from moisture.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Amitraz (ISO)	33089-61-1	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	1250 µg/100 cm ²	Internal
Aluminium silicate	12141-46-7	TWA	1 mg/m³	ACGIH
		(Respirable	(Aluminum)	
		particulate	,	



Amitraz Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 1734732-00014 Date of first issue: 06.06.2017 4.1

matter)

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Formaldehyde	50-00-0	CMP-C	0,3 ppm	AR OEL		
	Further infor tion	Further information: A2 - Suspected human carcinogen, Sensitization				
		TWA	0,1 ppm	ACGIH		
		STEL	0,3 ppm	ACGIH		

Engineering measures Processing may form hazardous compounds (see section

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection. Combined particulates and inorganic gas/vapor type

Filter type

Hand protection

Material

Chemical-resistant gloves

Remarks Choose gloves to protect hands against chemicals depending

> on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection Wear the following personal protective equipment:

Chemical resistant goggles must be worn. If splashes are likely to occur, wear:

Face-shield

Skin and body protection Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Hazardous decomposition products will be formed upon

contact with water or humid air.

Conditions to avoid : Exposure to moisture.

Heat, flames and sparks.
Avoid dust formation.
Oxidizing agents

Incompatible materials : Oxidizing agents

Water

Hazardous decomposition products

Contact with water or humid

air

: Formaldehyde

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 955,73 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Amitraz (ISO):

Acute oral toxicity : LD50 (Rat): > 400 mg/kg

LD50 (Mouse): > 1.085 mg/kg

LD50 (Guinea pig): > 400 mg/kg



Amitraz Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1734732-00014
 Date of first issue: 06.06.2017

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 1.600 mg/kg

Aluminium silicate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 2,18 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Paraformaldehyde:

Acute oral toxicity : LD50 (Rat, male): 592 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1,07 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 10.000 mg/kg

Sodium bis(2-ethylhexyl)sulfosuccinate:

Acute oral toxicity : LD50 (Rat): 3.080 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

Causes mild skin irritation.

Components:

Amitraz (ISO):

Species : Rabbit

Result : No skin irritation

Aluminium silicate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Paraformaldehyde:

Species : Rabbit Result : Skin irritation



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Amitraz (ISO):

Species : Rabbit

Result : No eye irritation

Aluminium silicate:

Species : Rabbit

Result : No eye irritation Method : OPPTS 870.2400

Remarks : Based on data from similar materials

Paraformaldehyde:

Species : Rabbit

Result : Irreversible effects on the eye

Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Amitraz (ISO):

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Aluminium silicate:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse Result : negative



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

Paraformaldehyde:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of high skin sensitization rate in

humans

Sodium bis(2-ethylhexyl)sulfosuccinate:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact Species : Humans Result : negative

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Amitraz (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Aluminium silicate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials



Amitraz Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1734732-00014
 Date of first issue: 06.06.2017

Paraformaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test

Result: positive

Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: inhalation (vapor)

Result: positive

Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell

mutagenicity tests.

Sodium bis(2-ethylhexyl)sulfosuccinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: equivocal

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

Carcinogenicity

May cause cancer.

Components:

Amitraz (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : > 10,18 mg/kg body weight

Result : negative

Species : Mouse Exposure time : 2 Years

LOAEL : 2,3 mg/kg body weight

Result : positive Target Organs : Liver, Stomach

Aluminium silicate:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Remarks : Based on data from similar materials

Paraformaldehyde:

Species : Rat
Application Route : Ingestion
Exposure time : 105 weeks
Result : negative

Species : Rat
Application Route : Inhalation
Exposure time : 28 Months
Result : positive

Remarks : Based on data from similar materials

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

Components:

Amitraz (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: > 4,8 mg/kg body weight

Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat



Amitraz Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1734732-00014
 Date of first issue: 06.06.2017

Application Route: Oral

Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: No significant adverse effects were reported

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Result: Effects on fetal development.

Aluminium silicate:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

Components:

Paraformaldehyde:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure

posure.

Components:

Amitraz (ISO):

Target Organs : Liver, Central nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Amitraz (ISO):

Species : Mouse



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

NOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Liver

Species : Dog NOAEL : 0,25 mg/kg Application Route : Oral Exposure time : 90 Days

Target Organs : Central nervous system, Liver

Aluminium silicate:

Species : Rat

NOAEL : > 100 mg/kg Application Route : Ingestion Exposure time : 104 Weeks

Remarks : Based on data from similar materials

Paraformaldehyde:

Species : Rat, male
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 105 Weeks

Remarks : Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rat
NOAEL : 750 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Amitraz (ISO):

Ingestion : Target Organs: Central nervous system

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Amitraz (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,45 mg/l

Exposure time: 96 h



Amitraz Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 1734732-00014 Date of first issue: 06.06.2017 4.1

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04

Exposure time: 91 h

M-Factor (Acute aquatic tox-

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0,00148

Exposure time: 32 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,0011 mg/l Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

10

Aluminium silicate:

Ecotoxicology Assessment

Chronic aquatic toxicity No toxicity at the limit of solubility.

Paraformaldehyde:

Toxicity to fish LC50: > 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): > 1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Orange-red killifish)): > 1 mg/l

Exposure time: 28 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms EC50: > 10 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:



Amitraz Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 1734732-00014 Date of first issue: 06.06.2017 4.1

Toxicity to fish LC50 (Danio rerio (zebra fish)): 49 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6,6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 82,5 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 9 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50 (Pseudomonas putida): 164 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Paraformaldehyde:

Biodegradability Result: Readily biodegradable.

Remarks: Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 91,2 % Exposure time: 28 d

Bioaccumulative potential

Components:

Amitraz (ISO):

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1.333

Partition coefficient: n-

octanol/water

log Pow: 5,5

Paraformaldehyde:

Partition coefficient: n-

log Pow: -1,40

octanol/water Remarks: Calculation

Sodium bis(2-ethylhexyl)sulfosuccinate:

Partition coefficient: nlog Pow: 1,998

octanol/water Remarks: Calculation



Amitraz Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 1734732-00014 Date of first issue: 06.06.2017 4.1

Mobility in soil

Components:

Amitraz (ISO):

Distribution among environmental compartments

log Koc: 3,3

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste Contaminated packaging

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number **UN 3077**

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(amitraz (ISO))

Class 9 Packing group Ш Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(Amitraz (ISO))

Class 9 Packing group Ш

Miscellaneous Labels

Packing instruction (cargo

aircraft)

956

Packing instruction (passen-

ger aircraft)

956

Environmentally hazardous yes

IMDG-Code

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Amitraz (ISO))

Class 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F



Amitraz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1734732-00014 Date of first issue: 06.06.2017

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents : Not applicable

Registry.

Control of precursors and essential chemicals for the

preparation of drugs.

Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

Further information

Sources of key data used to

compile the Material Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AR OEL / CMP-C : Ceiling value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;



Amitraz Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1734732-00014
 Date of first issue: 06.06.2017

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8