

**Amitraz Solid Formulation**

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
Date of first issue: 06.06.2017

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Amitraz Solid Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 4  
Serious eye damage/eye irritation : Category 1  
Skin sensitisation : Category 1  
Germ cell mutagenicity : Category 2  
Carcinogenicity : Category 1B  
Specific target organ toxicity - repeated exposure : Category 2 (Liver, Central nervous system)  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H341 Suspected of causing genetic defects.  
H350 May cause cancer.  
H373 May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

## Precautionary statements

:

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Additional Labelling**

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 10 %

## Amitraz Solid Formulation

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
 Date of first issue: 06.06.2017

**Other hazards which do not result in classification**

May form explosive dust-air mixture during processing, handling or other means.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
amitraz (ISO)	33089-61-1	50
Aluminium silicate	12141-46-7	>= 10 -<= 20
Calcium carbonate	471-34-1	>= 10 -<= 20
Paraformaldehyde	30525-89-4	2.55
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7	1

**4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
 May cause an allergic skin reaction.  
 Causes serious eye damage.  
 Suspected of causing genetic defects.  
 May cause cancer.  
 May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

Unsuitable extinguishing media	:	Dry chemical None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Silicon oxides Metal oxides Nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding
--------------------	---	---

## Amitraz Solid Formulation

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
 Date of first issue: 06.06.2017

- and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe dust.  
 Do not swallow.  
 Do not get in eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Keep away from water.  
 Protect from moisture.  
 Minimize dust generation and accumulation.  
 Keep container closed when not in use.  
 Keep away from heat and sources of ignition.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
amitraz (ISO)	33089-61-1	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Aluminium silicate	12141-46-7	TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminium)	ACGIH
Calcium carbonate	471-34-1	PEL (long term)	10 mg/m <sup>3</sup> (Calcium carbonate)	SG OEL

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formaldehyde	50-00-0	PEL (short term)	0.3 ppm 0.37 mg/m <sup>3</sup>	SG OEL
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and inorganic gas/vapour type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder  
Colour : white  
Odour : No data available  
Odour Threshold : No data available

**Amitraz Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
------------	---	--

---

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

Chemical stability : Stable under normal conditions.  
 Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
 Can react with strong oxidizing agents.  
 Hazardous decomposition products will be formed upon contact with water or humid air.

Conditions to avoid : Exposure to moisture  
 Heat, flames and sparks.  
 Avoid dust formation.

Incompatible materials : Oxidizing agents  
 Water

**Hazardous decomposition products**

Contact with water or humid air : Formaldehyde

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
 Skin contact  
 Ingestion  
 Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 958.7 mg/kg  
 Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Method: Calculation method

**Components:****amitraz (ISO):**

Acute oral toxicity : LD50 (Rat): > 400 mg/kg  
 LD50 (Mouse): > 1,085 mg/kg  
 LD50 (Guinea pig): > 400 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 1,600 mg/kg

**Aluminium silicate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
 Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): 50 mg/l



**Amitraz Solid Formulation**

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
Date of first issue: 06.06.2017

---

Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Calcium carbonate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Paraformaldehyde:**

Acute oral toxicity : LD50 (Rat, male): 592 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.07 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 10,000 mg/kg

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Acute oral toxicity : LD50 (Rat): 3,080 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****amitraz (ISO):**

Species : Rabbit  
Result : No skin irritation

**Aluminium silicate:**

**Amitraz Solid Formulation**

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
Date of first issue: 06.06.2017

---

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Calcium carbonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Paraformaldehyde:**

Species : Rabbit  
Result : Skin irritation

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****amitraz (ISO):**

Species : Rabbit  
Result : No eye irritation

**Aluminium silicate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Calcium carbonate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Paraformaldehyde:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**Amitraz Solid Formulation**

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
Date of first issue: 06.06.2017

---

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****amitraz (ISO):**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Aluminium silicate:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

**Calcium carbonate:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

**Paraformaldehyde:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : positive  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of high skin sensitisation rate in humans

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : negative

**Germ cell mutagenicity**

Suspected of causing genetic defects.

**Components:****amitraz (ISO):**

**Amitraz Solid Formulation**

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
Date of first issue: 06.06.2017

---

Genotoxicity in vitro      :    Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

**Aluminium silicate:**

Genotoxicity in vitro      :    Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

**Calcium carbonate:**

Genotoxicity in vitro      :    Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

**Paraformaldehyde:**

Genotoxicity in vitro      :    Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: positive  
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test  
Result: positive  
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

May cause cancer.

**Components:****amitraz (ISO):**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : > 10.18 mg/kg body weight  
Result : negative

Species : Mouse  
Exposure time : 2 Years  
LOAEL : 2.3 mg/kg body weight  
Result : positive  
Target Organs : Liver, Stomach

**Paraformaldehyde:**

Species : Rat

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

Application Route : Ingestion  
 Exposure time : 105 weeks  
 Result : negative

Species : Rat  
 Application Route : Inhalation  
 Exposure time : 28 Months  
 Result : positive  
 Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

**Reproductive toxicity**

Not classified based on available information.

**Components:****amitraz (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: > 4.8 mg/kg body weight  
 Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 3 mg/kg body weight  
 Remarks: No significant adverse effects were reported

Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 5 mg/kg body weight  
 Result: Effects on foetal development

**Aluminium silicate:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**Calcium carbonate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat

**Amitraz Solid Formulation**

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
Date of first issue: 06.06.2017

---

Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**Components:****Paraformaldehyde:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

**Components:****amitraz (ISO):**

Target Organs : Liver, Central nervous system  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****amitraz (ISO):**

Species : Mouse  
NOAEL : 3 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver

Species : Dog  
NOAEL : 0.25 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Central nervous system, Liver

**Aluminium silicate:**

Species : Rat

**Amitraz Solid Formulation**

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
Date of first issue: 06.06.2017

---

NOAEL :  $\geq 1,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Remarks : Based on data from similar materials

**Calcium carbonate:**

Species : Rat  
NOAEL :  $> 1,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 422

**Paraformaldehyde:**

Species : Rat, male  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 105 Weeks  
Remarks : Based on data from similar materials

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rat  
NOAEL : 750 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****amitraz (ISO):**

Ingestion : Target Organs: Central nervous system

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****amitraz (ISO):**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.45 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.035 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l  
Exposure time: 91 h



## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

M-Factor (Acute aquatic toxicity) : 10  
 Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00148 mg/l  
 Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0011 mg/l  
 Exposure time: 21 d  
 M-Factor (Chronic aquatic toxicity) : 10

**Aluminium silicate:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209  
 Remarks: Based on data from similar materials

**Calcium carbonate:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOELR (Pseudokirchneriella subcapitata (green algae)): 50 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC: 1,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

EC50: > 1,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

**Paraformaldehyde:**

- Toxicity to fish : LC50: > 1 mg/l  
 Exposure time: 96 h  
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): > 1 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): > 1 mg/l  
 Exposure time: 28 d  
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211  
 Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50: > 10 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209  
 Remarks: Based on data from similar materials

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l  
 Exposure time: 96 h  
 Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.6 mg/l  
 Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l  
 Exposure time: 72 h
- EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l  
 Exposure time: 72 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 9 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l  
 Exposure time: 16 h

**Amitraz Solid Formulation**

Version 2.2      Revision Date: 27.08.2021      SDS Number: 1732057-00009      Date of last issue: 02.10.2020  
Date of first issue: 06.06.2017

---

**Persistence and degradability****Components:****Paraformaldehyde:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91.2 %  
Exposure time: 28 d

**Bioaccumulative potential****Components:****amitraz (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,333

Partition coefficient: n-octanol/water : log Pow: 5.5

**Paraformaldehyde:**

Partition coefficient: n-octanol/water : log Pow: -1.40  
Remarks: Calculation

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Partition coefficient: n-octanol/water : log Pow: 1.998  
Remarks: Calculation

**Mobility in soil****Components:****amitraz (ISO):**

Distribution among environmental compartments : log Koc: 3.3

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.



## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) Regulations : Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
 ACGIH / STEL : Short-term exposure limit  
 SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term  
 SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2020
2.2	27.08.2021	1732057-00009	Date of first issue: 06.06.2017

---

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN