

**Amitraz Solid Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 10/02/2020  
7.2                08/27/2021                1732058-00010            Date of first issue: 06/06/2017

---

**SECTION 1. IDENTIFICATION**

Product name                                : Amitraz Solid Formulation

**Manufacturer or supplier's details**

Company name of supplier                : Merck & Co., Inc  
Address                                        : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A 07065  
Telephone                                     : 908-740-4000  
Emergency telephone                       : 1-908-423-6000  
E-mail address                                : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use                            : Veterinary product

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Combustible dust

Acute toxicity (Oral)                        : Category 4  
Serious eye damage                         : Category 1  
Skin sensitization                            : Category 1  
Germ cell mutagenicity                      : Category 2  
Carcinogenicity                              : Category 1B  
Specific target organ toxicity               : Category 2 (Liver, Central nervous system)  
- repeated exposure

**GHS label elements**

Hazard pictograms                            : 

Signal Word                                    : Danger

Hazard Statements                            : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.  
H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H341 Suspected of causing genetic defects.  
H350 May cause cancer.  
H373 May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

## Amitraz Solid Formulation

Version 7.2      Revision Date: 08/27/2021      SDS Number: 1732058-00010      Date of last issue: 10/02/2020  
 Date of first issue: 06/06/2017

Precautionary Statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**  
 P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
 P308 + P313 IF exposed or concerned: Get medical attention.  
 P333 + P313 If skin irritation or rash occurs: Get medical attention.  
 P363 Wash contaminated clothing before reuse.

**Storage:**  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents and container to an approved waste disposal plant.

### Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:  
 10 %

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Amitraz (ISO)	33089-61-1	50
Aluminium silicate	12141-46-7	>= 10 - <= 20
Calcium carbonate	471-34-1	>= 10 - <= 20
Paraformaldehyde	30525-89-4	2.55
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7	1

## SECTION 4. FIRST AID MEASURES

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing genetic defects. May cause cancer. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Silicon oxides Metal oxides Nitrogen oxides (NO <sub>x</sub> ) Sulfur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

Special protective equipment for fire-fighters : so.  
Evacuate area.  
In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from water.  
Protect from moisture.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.

## Amitraz Solid Formulation

Version 7.2      Revision Date: 08/27/2021      SDS Number: 1732058-00010      Date of last issue: 10/02/2020  
 Date of first issue: 06/06/2017

- Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Organic peroxides  
 Explosives  
 Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Amitraz (ISO)	33089-61-1	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Aluminium silicate	12141-46-7	TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH
Calcium carbonate	471-34-1	TWA (Respirable)	5 mg/m <sup>3</sup> (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup> (Calcium carbonate)	NIOSH REL

## Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formaldehyde	50-00-0	TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH
		TWA	0.016 ppm	NIOSH REL
		C	0.1 ppm	NIOSH REL
		PEL	0.75 ppm	OSHA CARC
		STEL	2 ppm	OSHA CARC
		TWA	0.016 ppm (Formaldehyde)	NIOSH REL
		C	0.1 ppm (Formaldehyde)	NIOSH REL

- Engineering measures : Processing may form hazardous compounds (see section 10).  
 Minimize workplace exposure concentrations.  
 Apply measures to prevent dust explosions.  
 Ensure that dust-handling systems (such as exhaust ducts,

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear:  
Face-shield
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Color : white
- Odor : No data available

# SAFETY DATA SHEET



## Amitraz Solid Formulation

Version 7.2      Revision Date: 08/27/2021      SDS Number: 1732058-00010      Date of last issue: 10/02/2020  
Date of first issue: 06/06/2017

---

Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.  
Hazardous decomposition products will be formed upon contact with water or humid air.

Conditions to avoid : Exposure to moisture.  
Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents  
Water

**Hazardous decomposition products**

Contact with water or humid air : Formaldehyde

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 955.73 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 41.96 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Amitraz (ISO):**

Acute oral toxicity : LD50 (Rat): > 400 mg/kg  
LD50 (Mouse): > 1,085 mg/kg  
LD50 (Guinea pig): > 400 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 1,600 mg/kg

**Aluminium silicate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg



**Amitraz Solid Formulation**

Version 7.2      Revision Date: 08/27/2021      SDS Number: 1732058-00010      Date of last issue: 10/02/2020  
Date of first issue: 06/06/2017

---

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): 50 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Calcium carbonate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Paraformaldehyde:**

Acute oral toxicity : LD50 (Rat, male): 592 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.07 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 10,000 mg/kg

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Acute oral toxicity : LD50 (Rat): 3,080 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Amitraz (ISO):**

Species : Rabbit

**Amitraz Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

Result : No skin irritation

**Aluminium silicate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Calcium carbonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Paraformaldehyde:**

Species : Rabbit  
Result : Skin irritation

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Amitraz (ISO):**

Species : Rabbit  
Result : No eye irritation

**Aluminium silicate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Calcium carbonate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Paraformaldehyde:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Result : Irreversible effects on the eye

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

Method : OECD Test Guideline 405

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### **Amitraz (ISO):**

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

##### **Aluminium silicate:**

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Remarks	: Based on data from similar materials

##### **Calcium carbonate:**

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative

##### **Paraformaldehyde:**

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Result	: positive
Remarks	: Based on data from similar materials

Assessment	: Probability or evidence of high skin sensitization rate in humans
------------	---

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: negative

#### **Germ cell mutagenicity**

Suspected of causing genetic defects.

**Amitraz Solid Formulation**

Version 7.2      Revision Date: 08/27/2021      SDS Number: 1732058-00010      Date of last issue: 10/02/2020  
Date of first issue: 06/06/2017

---

**Components:****Amitraz (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

**Aluminium silicate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

**Calcium carbonate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

**Paraformaldehyde:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: positive  
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test  
Result: positive  
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive  
Remarks: Based on data from similar materials

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

- Test Type: In vitro sister chromatid exchange assay in mammalian cells  
 Result: positive  
 Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Rat  
 Application Route: inhalation (vapor)  
 Result: positive  
 Remarks: Based on data from similar materials
- Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials
- Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: negative
- Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: equivocal
- Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Based on data from similar materials

### **Carcinogenicity**

May cause cancer.

### **Components:**

#### **Amitraz (ISO):**

Species : Rat  
 Application Route : Oral  
 Exposure time : 2 Years  
 NOAEL : > 10.18 mg/kg body weight  
 Result : negative

Species : Mouse  
 Exposure time : 2 Years  
 LOAEL : 2.3 mg/kg body weight  
 Result : positive  
 Target Organs : Liver, Stomach

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

### Paraformaldehyde:

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 105 weeks  
 Result : negative

Species : Rat  
 Application Route : Inhalation  
 Exposure time : 28 Months  
 Result : positive  
 Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **Amitraz (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: > 4.8 mg/kg body weight  
 Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 3 mg/kg body weight  
 Remarks: No significant adverse effects were reported

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 5 mg/kg body weight  
 Result: Effects on fetal development.

#### **Aluminium silicate:**

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

### Calcium carbonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative

### Sodium bis(2-ethylhexyl)sulfosuccinate:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

### STOT-single exposure

Not classified based on available information.

### Components:

#### Paraformaldehyde:

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

### Components:

#### Amitraz (ISO):

Target Organs : Liver, Central nervous system  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Amitraz (ISO):

Species : Mouse  
 NOAEL : 3 mg/kg  
 Application Route : Oral  
 Exposure time : 90 Days

**Amitraz Solid Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 10/02/2020  
7.2          08/27/2021          1732058-00010      Date of first issue: 06/06/2017

---

Target Organs                    :    Liver  
  
Species                            :    Dog  
NOAEL                             :    0.25 mg/kg  
Application Route                :    Oral  
Exposure time                    :    90 Days  
Target Organs                    :    Central nervous system, Liver

**Aluminium silicate:**

Species                            :    Rat  
NOAEL                             :    >= 1,000 mg/kg  
Application Route                :    Ingestion  
Exposure time                    :    28 Days  
Remarks                         :    Based on data from similar materials

**Calcium carbonate:**

Species                            :    Rat  
NOAEL                             :    > 1,000 mg/kg  
Application Route                :    Ingestion  
Exposure time                    :    28 Days  
Method                            :    OECD Test Guideline 422

**Paraformaldehyde:**

Species                            :    Rat, male  
NOAEL                             :    15 mg/kg  
Application Route                :    Ingestion  
Exposure time                    :    105 Weeks  
Remarks                         :    Based on data from similar materials

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species                            :    Rat  
NOAEL                             :    750 mg/kg  
Application Route                :    Ingestion  
Exposure time                    :    90 Days

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Amitraz (ISO):**

Ingestion                         :    Target Organs: Central nervous system



## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Amitraz (ISO):**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)): 0.45 mg/l<br>Exposure time: 96 h        |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 ( <i>Daphnia magna</i> (Water flea)): 0.035 mg/l<br>Exposure time: 48 h                   |
| Toxicity to algae/aquatic plants                                       | : | NOEC ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 0.04 mg/l<br>Exposure time: 91 h |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 0.00148 mg/l<br>Exposure time: 32 d       |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC ( <i>Daphnia magna</i> (Water flea)): 0.0011 mg/l<br>Exposure time: 21 d                  |

##### **Aluminium silicate:**

- |   |   |   |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 ( <i>Daphnia magna</i> (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials            |
| Toxicity to algae/aquatic plants                    | : | EC50 ( <i>Desmodesmus subspicatus</i> (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
| Toxicity to microorganisms                          | : | EC50: > 1,000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209<br>Remarks: Based on data from similar materials  |

##### **Calcium carbonate:**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LL50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): > 100 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 ( <i>Daphnia magna</i> (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 202          |
| Toxicity to algae/aquatic plants                    | : | NOELR ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 50 mg/l  |

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC: 1,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

EC50: > 1,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

### Paraformaldehyde:

Toxicity to fish : LC50: > 1 mg/l  
 Exposure time: 96 h  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): > 1 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): > 1 mg/l  
 Exposure time: 28 d  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211  
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 10 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209  
 Remarks: Based on data from similar materials

### Sodium bis(2-ethylhexyl)sulfosuccinate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l  
 Exposure time: 96 h  
 Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.6 mg/l  
 Exposure time: 48 h

**Amitraz Solid Formulation**

Version 7.2      Revision Date: 08/27/2021      SDS Number: 1732058-00010      Date of last issue: 10/02/2020  
Date of first issue: 06/06/2017

---

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 9 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l  
Exposure time: 16 h

**Persistence and degradability****Components:****Paraformaldehyde:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91.2 %  
Exposure time: 28 d

**Bioaccumulative potential****Components:****Amitraz (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,333

Partition coefficient: n-octanol/water : log Pow: 5.5

**Paraformaldehyde:**

Partition coefficient: n-octanol/water : log Pow: -1.40  
Remarks: Calculation

**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Partition coefficient: n-octanol/water : log Pow: 1.998  
Remarks: Calculation

**Mobility in soil****Components:****Amitraz (ISO):**

Distribution among environmental compartments : log Koc: 3.3

**Amitraz Solid Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 10/02/2020  
7.2          08/27/2021          1732058-00010      Date of first issue: 06/06/2017

---

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues                   : Dispose of in accordance with local regulations.  
Contaminated packaging               : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number                               : UN 3077  
Proper shipping name                   : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(amitraz (ISO))  
Class                                       : 9  
Packing group                           : III  
Labels                                     : 9

**IATA-DGR**

UN/ID No.                               : UN 3077  
Proper shipping name                   : Environmentally hazardous substance, solid, n.o.s.  
(Amitraz (ISO))  
Class                                       : 9  
Packing group                           : III  
Labels                                     : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous           : yes

**IMDG-Code**

UN number                               : UN 3077  
Proper shipping name                   : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Amitraz (ISO))  
Class                                       : 9  
Packing group                           : III  
Labels                                     : 9  
EmS Code                                 : F-A, S-F  
Marine pollutant                        : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number                       : UN 3077  
Proper shipping name                   : Environmentally hazardous substance, solid, n.o.s.

## Amitraz Solid Formulation

Version 7.2      Revision Date: 08/27/2021      SDS Number: 1732058-00010      Date of last issue: 10/02/2020  
 Date of first issue: 06/06/2017

(Amitraz (ISO))  
 Class : 9  
 Packing group : III  
 Labels : CLASS 9  
 ERG Code : 171  
 Marine pollutant : yes(Amitraz (ISO))  
 Remarks : Above applies only to containers over 119 gallons or 450 liters.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Paraformaldehyde	30525-89-4	1000	39215

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Combustible dust  
 Acute toxicity (any route of exposure)  
 Respiratory or skin sensitization  
 Germ cell mutagenicity  
 Carcinogenicity  
 Specific target organ toxicity (single or repeated exposure)  
 Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Amitraz (ISO)      33089-61-1      50 %

**US State Regulations****Pennsylvania Right To Know**

Amitraz (ISO)      33089-61-1  
 Calcium carbonate      471-34-1  
 Aluminium silicate      12141-46-7  
 Cresol-formaldehyde copolymer 1,2-naphthoquinonediazido-4-sulfonate      80296-78-2  
 Paraformaldehyde      30525-89-4

**California Prop. 65**

WARNING: This product can expose you to chemicals including Amitraz (ISO), which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Amitraz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

### California List of Hazardous Substances

Paraformaldehyde 30525-89-4

### California Permissible Exposure Limits for Chemical Contaminants

Calcium carbonate 471-34-1


### The ingredients of this product are reported in the following inventories:

AICS : not determined  
 DSL : not determined  
 IECSC : not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>		<b>3</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens  
 ACGIH / TWA : 8-hour, time-weighted average  
 ACGIH / STEL : Short-term exposure limit  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
 NIOSH REL / C : Ceiling value not be exceeded at any time.  
 OSHA CARC / PEL : Permissible exposure limit (PEL)  
 OSHA CARC / STEL : Excursion limit

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Sub-

**Amitraz Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
7.2	08/27/2021	1732058-00010	Date of first issue: 06/06/2017

---

stances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 08/27/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8