

# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Respiratory sensitisation : Category 1

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

**GHS label elements** 

Hazard pictograms :

¥2>

Signal word : Danger

Hazard statements : H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours. P273 Avoid release to the environment. P284 Wear respiratory protection.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor. P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### **Additional Labelling**

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 2.4689 %

### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Amoxicillin Trihydrate	61336-70-7	>= 10 -< 25
Aluminum tristearate	637-12-7	< 10
Benzyl alcohol	100-51-6	< 10

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and May cause allergy or asthma symptoms or breathing difficulties if inhaled.

delayed

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Metal oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

**Environmental precautions** Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate contain-



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid breathing mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
Amoxicillin Trihydrate	61336-70-7	TWA	1 mg/m3 (OEB 1)	Internal	
	Further information: RSEN				
Aluminum tristearate	637-12-7	NAB	10 mg/m3	ID OEL	
	Further information: Not classified as carcinogenic to humans. Not				
	enough data to classify these materials as carcinogenic to humans or animals				



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

	NAB (Respirable particulate matter)	1 mg/m3 (Aluminium)	ID OEL	
Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals				
mano or armine	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH	
	TWA (Respirable particulate matter)	3 mg/m3	ACGIH	
	TWA (Respirable particulate matter)	1 mg/m3 (Aluminium)	ACGIH	

**Engineering measures** Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Combined particulates and organic vapour type

Material

Chemical-resistant gloves

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate googles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Work uniform or laboratory coat. Hygiene measures

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 3.0

Revision Date: 2024/07/06

SDS Number: 8845226-00011

Date of last issue: 2024/04/06 Date of first issue: 2021/07/13

industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : cream

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : No data available

Relative density : No data available

Density : 0.900 - 1.100 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

Viscosity

Viscosity, kinematic : No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

#### 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

: No hazardous decomposition products are known. Hazardous decomposition

products

Information on likely routes of: Inhalation

11. TOXICOLOGICAL INFORMATION

exposure Skin contact

Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

**Amoxicillin Trihydrate:** 

Acute oral toxicity LD50 (Rat): > 8,000 mg/kg

LD50 (Mouse): > 10,000 mg/kg



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

LD50 (Dog): > 3,000 mg/kg

Aluminum tristearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5.15 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

#### Aluminum tristearate:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Remarks : Based on data from similar materials

Result : No skin irritation

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

### Aluminum tristearate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:** 

**Amoxicillin Trihydrate:** 

Result : Sensitiser

Remarks : May cause sensitisation by inhalation.

largely based on human evidence

**Aluminum tristearate:** 

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Benzyl alcohol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Amoxicillin Trihydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse Result: negative

Aluminum tristearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Not classified based on available information.



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: Si 3.0 2024/07/06 88

SDS Number: 8845226-00011

Date of last issue: 2024/04/06 Date of first issue: 2021/07/13

#### Components:

### **Amoxicillin Trihydrate:**

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 200 mg/kg body weight

Result: Reduced fertility

Remarks: Not classified due to inconclusive data.

Test Type: Fertility Species: Rat

Application Route: Oral

Fertility: LOAEL: 500 mg/kg body weight

Result: Reduced fertility

Remarks: Not classified due to inconclusive data.

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: >= 1,000 mg/kg body weight

Result: No embryo-foetal toxicity

Test Type: Development

Species: Mouse Application Route: Oral

Developmental Toxicity: LOAEL: 200 mg/kg body weight Result: Some evidence of adverse effects on development,

based on animal experiments.

Remarks: Not classified due to inconclusive data.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 200 mg/kg body weight Result: Reduced embryonic survival, Reduced offspring

weight gain

Remarks: Not classified due to inconclusive data.

### Aluminum tristearate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

: Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

Result: negative

Remarks: Based on data from similar materials

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

**Application Route: Ingestion** 

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Components:** 

**Amoxicillin Trihydrate:** 

Remarks : Not classified due to inconclusive data.

Repeated dose toxicity

**Components:** 

Amoxicillin Trihydrate:

Species : Rat
Application Route : Oral
Exposure time : 6 Months

Remarks : No significant adverse effects were reported

Species : Dog
Application Route : Oral
Exposure time : 6 Months

Remarks : No significant adverse effects were reported

Aluminum tristearate:

Species : Rat

NOAEL : >= 5,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Amoxicillin Trihydrate:

Ingestion : Symptoms: Nausea, Vomiting, Abdominal pain, Diarrhoea,

flatulence, skin rash, Breathing difficulties Remarks: May produce an allergic reaction.

12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Components:** 

**Amoxicillin Trihydrate:** 

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 0.035 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to algae/aquatic

plants

: NOEC (green algae): 530 mg/l

Exposure time: 72 h

EC50 (Synechococcus leopoliensis (blue-green algae)):

0.0022 mg/l

Exposure time: 96 h

NOEC (blue-green algae): 0.0057 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

city)

M-Factor (Chronic aquatic

: 1

100

toxicity)

Aluminum tristearate:

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

II

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

Components:

**Amoxicillin Trihydrate:** 

Biodegradability : Result: Readily biodegradable.

Biodegradation: 88 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 % Exposure time: 14 d

**Bioaccumulative potential** 

**Components:** 

Amoxicillin Trihydrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -0.124

Method: OECD Test Guideline 107



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

Benzyl alcohol:

Partition coefficient: n- : log Pow: 1.05

octanol/water

Mobility in soil
No data available

Other adverse effects

**Components:** 

Amoxicillin Trihydrate:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT). Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

### International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Amoxicillin Trihydrate)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Amoxicillin Trihydrate)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Amoxicillin Trihydrate)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Not applicable

control, Annex I

Type of hazardous materials subject to distribution and : Not applicable



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

control, Annex II

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **16. OTHER INFORMATION**

Revision Date : 2024/07/06

**Further information** 

Sources of key data used to compile the Safety Data

compile the Safety Data
Sheet

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-



# Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/07/06 8845226-00011 Date of first issue: 2021/07/13

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN