

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
Date of first issue: 2021/07/13

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Respiratory sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
 Date of first issue: 2021/07/13

Precautionary statements : **Prevention:**
 P261 Avoid breathing mist or vapours.
 P273 Avoid release to the environment.
 P284 Wear respiratory protection.

Response:
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
 P391 Collect spillage.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 2.4689 %

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Amoxicillin Trihydrate	61336-70-7	>= 10 - < 20	
Aluminum tristearate	637-12-7	>= 1 - < 10	2-625
Benzyl alcohol	100-51-6	>= 0.9091 - <= 1.1111	3-1011

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 If not breathing, give artificial respiration.
 If breathing is difficult, give oxygen.
 Get medical attention.

In case of skin contact : Wash with water and soap as a precaution.
 Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.0	2023/11/01	8845228-00009	Date of first issue: 2021/07/13

If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.0	2023/11/01	8845228-00009	Date of first issue: 2021/07/13

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
 For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Avoid breathing mist or vapours. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers. Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	:	Oxidizing agents
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage	:	Keep in properly labelled containers. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types:

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
 Date of first issue: 2021/07/13

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Amoxicillin Trihydrate	61336-70-7	TWA	1 mg/m ³ (OEB 1)	Internal
	Further information: RSEN			
Aluminum tristearate	637-12-7	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	1 mg/m ³ (Aluminium)	ACGIH
Benzyl alcohol	100-51-6	OEL-C	25 mg/m ³	JP OEL JSOH
	Further information: Skin sensitizing agent; Group 2 substances which probably induce allergic reactions in humans.			

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Eye protection

: Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions,

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.0	2023/11/01	8845228-00009	Date of first issue: 2021/07/13

<div style="border-left: 3px double black; height: 60px; margin-bottom: 5px;"></div> Skin and body protection	: mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. : Work uniform or laboratory coat.
---	--

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: suspension
Colour	: cream
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point, initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Lower explosion limit and upper explosion limit / flammability limit	
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: No data available
Decomposition temperature	: No data available
pH	: No data available
Evaporation rate	: No data available
Auto-ignition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
Date of first issue: 2021/07/13

Vapour pressure : Not applicable

Density and / or relative density
Relative density : No data available

Density : 0.900 - 1.100 g/cm³

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
Date of first issue: 2021/07/13

Components:**Amoxicillin Trihydrate:**

Acute oral toxicity : LD50 (Rat): > 8,000 mg/kg
LD50 (Mouse): > 10,000 mg/kg
LD50 (Dog): > 3,000 mg/kg

Aluminum tristearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Remarks: Based on data from similar materials
Acute inhalation toxicity : LC50 (Rat): > 5.15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:**Aluminum tristearate:**

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Remarks : Based on data from similar materials

Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
Date of first issue: 2021/07/13

Components:

Aluminum tristearate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Amoxicillin Trihydrate:

Result : Sensitiser
Remarks : May cause sensitisation by inhalation.
largely based on human evidence

Aluminum tristearate:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

Benzyl alcohol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Amoxicillin Trihydrate:

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
 Date of first issue: 2021/07/13

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse
 Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
 Species: Mouse
 Result: negative

Aluminum tristearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cyto-genetic assay)
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cyto-genetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Mouse
 Application Route : Ingestion
 Exposure time : 103 weeks

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
 Date of first issue: 2021/07/13

Method : OECD Test Guideline 451
 Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Amoxicillin Trihydrate:

Effects on fertility : Test Type: Fertility
 Species: Rat
 Application Route: Oral
 Fertility: NOAEL: 200 mg/kg body weight
 Result: Reduced fertility
 Remarks: Not classified due to inconclusive data.

Test Type: Fertility
 Species: Rat
 Application Route: Oral
 Fertility: LOAEL: 500 mg/kg body weight
 Result: Reduced fertility
 Remarks: Not classified due to inconclusive data.

Effects on foetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: >= 1,000 mg/kg body weight
 Result: No embryo-foetal toxicity

Test Type: Development
 Species: Mouse
 Application Route: Oral
 Developmental Toxicity: LOAEL: 200 mg/kg body weight
 Result: Some evidence of adverse effects on development, based on animal experiments.
 Remarks: Not classified due to inconclusive data.

Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 200 mg/kg body weight
 Result: Reduced embryonic survival, Reduced offspring weight gain
 Remarks: Not classified due to inconclusive data.

Aluminum tristearate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 416

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
 Date of first issue: 2021/07/13

Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Amoxicillin Trihydrate:

Remarks : Not classified due to inconclusive data.

Repeated dose toxicity

Components:

Amoxicillin Trihydrate:

Species : Rat
 Application Route : Oral
 Exposure time : 6 Months
 Remarks : No significant adverse effects were reported

Species : Dog
 Application Route : Oral
 Exposure time : 6 Months
 Remarks : No significant adverse effects were reported

Aluminum tristearate:

Species : Rat

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.0	2023/11/01	8845228-00009	Date of first issue: 2021/07/13

NOAEL	:	>= 5,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

Benzyl alcohol:

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Amoxicillin Trihydrate:

Ingestion	:	Symptoms: Nausea, Vomiting, Abdominal pain, Diarrhoea, flatulence, skin rash, Breathing difficulties Remarks: May produce an allergic reaction.
-----------	---	--

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Amoxicillin Trihydrate:

Toxicity to fish	:	LC50 (Carassius auratus (goldfish)): 0.035 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to algae/aquatic plants	:	NOEC (green algae): 530 mg/l Exposure time: 72 h EC50 (Synechococcus leopoliensis (blue-green algae)): 0.0022 mg/l Exposure time: 96 h NOEC (blue-green algae): 0.0057 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	100
M-Factor (Chronic aquatic toxicity)	:	1

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
Date of first issue: 2021/07/13

Aluminum tristearate:**Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded
Chronic aquatic toxicity : Toxic effects cannot be excluded

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability**Components:****Amoxicillin Trihydrate:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 88 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential**Components:****Amoxicillin Trihydrate:**

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.0	2023/11/01	8845228-00009	Date of first issue: 2021/07/13

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -0.124
Method: OECD Test Guideline 107

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

Components:

Amoxicillin Trihydrate:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Amoxicillin Trihydrate)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.0	2023/11/01	8845228-00009	Date of first issue: 2021/07/13

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Amoxicillin Trihydrate)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Amoxicillin Trihydrate)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version 6.0 Revision Date: 2023/11/01 SDS Number: 8845228-00009 Date of last issue: 2023/09/30
 Date of first issue: 2021/07/13

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Benzyl alcohol	≥ 0.9091 - ≤ 1.1111	-

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
benzyl alcohol	-

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.0	2023/11/01	8845228-00009	Date of first issue: 2021/07/13

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

Amoxicillin Trihydrate / Potassium Clavulanate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
6.0	2023/11/01	8845228-00009	Date of first issue: 2021/07/13

JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN