

Amprolium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2024				
3.0	06.07.2024	8633869-00008	Date of first issue: 21.05.2021				
-							
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION							
Product name : Amprolium Formulation							
		·					
Manu	Manufacturer or supplier's details						

Manufacturer or supplier's details					
Company name of supplier	:	MSD			
Address	:	126 E. Lincoln Avenue			
		Rahway, New Jersey U.S.A. 07065			
Telephone	:	908-740-4000			
Emergency telephone	:	1-908-423-6000			
E-mail address	:	EHSDATASTEWARD@msd.com			
Recommended use of the chemical and restrictions on use					

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		Optioner (
Skin corrosion/irritation	:	Category 1
Serious eye damage/eye irritation	:	Category 1
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure (Oral)	:	Category 1 (Central nervous system)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H314 Causes severe skin burns and eye damage. H361 Suspected of damaging fertility or the unborn child. H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.
Precautionary Statements	:	Prevention:
		 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.



Amprolium Formulation

ersion)	Revision Date: 06.07.2024	SDS Number: 8633869-00008	Date of last issue: 30.04.2024 Date of first issue: 21.05.2021		
		Do NOT induce or doctor/ physi P303 + P361 + Take off immed water/ shower. physician. P304 + P340 + and keep at res diately call a PC P305 + P351 + water for severa and easy to do. CENTER or do P308 + P313 IF attention.	P353 + P310 IF ON SKIN (or hair): Remove/ liately all contaminated clothing. Rinse skin with Immediately call a POISON CENTER or doctor. P310 IF INHALED: Remove victim to fresh air st in a position comfortable for breathing. Imme- DISON CENTER or doctor/ physician. P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present . Continue rinsing. Immediately call a POISON ctor/ physician.		
		Storage: P405 Store lock	ntaminated clothing before reuse.		
		Disposal: P501 Dispose of contents/ container to an approved waste posal plant.			
	hazards known.				

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

	ר (% w/w)	Concentration (% w/	CAS-No.	Chemical name
Amprolium 121-25-5 >= 20 -< 3	30	>= 20 -< 30	121-25-5	Amprolium

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	 If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.



Amprolium Formulation

Versior 3.0	Revision Date: 06.07.2024	SDS Number: 8633869-00008	Date of last issue: 30.04.2024 Date of first issue: 21.05.2021		
In case of eye contact		for at least 15 If easy to do, i	remove contact lens, if worn.		
If swallowed		: If swallowed, I If vomiting occ Call a physicia Rinse mouth t	 Get medical attention immediately. If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control center immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. 		
an	ost important symptoms d effects, both acute and layed	 Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Causes severe burns. Causes digestive tract burns. 			
	otection of first-aiders tes to physician	 First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively. 			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media		Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical None known.
media	•	
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.



Amprolium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2024
3.0	06.07.2024	8633869-00008	Date of first issue: 21.05.2021
	ods and materials for inment and cleaning up	For large spills, p containment to ke can be pumped, container. Clean up remaini absorbent. Local or national disposal of this m employed in the determine which Sections 13 and	rt absorbent material. provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ang materials from spill with suitable regulations may apply to releases and material, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	:	Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases



Amprolium Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2024
3.0	06.07.2024	8633869-00008	Date of first issue: 21.05.2021

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Amprolium	121-25-5	TWA	40 ug/m3 (OEB 3)	Internal
	Further information: DSEN			
		Wipe limit	140 ug/100cm2	Internal

Engineering measures	:	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.
Personal protective equipme	ent	
Respiratory protection Filter type Hand protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Particulates type
Material	:	Chemical-resistant gloves
Remarks Eye protection Skin and body protection	:	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the
		task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	light yellow
Odor	:	No data available



Amprolium Formulation

Vers 3.0	ion	Revision Date: 06.07.2024	-	S Number: 3869-00008	Date of last issue: 30.04.2024 Date of first issue: 21.05.2021
	Odor T	hreshold	:	No data available	
	рН		:	2.0 - 3.0	
	Melting	point/freezing point	:	No data available	
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	oint	:	No data available	
	Evapor	ation rate	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	No data available	
	Relative	e density	:	No data available	
	Density	,	:	0.900 - 1.100 g/c	m ³
	Solubili Wat	ty(ies) er solubility	:	No data available	
		n coefficient: n-	:	Not applicable	
	octanol Autoign	/water hition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty sosity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.



Amprolium Formulation

/ersion 3.0	Revision Date: 06.07.2024		S Number: 33869-00008	Date of last issue: 30.04.2024 Date of first issue: 21.05.2021
tions Cond Incon	ibility of hazardous reac- litions to avoid npatible materials rdous decomposition ucts	:	None known. Oxidizing agen	strong oxidizing agents. ts decomposition products are known.
SECTION	11. TOXICOLOGICAL	INFO	ORMATION	
Inhala Skin o Inges	contact	of	exposure	
Acute	e toxicity			
Not c	lassified based on availa	able	information.	
Prod			A	
Acute	e oral toxicity	:	Method: Calcula	stimate: > 5,000 mg/kg ation method
Acute	e dermal toxicity	:	Acute toxicity e Method: Calcula	stimate: > 5,000 mg/kg ation method
<u>Com</u>	ponents:			
	rolium:			
Acute	e oral toxicity	:	LD50 (Mouse):	3,980 mg/kg
			LD50 (Rat): 4,0	00 - 4,890 mg/kg
			LD50 (Dog): > 5	500 mg/kg
Acute	e dermal toxicity	:	LD50 (Rat): > 2	,000 mg/kg
	corrosion/irritation es severe burns.			
Com	ponents:			
Amp	rolium:			
Spec Resu		:	Rabbit No skin irritatior	ı
Caus	ous eye damage/eye irr es serious eye damage. ponents:	itati	on	

Amprolium:

Species Result		Rabbit No eye irritation
-------------------	--	-----------------------------



Amprolium Formulation

ersion .0	Revision Date: 06.07.2024	SDS Number: 8633869-00008	Date of last issue: 30.04.2024 Date of first issue: 21.05.2021
Resp	iratory or skin sensi	tization	
Skin	sensitization		
Not c	lassified based on ava	ilable information.	
Resp	iratory sensitization		
Not c	lassified based on ava	ilable information.	
Com	ponents:		
Amp	rolium:		
Test			node assay (LLNA)
	es of exposure	: Dermal	
Spec Resu		: Mouse : Sensitizer	
Germ	cell mutagenicity		
Not c	lassified based on ava	ilable information.	
Com	ponents:		
Amp	rolium:		
Geno	toxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
			hromosomal aberration Chinese hamster ovary cells ve
		Test Type: ir Result: positi	vitro micronucleus test ve
Geno	toxicity in vivo		licronucleus test
		Species: Mo	
		Cell type: Bo Result: nega	
		Test Type: u Species: Rat Cell type: Liv Result: nega	er cells
	cell mutagenicity -	: Weight of ev cell mutagen	idence does not support classification as a gern
	nogenicity	ilable information	
	lassified based on ava	illable information.	
	ponents:		
-	rolium:	_	
Spec	ies	: Rat	



Amprolium Formulation

Version 3.0	Revision Date: 06.07.2024		9S Number: 33869-00008	Date of last issue: 30.04.2024 Date of first issue: 21.05.2021
Suspe	ductive toxicity cted of damaging fertili onents:	ty or	the unborn child.	
Ampro	olium:			
Effects	s on fertility	:	Result: Effects on	
Effects	s on fetal development	:		
Repro sessm	ductive toxicity - As- ient	:		f adverse effects on sexual function and development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

Components:

Amprolium:

Routes of exposure	: Oral
Target Organs	: Central nervous system
Routes of exposure Target Organs Assessment	: Causes damage to organs through prolonged or repeated
	exposure.

Repeated dose toxicity

Components:

Amprolium:

Species NOAEL Application Route Exposure time Symptoms	: : : :	Rat 20 mg/kg Oral 2 y Reduced body weight
Species NOAEL Application Route Exposure time Target Organs Symptoms	:	Dog 100 mg/kg Oral 2 y Central nervous system Dilatation of the pupil, paralysis



Amprolium Formulation

Version 3.0	Revision Date: 06.07.2024	SDS Number:Date of last issue: 30.04.20248633869-00008Date of first issue: 21.05.2021		
Expo Targe		 Dog 100 mg/kg Oral 59 Weeks Central nervous system ataxia, Convulsions, Coma, Loss of reflexes, Tremors 		
•	ration toxicity lassified based on ava	able information.		
	rience with human e			
Com	ponents:			
Amp	rolium:			
Inhal	ation	: Target Organs: Skin		
Eye	contact	Symptoms: Allergic reactions Target Organs: Lungs Symptoms: Allergic reactions, Asthma Target Organs: Central nervous system Symptoms: Neurological disorders		
Inges	stion			
SECTION	SECTION 12. ECOLOGICAL INFORMATION			
Ecot	oxicity			
	ponents:			
	rolium:			
	sity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 m Exposure time: 96 h	ng/l	

		Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 110 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Amprolium:

н

Partition coefficient: n-	:	log Pow: -1.12
octanol/water		pH: 7



Amprolium Formulation

Version 3.0	Revision Date: 06.07.2024	SDS Number: 8633869-00008	Date of last issue: 30.04.2024 Date of first issue: 21.05.2021		
Mobi	lity in soil				
No da	ata available				
••	Other adverse effects No data available				
SECTION	13. DISPOSAL CONS	SIDERATIONS			
Disp	osal methods				
Wast	e from residues		Do not dispose of waste into sewer. Dispose of in accordance with local regulations.		
Conta	aminated packaging	: Empty containe handling site fo	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.		
SECTION 14. TRANSPORT INFORMATION					

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined



Amprolium Formulation

Version	Revision Date:	SDS Number:
3.0	06.07.2024	8633869-00008

Date of last issue: 30.04.2024 Date of first issue: 21.05.2021

SECTION 16. OTHER INFORMATION

Revision Date	:	06.07.2024
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : compile the Material Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8