



Amprolium Solid Formulation

Version 4.0	Revision Date: 28.09.2024		S Number: 58464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022
1. PRODU	ICT AND COMPANY II	DENT	IFICATION	
Produ	uct name	:	Amprolium Soli	d Formulation
Manu	facturer or supplier's	detai	ls	
Comp	bany	:	MSD	
Addre	ess	:		f Pune Nagar Road - India 412 207
Telep	hone	:	+1-908-740-40	00
Emer	gency telephone numb	er :	+1-908-423-60	00

: EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use	

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

E-mail address

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Dermal)	:	Category 5
Skin corrosion/irritation	:	Category 1
Serious eye damage/eye irri- tation	:	Category 1
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure (Oral)	:	Category 1 (Central nervous system)
Short-term (acute) aquatic hazard	:	Category 3

GHS label elements

according to the Globally Harmonized System



Amprolium Solid Formulation

Version 4.0	Revision Date: 28.09.2024	SDS Number: 10858464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022
Hazar	d pictograms		
Signa	l word	: Danger	\mathbf{V}
Hazar	d statements	H314 Causes s H361 Suspecte H372 Causes o through prolong	armful in contact with skin. evere skin burns and eye damage. d of damaging fertility or the unborn child. lamage to organs (Central nervous system) ged or repeated exposure if swallowed. o aquatic life with long lasting effects.
Preca	utionary statements	P260 Do not br P264 Wash ha P270 Do not ea P273 Avoid rele	nds thoroughly after handling. at, drink or smoke when using this product. ease to the environment. tective gloves/ protective clothing/ eye protec-
		Do NOT induce diately. P302 + P361 + all contaminate eral minutes. G P304 + P340 + and keep comf help immediate P305 + P354 + with water for s sent and easy f help immediate P318 IF expose	P338 + P316 IF IN EYES: Immediately rinse everal minutes. Remove contact lenses, if pre- o do. Continue rinsing. Get emergency medical
		Storage: P405 Store loc	
		Disposal:	νου up.
		-	of contents/ container to an approved waste

May form explosive dust-air mixture during processing, handling or other means.

: Mixture

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Components





Amprolium Solid Formulation

4.0 28.09.2024 10858464-00007 Date of first issue: 30.09.2	Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024	
	4.0	28.09.2024	10858464-00007	Date of first issue: 30.09.2022	

Chemical name	CAS-No.	Concentration (% w/w)
Amprolium	121-25-5	>= 50 - < 70

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
		advice.
If inhaled	:	If inhaled, remove to fresh air.
		If not breathing, give artificial respiration.
		If breathing is difficult, give oxygen.
		Get medical attention immediately.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
		Get medical attention immediately.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water
		for at least 15 minutes.
		If easy to do, remove contact lens, if worn.
		Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting.
		If vomiting occurs have person lean forward.
		Call a physician or poison control centre immediately. Rinse mouth thoroughly with water.
		Never give anything by mouth to an unconscious person.
Most important symptoms	:	May be harmful in contact with skin.
and effects, both acute and	•	Causes serious eye damage.
delayed		Suspected of damaging fertility or the unborn child.
		Causes damage to organs through prolonged or repeated
		exposure if swallowed.
		Causes severe burns.
Deste stille a fifting to side as		Causes digestive tract burns.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
		and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Water spray
Outlable extinguishing media	•	Alcohol-resistant foam
		Carbon dioxide (CO2)
		Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-	:	Avoid generating dust; fine dust dispersed in air in sufficient
fighting	-	concentrations, and in the presence of an ignition source is a
5 5		potential dust explosion hazard.



according to the Globally Harmonized System

Amprolium Solid Formulation

Versi 4.0	ion	Revision Date: 28.09.2024	-	0S Number: 858464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022
				Exposure to com	pustion products may be a hazard to health.
	Hazarc ucts	lous combustion prod-	:	Carbon oxides	
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment ïghters	:		e, wear self-contained breathing apparatus. tective equipment.
6. AC	CCIDEI	NTAL RELEASE MEAS	SUF	RES	
t	tive eq	al precautions, protec- uipment and emer- procedures	:	Follow safe handl	tective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
	Enviror	nmental precautions	:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages
		ds and materials for iment and cleaning up	:	tainer for disposa Avoid dispersal of with compressed Dust deposits sho es, as these may leased into the at Local or national posal of this mate	f dust in the air (i.e., clearing dust surfaces

7. HANDLING AND STORAGE

Technical measures	Static electricity may accumulate and ign causing an explosion. Provide adequate precautions, such as e and bonding, or inert atmospheres.	•
Local/Total ventilation	If sufficient ventilation is unavailable, use ventilation.	with local exhaust
Advice on safe handling	Do not get on skin or clothing. Do not breathe dust. Do not swallow.	

mine which regulations are applicable.

certain local or national requirements.

Sections 13 and 15 of this SDS provide information regarding

according to the Globally Harmonized System



Amprolium Solid Formulation

Versi 4.0	ion	Revision Date: 28.09.2024	SDS Number: 10858464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022
		Handle in acco practice, based sessment Keep containe Minimize dust Keep containe Keep away fro Take precautio Do not eat, dri	ryes. roughly after handling. ordance with good industrial hygiene and safety d on the results of the workplace exposure as- r tightly closed. generation and accumulation. r closed when not in use. m heat and sources of ignition. onary measures against static discharges. nk or smoke when using this product. revent spills, waste and minimize release to the	
(Conditi	ons for safe storage	Store locked u Keep tightly cl	
I	Materia	als to avoid	: Do not store w	ith the following product types: ubstances and mixtures des

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Amprolium	121-25-5	TWA	40 ug/m3 (OEB 3)	Internal	
	Further information: DSEN				
		Wipe limit	140 ug/100cm2	Internal	

Engineering measures	:	All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face contain- ment devices). Minimize open handling.
Personal protective equipment	nt	
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.



according to the Globally Harmonized System

Amprolium Solid Formulation

Version 4.0	Revision Date: 28.09.2024	SDS Number: 10858464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022				
Eye protection		: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols					
Skin	and body protection	 aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. 					
Hygie	ene measures	: If exposure to ch flushing systems place. When using do r Wash contamina The effective op engineering con appropriate dego	nemical is likely during typical use, provide eye and safety showers close to the working not eat, drink or smoke. ated clothing before re-use. eration of a facility should include review of trols, proper personal protective equipment, owning and decontamination procedures, e monitoring, medical surveillance and the				

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	light yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	2.0 - 3.0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

according to the Globally Harmonized System



Amprolium Solid Formulation

Vers 4.0	sion	Revision Date: 28.09.2024		S Number: 358464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022
	Vapour	pressure	:	Not applicable	
	Relativ	e vapour density	:	Not applicable	
	Relative	e density	:	No data available	9
	Density		:	No data available	e
	Solubility(ies) Water solubility		:	No data available	9
	Partition coefficient: n- octanol/water		:	Not applicable	
		nition temperature	:	No data available	9
	Decomposition temperature		:	No data available	9
	Viscosity Viscosity, kinematic		:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizii	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	No data available	9

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials Hazardous decomposition products	:	

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

May be harmful in contact with skin.

according to the Globally Harmonized System



Amprolium Solid Formulation


ersion 0	Revision Date: 28.09.2024		Number: 3464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022
<u>Produ</u>				
Acute	oral toxicity		ethod: Calcula	stimate: > 5,000 mg/kg ation method
Acute	dermal toxicity		cute toxicity es ethod: Calcula	stimate: 4,167 mg/kg ation method
<u>Comp</u>	oonents:			
Ampr	olium:			
Acute	oral toxicity	: L[D50 (Mouse): 3	3,980 mg/kg
		L	050 (Rat): 4,00	00 - 4,890 mg/kg
		L	D50 (Dog): > 5	00 mg/kg
Acute	dermal toxicity	: L[D50 (Rat): > 2,	000 mg/kg
	corrosion/irritation			
	es severe burns.			
-	oonents:			
Ampr Speci	olium:		abbit	
Resul			abbit o skin irritation	I
	us eye damage/eye es serious eye dama <u>c</u>			
	oonents:			
Ampr	olium:			
Speci	es		abbit	
Resul	t	: N	o eye irritation	
Resp	iratory or skin sensi	tisation		
-	sensitisation assified based on ava	ailable info	ormation.	
-	iratory sensitisation assified based on ava		ormation.	
<u>Comp</u>	oonents:			
Ampr	olium:			
Test 1	Гуре sure routes es	: D : M	ocal lymph nod ermal ouse ensitiser	de assay (LLNA)

according to the Globally Harmonized System



Amprolium Solid Formulation

Version 4.0	Revision Date: 28.09.2024		0S Number: 858464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022
	n cell mutagenicity classified based on avai	lable	information.	
<u>Com</u>	ponents:			
Amp	rolium:			
Geno	otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
				nosomal aberration nese hamster ovary cells
			Test Type: in vitro Result: positive	o micronucleus test
Genc	otoxicity in vivo	:	Test Type: Micror Species: Mouse Cell type: Bone m Result: negative	
			Test Type: unsch Species: Rat Cell type: Liver ce Result: negative	eduled DNA synthesis assay
	n cell mutagenicity - ssment	:	Weight of evidend cell mutagen.	ce does not support classification as a germ
	inogenicity classified based on avai	lable	information.	
	ponents:			
Amp	rolium:			
Spec	ies	:	Rat	
	sure time	:	2 Years	
Resu	III	•	negative	
Repr	oductive toxicity			
-	ected of damaging fertil	lity or	the unborn child.	
<u>Com</u>	ponents:			
Amp	rolium:			
	ts on fertility	:	Result: Effects or	
Effec ment	ts on foetal develop-	:	Test Type: Devel Species: Rabbit	opment





Amprolium Solid Formulation

Depred		Application Ro	nute: Oral			
Depred			al Toxicity: NOAEL: 200 mg/kg body weight nificant adverse effects were reported			
sessme	uctive toxicity - As- nt		e of adverse effects on sexual function and on development, based on animal experiment			
	single exposure	able information				
STOT - repeated exposure Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.						
<u>Compo</u>	nents:					
Amprol	ium:					
Exposu	re routes	: Oral				
Target C		: Central nervou				
Assessr	nent	: Causes dama	ge to organs through prolonged or repeated			
Reneate	ed dose toxicity					
-	ed dose toxicity nents:					
Compo	nents:					
<u>Compo</u> Amprol	nents: ium:	: Rat				
Compo	<u>nents:</u> ium:	: Rat : 20 mg/kg				
Compo Amprol Species NOAEL Applicat	nents: ium: ion Route	: 20 mg/kg : Oral				
Compo Amprol Species NOAEL Applicat Exposu	nents: ium: ion Route re time	: 20 mg/kg : Oral : 2 yr				
Compo Amprol Species NOAEL Applicat	nents: ium: ion Route re time	: 20 mg/kg : Oral	/ weight			
Compo Amprol Species NOAEL Applicat Exposur Symptor	nents: ium: ion Route re time ms	: 20 mg/kg : Oral : 2 yr	y weight			
Compo Amprol Species NOAEL Applicat Exposur Symptol Species NOAEL	nents: ium: ion Route re time ms	: 20 mg/kg : Oral : 2 yr : Reduced body : Dog : 100 mg/kg	/ weight			
Compo Amprol Species NOAEL Applicat Exposu Sympto Species NOAEL Applicat	nents: ium: ion Route re time ms	 20 mg/kg Oral 2 yr Reduced body Dog 100 mg/kg Oral 	/ weight			
Compo Amprol Species NOAEL Applicat Exposur Symptor Species NOAEL Applicat Exposur	nents: ium: ion Route re time ms ion Route re time	 20 mg/kg Oral 2 yr Reduced body Dog 100 mg/kg Oral 2 yr 				
Compo Amprol Species NOAEL Applicat Exposur Symptor Species NOAEL Applicat Exposur Target O	nents: ium: ion Route re time ms ion Route re time Drgans	 20 mg/kg Oral 2 yr Reduced body Dog 100 mg/kg Oral 2 yr Central nervoor 	us system			
Compo Amprol Species NOAEL Applicat Exposur Symptor Species NOAEL Applicat Exposur	nents: ium: ion Route re time ms ion Route re time Drgans	 20 mg/kg Oral 2 yr Reduced body Dog 100 mg/kg Oral 2 yr Central nervoor 				
Compo Amprol Species NOAEL Applicat Exposur Symptor Species NOAEL Applicat Exposur Target C Symptor	nents: ium: ion Route re time ms ion Route re time Drgans ms	 20 mg/kg Oral 2 yr Reduced body Dog 100 mg/kg Oral 2 yr Central nervou Dilatation of th Dog 	us system			
Compo Amprol Species NOAEL Applicat Exposur Symptol Species NOAEL Applicat Exposur Target C Symptol	nents: ium: ion Route re time ms ion Route re time Drgans ms	 20 mg/kg Oral 2 yr Reduced body Dog 100 mg/kg Oral 2 yr Central nervou Dilatation of th Dog 100 mg/kg 	us system			
Compo Amprol Species NOAEL Applicat Exposur Symptol Species NOAEL Applicat Exposur Target C Symptol	ium: ium: ion Route re time ms ion Route re time Drgans ms	 20 mg/kg Oral 2 yr Reduced body Dog 100 mg/kg Oral 2 yr Central nervou Dilatation of the Dog 100 mg/kg Oral 	us system			
Compo Amprol Species NOAEL Applicat Exposur Symptol Species NOAEL Applicat Exposur Target C Symptol	ium: ium: ion Route re time ms ion Route re time Drgans ms ion Route re time	 20 mg/kg Oral 2 yr Reduced body Dog 100 mg/kg Oral 2 yr Central nervou Dilatation of th Dog 100 mg/kg 	us system ne pupil, paralysis			

Not classified based on available information.

according to the Globally Harmonized System



Amprolium Solid Formulation

Version 4.0	Revision Date: 28.09.2024	SDS Number: 10858464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022					
Experience with human exposure								
Com	<u>Components:</u>							
Ampi	rolium:							
	Inhalation : Target Organs: Skin Symptoms: Allergic reactions							
Eye c	contact	: Target Organs Symptoms: Al	s: Lungs Iergic reactions, Asthma					

:

Target Organs: Central nervous system

Symptoms: Neurological disorders

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingestion

Components:

Amprolium:

Ampronum.		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 110 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Persistence and degradabilit No data available	ty	
Bioaccumulative potential		
Components:		
Amprolium:		
Partition coefficient: n- octanol/water	:	log Pow: -1.12 pH: 7
Mobility in soil No data available		
Other adverse effects No data available		
	\$	

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Do not dispose of waste into sewer.



according to the Globally Harmonized System

Amprolium Solid Formulation

•						
Version 4.0	Revision Date: 28.09.2024	SDS Number: 10858464-00007	Date of last issue: 06.07.2024 Date of first issue: 30.09.2022			
	aminated packaging	: Empty contain dling site for ru If not otherwis	accordance with local regulations. hers should be taken to an approved waste han- ecycling or disposal. he specified: Dispose of as unused product.			
Interr	national Regulations					
-	UNRTDG Not regulated as a dangerous good					
	IATA-DGR Not regulated as a dangerous good					
-	-Code egulated as a dangerou	s good				
	sport in bulk accordin pplicable for product as	-	nts			
-	ial precautions for use pplicable	ər				
15. REGU	LATORY INFORMATIO	N				
Safet ture	Safety, health and environmental regulations/legislation specific for the substance or mix- ture					
The c AICS		oduct are reported : not determine	in the following inventories: d			
DSL		: not determine	d			
IECS	с	: not determine	d			

16. OTHER INFORMATION

Revision Date	:	28.09.2024
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

according to the Globally Harmonized System



Amprolium Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
4.0	28.09.2024	10858464-00007	Date of first issue: 30.09.2022

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN