

## Atropine Sulfate Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 7665466-00006      Date of last issue: 01.10.2022  
Date of first issue: 14.12.2020

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Atropine Sulfate Formulation

#### Manufacturer or supplier's details

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Reproductive toxicity : Category 2

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361 Suspected of damaging fertility or the unborn child.

Precautionary Statements :

**Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

## Atropine Sulfate Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 7665466-00006      Date of last issue: 01.10.2022  
 Date of first issue: 14.12.2020

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	>= 1 -< 5
Sodium chloride	7647-14-5	>= 1 -< 5
Atropine Sulfate	5908-99-6	>= 0.1 -< 1

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility or the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
 Metal oxides  
 Chlorine compounds

## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid inhalation of vapor or mist.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working
-

## Atropine Sulfate Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 7665466-00006      Date of last issue: 01.10.2022  
 Date of first issue: 14.12.2020

- place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Atropine Sulfate	5908-99-6	TWA	2 µg/m <sup>3</sup> (OEB 4)	
Further information: Eye				
		Wipe limit	20 µg/100 cm <sup>2</sup>	

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Essentially no open handling permitted.  
 Use closed processing systems or containment technologies.  
 If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	Translucent-colorless to pale yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	3.0 - 6.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0.900 - 1.100 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available

## Atropine Sulfate Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 7665466-00006      Date of last issue: 01.10.2022  
Date of first issue: 14.12.2020

---

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

##### **Sodium chloride:**

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

---

## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### **Atropine Sulfate:**

Acute oral toxicity : LD50 (Rat): 500 mg/kg  
LD50 (Mouse): 75 mg/kg  
LD50 (Rabbit): 600 mg/kg  
LD50 (Guinea pig): 1,100 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Sodium chloride:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

#### **Sodium chloride:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

### Components:

#### **Benzyl alcohol:**

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

#### **Sodium chloride:**

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Benzyl alcohol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

#### **Sodium chloride:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: positive
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Saccharomyces cerevisiae, gene mutation assay (in vitro) Result: positive
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: positive
		Test Type: Chromosome aberration test in vitro Result: positive
		Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse



## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Atropine Sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Benzyl alcohol:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### Sodium chloride:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### Atropine Sulfate:

Species : Rat  
Application Route : Intraperitoneal injection  
Exposure time : 28 month(s)  
NOAEL : 2.5 mg/kg bw/day  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

### Components:

#### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

#### **Atropine Sulfate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat, male  
 Application Route: Ingestion  
 General Toxicity Parent: LOAEL: 62.5 mg/kg body weight  
 Result: Reduced fertility

Test Type: Fertility/early embryonic development  
 Species: Rat, female  
 Application Route: Intraperitoneal injection  
 General Toxicity Parent: LOAEL: 1 mg/kg body weight  
 Result: Effect on estrous cycle

Effects on fetal development : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Intravenous injection  
 Developmental Toxicity: LOAEL: 50 mg/kg body weight  
 Result: Abnormalities of the musculoskeletal system.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

#### **STOT-single exposure**

Not classified based on available information.

### Components:

#### **Atropine Sulfate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **STOT-repeated exposure**

Not classified based on available information.

### Components:

#### **Atropine Sulfate:**

Routes of exposure : Inhalation  
 Target Organs : Eye, Central nervous system  
 Assessment : Shown to produce significant health effects in animals at con-

## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

centrations of 50 ppmV/6h/d or less.

### Repeated dose toxicity

#### Components:

##### **Benzyl alcohol:**

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

##### **Sodium chloride:**

Species	:	Rat
LOAEL	:	2,533 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 y

##### **Atropine Sulfate:**

Species	:	Rabbit
LOAEL	:	59 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	100 d
Target Organs	:	Central nervous system
Symptoms	:	Convulsions, respiratory depression

Species	:	Rat
LOAEL	:	0.5 mg/kg
Application Route	:	Inhalation
Exposure time	:	21 d
Target Organs	:	Eye
Symptoms	:	Dilatation of the pupil

Species	:	Dog
LOAEL	:	0.5 mg/kg
Application Route	:	Inhalation
Exposure time	:	21 d
Target Organs	:	Eye
Symptoms	:	Dilatation of the pupil

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Atropine Sulfate:**

General Information	:	Target Organs: Central nervous system Symptoms: dry mouth, Blurred vision, tachycardia, constipation, central nervous system effects, restlessness, Fatigue, delirium, mental depression
---------------------	---	---

## Atropine Sulfate Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 7665466-00006      Date of last issue: 01.10.2022  
Date of first issue: 14.12.2020

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Benzyl alcohol:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

##### **Sodium chloride:**

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4,136 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50: > 2,000 mg/l  
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 252 mg/l  
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia pulex (Water flea)): 314 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC10: > 1,000 mg/l

##### **Atropine Sulfate:**

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 356 mg/l  
Exposure time: 48 h

## Atropine Sulfate Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 7665466-00006      Date of last issue: 01.10.2022  
Date of first issue: 14.12.2020

---

### Persistence and degradability

#### Components:

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

### Bioaccumulative potential

#### Components:

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

##### **Atropine Sulfate:**

Partition coefficient: n-octanol/water : log Pow: 1.83

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### **Domestic regulation**

#### **NOM-002-SCT**

Not regulated as a dangerous good

---

## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

### The ingredients of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 04.04.2023  
Date format : dd.mm.yyyy

### Full text of other abbreviations

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

## Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	7665466-00006	Date of first issue: 14.12.2020

---

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8