

Benzyl Alcohol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.10	06.04.2024	4707682-00011	Date of first issue: 29.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	1.1 Product identifier					
	Trade name	:	Benzyl Alcohol Formulation			
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against					
	Use of the Sub- stance/Mixture	:	Veterinary product			
	Recommended restrictions on use	:	Not applicable			
1.3	Details of the supplier of the	safe	ety data sheet			
	Company	:	MSD Kilsheelan Clonmel Tipperary, IE			
	Telephone	:	353-51-601000			
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com			

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.



Benzyl Alcohol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.10	06.04.2024	4707682-00011	Date of first issue: 29.07.2019

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
	Registration number		
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity esti- mate Acute oral toxicity:	>= 1 - < 10
		1,620 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	: No special precautions are necessary for first aid responders
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.



Benzyl Alcohol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.10	06.04.2024	4707682-00011	Date of first issue: 29.07.2019

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate	ned	ical attention and special treatment needed
Treatment	:	Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing	:	None known.	

media

5.2 Special hazards arising from the substance or mixture

• •p•••••• ••• ••••••		
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Follow safe handling advice (see section 7) and personal pro-
		tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers).
		Retain and dispose of contaminated wash water.



Benzyl Alcohol Formulation

Version 1.10	Revision Date: 06.04.2024	SDS Number: 4707682-00011	Date of last issue: 30.09.2023 Date of first issue: 29.07.2019
		Local authoritie cannot be conta	s should be advised if significant spillages ained.
6.3 Metho	ds and material for o	ontainment and clea	ning up
Meth	ods for cleaning up	For large spills, ment to keep m be pumped, sto Clean up remai bent. Local or nationa posal of this ma employed in the mine which reg Sections 13 and	ert absorbent material. provide dyking or other appropriate contain- aterial from spreading. If dyked material can re recovered material in appropriate container. ning materials from spill with suitable absor- al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	3	
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
		Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents

7.3 Specific end use(s)

Gases



Benzyl Alcohol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.10	06.04.2024	4707682-00011	Date of first issue: 29.07.2019
Speci	ific use(s)	: No data avail	able

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5.4 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	20 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0.1 mg/l
	Intermittent use/release	2.3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5.27 mg/kg
	Marine sediment	0.527 mg/kg
	Soil	0.456 mg/kg

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.



Benzyl Alcohol Formulation

Version Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.10 06.04.2024	4707682-00011	Date of first issue: 29.07.2019

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal	protective	equipment
i ci sonai	protective	equipment


Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection Filter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 14387 Organic vapour type (A)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Aqueous solution
Colour	:	colourless
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

SAFETY DATA SHEET





Benzyl Alcohol Formulation

Versi 1.10	ion	Revision Date: 06.04.2024		S Number:)7682-00011	Date of last issue: 30.09.2023 Date of first issue: 29.07.2019
		explosion limit / Lower bility limit	:	No data available	Ð
I	Flash p	point	:	No data available	9
	Auto-ig	nition temperature	:	No data available	9
I	Decom	position temperature	:	No data available	9
I	pН		:	No data available	9
Ň	Viscosi Visc	ty cosity, kinematic	:	No data available	e
:	Solubili Wat	ity(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
v	Vapour	pressure	:	No data available	9
I	Relativ	e density	:	No data available	9
I	Density	/	:	1 g/cm ³	
i	Relativ	e vapour density	:	No data available	9
I		e characteristics ticle size	:	Not applicable	
9.2 O	Other ir	oformation			
I	Explosi	ves	:	Not explosive	
(Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
I	Evapor	ation rate	:	No data available	9
I	Molecu	lar weight	:	No data available	9

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Benzyl Alcohol Formulation

Version 1.10	Revision Date: 06.04.2024		OS Number: 07682-00011	Date of last issue: 30.09.2023 Date of first issue: 29.07.2019
Haza	rdous reactions	:	Can react with s	trong oxidizing agents.
	litions to avoid itions to avoid	:	None known.	
	mpatible materials rials to avoid	:	Oxidizing agents	8
	rdous decomposition azardous decomposition	-		
SECTION	N 11: Toxicological ir	nfor	mation	
	nation on likely routes of		as defined in Reg Inhalation Skin contact Ingestion Eye contact	gulation (EC) No 1272/2008
	e toxicity lassified based on availa	blo	information	
Prod		able	information.	
	e oral toxicity	:	Acute toxicity est Method: Calculat	timate: > 2,000 mg/kg tion method
Acute	e inhalation toxicity	:	Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat	h :: dust/mist
Com	ponents:			
	yl alcohol: e oral toxicity	:	LD50 (Rat): 1,62	0 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): > 4.1 Exposure time: 4 Test atmosphere Method: OECD 1	h
Skin	corrosion/irritation			
	lassified based on availa	able	information.	
Com	ponents:			
Benz	yl alcohol:			
Speci Metho Resu	od	: : :	Rabbit OECD Test Guid No skin irritation	leline 404

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzyl Alcohol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.10	06.04.2024	4707682-00011	Date of first issue: 29.07.2019

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzyl alcohol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Benzvl	alcohol:
Denzyi	aloonon.

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Benzyl Alcohol Formulation

Version 1.10	Revision Date: 06.04.2024	SDS Number: 4707682-00011	Date of last issue: 30.09.2023 Date of first issue: 29.07.2019
Met Res	hod sult	: OECD Test G : negative	Guideline 451
•	productive toxicity classified based on ava	ilable information.	
<u>Cor</u>	nponents:		
Ber	zyl alcohol:		
Effe	ects on fertility	Species: Rat Application R Result: negat	ertility/early embryonic development oute: Ingestion ive sed on data from similar materials
Effe mer	ects on foetal develop- nt	Species: Mou	oute: Ingestion

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Benzyl alcohol:

Species	:	Rat
NOAEL	:	1.072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Benzyl Alcohol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.10	06.04.2024	4707682-00011	Date of first issue: 29.07.2019

SECTION 12: Ecological information

12.1 Toxicity

Benzyl alcohol:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability	: Result: Readily biodegradable.
	Biodegradation: 92 - 96 %
	Exposure time: 14 d

12.3 Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-	:	log Pow: 1.05
octanol/water		

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:



Benzyl Alcohol Formulation

Version 1.10	Revision Date: 06.04.2024	SDS Number: 4707682-00011	Date of last issue: 30.09.2023 Date of first issue: 29.07.2019
Asse	ssment	to be either p	ce/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or nt and very bioaccumulative (vPvB) at levels of er.
12.6 Endo	ocrine disrupting pro	perties	
Prod	luct:		
Asse	ssment	ered to have REACH Artic	ce/mixture does not contain components consid- endocrine disrupting properties according to le 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at 6 or higher.
	er adverse effects ata available		
SECTIO	N 13: Disposal cons	siderations	
13.1 Was	te treatment methods	5	
Prod	uct	According to are not produ Waste codes discussion w	accordance with local regulations. the European Waste Catalogue, Waste Codes ict specific, but application specific. should be assigned by the user, preferably in th the waste disposal authorities. se of waste into sewer.
Cont	aminated packaging		ners should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN		
ADN		Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good Not regulated as a dangerous good
	:	o o o
ADR	:	Not regulated as a dangerous good
ADR RID	:	Not regulated as a dangerous good Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzyl Alcohol Formulation

Version 1.10	Revision Date: 06.04.2024		DS Number: 707682-00011	Date of last issue: 30.09.2023 Date of first issue: 29.07.2019		
14.3 Transport hazard class(es)						
ADN		:	Not regulated as	a dangerous good		
ADR		:	Not regulated as	a dangerous good		
RID		:	Not regulated as	a dangerous good		
IMDO	6	:	Not regulated as	a dangerous good		
ΙΑΤΑ		:	Not regulated as	a dangerous good		
14.4 Packing group						
ADN		:	Not regulated as	a dangerous good		
ADR		:	Not regulated as	a dangerous good		
RID		:	Not regulated as	a dangerous good		
IMDO	3	:	Not regulated as	a dangerous good		
ΙΑΤΑ	(Cargo)	:	Not regulated as	a dangerous good		
ΙΑΤΑ	(Passenger)	:	Not regulated as	a dangerous good		
14.5 Environmental hazards						
Not regulated as a dangerous good						
14.6 Special precautions for user Not applicable						
14.7 Maritime transport in bulk according to IMO instruments						
D	e of the		NIECON PERIOD C.	a second set as a second set		

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High	:	Not applicable
Concern for Authorisation (Article 59).		
Regulation (EC) No 1005/2009 on substances that de-	:	Not applicable
plete the ozone layer		
Regulation (EU) 2019/1021 on persistent organic pollu-	:	Not applicable
tants (recast)		
Regulation (EU) No 649/2012 of the European Parlia-	:	Not applicable
ment and the Council concerning the export and import		
of dangerous chemicals		
REACH - List of substances subject to authorisation	:	Not applicable
(Annex XIV)	•	i tot applicable
Seveso III: Directive 2012/18/EU of the European Parlian	nont	and of the Council on the control of
•		
major-accident hazards involving dangerous substances.		
Not applicable		



Benzyl Alcohol Formulation

Version 1.10	Revision Date: 06.04.2024	SDS Number: 4707682-00011	Date of last issue: 30.09.2023 Date of first issue: 29.07.2019			
The c AICS	• •	roduct are reported	d in the following inventories: ed			
DSL		: not determine	ed			
IECS	C	: not determine	ed			
45.0 Chamical addets accomment						

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.	
Full text of H-Statements			
H302	:	Harmful if swallowed.	
H319	:	Causes serious eye irritation.	
H332	:	Harmful if inhaled.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	

Eye Irrit. : Eye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-



Benzyl Alcohol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.10	06.04.2024	4707682-00011	Date of first issue: 29.07.2019

striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN