

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
Date of first issue: 08.07.2022

Section 1: Identification

Product name : Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (ear, Kidney, inner ear)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H361d Suspected of damaging the unborn child.

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
 Date of first issue: 08.07.2022

H372 Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe mist or vapours.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Dihydrostreptomycin sulphate	5490-27-7	>= 20 -< 30
Benzylpenicillin	61-33-6	>= 20 -< 25
Sodium hydroxymethanesulphinate	149-44-0	>= 0.1 -< 1

Section 4: First-aid measures

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	10811300-00006	Date of first issue: 08.07.2022

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	10811300-00006	Date of first issue: 08.07.2022

so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
 Date of first issue: 08.07.2022

- Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Contaminated work clothing should not be allowed out of the workplace.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage** : Keep in properly labelled containers.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid** : Do not store with the following product types:
 Strong oxidizing agents

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dihydrostreptomycin sulphate	5490-27-7	TWA	0.4 mg/m ³ (OEB 2)	
Further information: OTO				
		Wipe limit	Not required	
Benzylpenicillin	61-33-6	TWA	600 µg/m ³ (OEB 2)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm ²	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type** : Particulates type

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
Date of first issue: 08.07.2022

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Section 9: Physical and chemical properties

Appearance : suspension

Colour : off-white, white

Odour : No data available

Odour Threshold : No data available

pH : 5.0 - 7.2

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.14 - 1.18 g/cm³

Solubility(ies)

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
Date of first issue: 08.07.2022

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

Particle Size Distribution : D50 = 15 µm
D90 = 30 µm

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Acute oral toxicity : LD50 (Rat): 9,000 - 25,000 mg/kg

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
Date of first issue: 08.07.2022

LD50 Oral (Mouse): 30,000 mg/kg

Benzylpenicillin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 3,500 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 329 mg/kg
Application Route: Intravenous

Sodium hydroxymethanesulphinate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium hydroxymethanesulphinate:

Species : Rat
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium hydroxymethanesulphinate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
Date of first issue: 08.07.2022

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Benzylpenicillin:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Dermal
Species : Mouse
Result : Weak sensitizer

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : positive
Remarks : Based on data from similar materials

Result : Strong sensitizer
Remarks : Based on human experience.

Sodium hydroxymethanesulphinate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Result: negative

Benzylpenicillin:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Sodium hydroxymethanesulphinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
 Date of first issue: 08.07.2022

Method: OECD Test Guideline 476
 Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 NOAEL : 5 mg/kg body weight
 Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Dihydrostreptomycin sulphate:

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Embryo-foetal development
 Species: Guinea pig
 Application Route: Intramuscular
 General Toxicity Maternal: LOAEL: 100 - 200 mg/kg body weight
 Developmental Toxicity: NOAEL: 10 mg/kg body weight
 Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.

Benzylpenicillin:

Effects on fertility : Test Type: Fertility
 Species: Mouse
 Result: No effects on fertility

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	10811300-00006	Date of first issue: 08.07.2022

Test Type: Fertility
Species: Rat
Result: No effects on fertility

Test Type: Fertility
Species: Rabbit
Result: No effects on fertility

Effects on foetal development : Test Type: Development
Species: Mouse
Result: No effects on foetal development

Test Type: Development
Species: Rat
Result: No effects on foetal development

Test Type: Development
Species: Rabbit
Result: No effects on foetal development

Sodium hydroxymethanesulphinate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:

Dihydrostreptomycin sulphate:

Assessment : Causes damage to organs through prolonged or repeated exposure.

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
Date of first issue: 08.07.2022

Repeated dose toxicity

Components:

Dihydrostreptomycin sulphate:

Species : Guinea pig
LOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : ear
Symptoms : hearing loss

Species : Cat
LOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 60 d
Target Organs : ear
Symptoms : ataxia, hearing loss, Reduced body weight

Species : Cat
LOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 21 d
Target Organs : ear
Symptoms : ataxia, hearing loss, Reduced body weight

Sodium hydroxymethanesulphinate:

Species : Rat
NOAEL : 600 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Dihydrostreptomycin sulphate:

General Information : Symptoms: Erythema, hearing loss, Nausea, Rash, Vomiting, Headache, hypotension

Benzylpenicillin:

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bronchospasm, skin rash

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	10811300-00006	Date of first issue: 08.07.2022

Section 12: Ecological information

Ecotoxicity

Components:

Benzylpenicillin:

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 hrs
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 3.6 mg/l
Exposure time: 48 hrs
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201 |
| | | NOEC (Raphidocelis subcapitata (freshwater green alga)): 50 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201 |
| | | EC50 (blue-green algae): 0.74 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201 |
| | | NOEC (blue-green algae): 0.14 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity) | : | 1 |
| Toxicity to microorganisms | : | EC50: > 500 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209 |
| | | NOEC: 5 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209 |

Sodium hydroxymethanesulphinate:

- | | | |
|-------------------------------|---|---|
| Toxicity to fish | : | LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l |

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version 4.1 Revision Date: 30.09.2023 SDS Number: 10811300-00006 Date of last issue: 04.04.2023
Date of first issue: 08.07.2022

aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 370 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 13.5 mg/l
Exposure time: 35 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 10 mg/l
Exposure time: 4 h

Persistence and degradability**Components:****Benzylpenicillin:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 70.10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Sodium hydroxymethanesulphinate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential**Components:****Sodium hydroxymethanesulphinate:**

Partition coefficient: n-octanol/water : log Pow: < 0.3

Mobility in soil

No data available

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	10811300-00006	Date of first issue: 08.07.2022

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	10811300-00006	Date of first issue: 08.07.2022

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

not allocated

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date	:	30.09.2023
---------------	---	------------

Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---	---

Date format	:	dd.mm.yyyy
-------------	---	------------

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	10811300-00006	Date of first issue: 08.07.2022

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN