

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
Date of first issue: 30.10.2020

SECTION 1: IDENTIFICATION

Product name : Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Manufacturer or supplier's details

Company : MSD

Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification


Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (ear, Kidney, inner ear)

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H373 May cause damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
Date of first issue: 30.10.2020

Precautionary statements :

Prevention:

P260 Do not breathe mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
P284 Wear respiratory protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P331 Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Paraffin oil	8012-95-1	>= 60 -<= 100
Benzylpenicillin	61-33-6	>= 10 -< 30
Sodium [2S-(2 α ,5 α ,6 β)]-6-[[2-ethoxy-1-naphthyl)carbonyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylate	985-16-0	< 10
Dihydrostreptomycin sulphate	5490-27-7	>= 1 -< 10
Fatty acids, C14-26, aluminum salts	97404-28-9	< 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7213844-00010	Date of first issue: 30.10.2020

- vice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
May cause an allergic skin reaction.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause damage to organs through prolonged or repeated exposure if swallowed.
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7213844-00010	Date of first issue: 30.10.2020

so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
 Date of first issue: 30.10.2020

- Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Contaminated work clothing should not be allowed out of the workplace.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Paraffin oil	8012-95-1	TWA (Mist)	5 mg/m ³	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Benzylpenicillin	61-33-6	TWA	600 µg/m ³ (OEB 2)	Internal
	Further information: RSEN, DSEN			
		Wipe limit	100 µg/100 cm ²	Internal
Sodium [2S-(2α,5α,6β)]-6-[[[(2-ethoxy-1-naphthyl)carbonyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylate	985-16-0	TWA	0.7 mg/m ³ (OEB 2)	Internal
Dihydrostreptomycin sulphate	5490-27-7	TWA	0.4 mg/m ³ (OEB 2)	
	Further information: OTO			
		Wipe limit	Not required	
Fatty acids, C14-26, aluminum salts	97404-28-9	TWA (Respirable particulate mat-	1 mg/m ³ (Aluminium)	ACGIH

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6	Revision Date: 30.09.2023	SDS Number: 7213844-00010	Date of last issue: 04.04.2023 Date of first issue: 30.10.2020
----------------	------------------------------	------------------------------	---

		ter)		
--	--	------	--	--

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : white to off-white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
Date of first issue: 30.10.2020

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : 300 - 16,000 mPa.s

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7213844-00010	Date of first issue: 30.10.2020

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Benzylpenicillin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 3,500 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 329 mg/kg
Application Route: Intravenous

Sodium [2S-(2 α ,5 α ,6 β)]-6-[[2-ethoxy-1-naphthyl]carbonyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylate:

Acute oral toxicity : LDLo (Rat): > 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Dog): 633 mg/kg
Application Route: Intravenous
LD50 (Mouse): 1,000 mg/kg
Application Route: Intravenous
LD50 (Rat): 1,100 mg/kg
Application Route: Intravenous
LD50 (Rat): 2,800 mg/kg
Application Route: Intramuscular
LD50 (Rat): 1,200 mg/kg
Application Route: Intraperitoneal

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
Date of first issue: 30.10.2020

Dihydrostreptomycin sulphate:

Acute oral toxicity : LD50 (Rat): 9,000 - 25,000 mg/kg
LD50 Oral (Mouse): 30,000 mg/kg

Fatty acids, C14-26, aluminum salts:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5.15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Paraffin oil:**

Species : Rabbit
Result : No skin irritation

Fatty acids, C14-26, aluminum salts:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431
Remarks : Based on data from similar materials

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Remarks : Based on data from similar materials

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Paraffin oil:**

Species : Rabbit
Result : No eye irritation

Fatty acids, C14-26, aluminum salts:

Species : Rabbit
Result : No eye irritation

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7213844-00010	Date of first issue: 30.10.2020

Method : OECD Test Guideline 405
 Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Benzylpenicillin:

Test Type : Local lymph node assay (LLNA)
 Exposure routes : Dermal
 Species : Mouse
 Result : Weak sensitizer

Test Type : Maximisation Test
 Exposure routes : Dermal
 Species : Guinea pig
 Result : positive
 Remarks : Based on data from similar materials

Result : Strong sensitizer
 Remarks : Based on human experience.

Fatty acids, C14-26, aluminum salts:

Test Type : Local lymph node assay (LLNA)
 Exposure routes : Skin contact
 Species : Mouse
 Method : OECD Test Guideline 429
 Result : negative
 Remarks : Based on data from similar materials

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzylpenicillin:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Sodium [2S-(2 α ,5 α ,6 β)]-6-[[[(2-ethoxy-1-naphthyl)carbonyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylate:

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
Date of first issue: 30.10.2020

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Dihydrostreptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Result: negative

Fatty acids, C14-26, aluminum salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Sodium [2S-(2 α ,5 α ,6 β)]-6-[[2-ethoxy-1-naphthyl]carbonyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylate:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Dihydrostreptomycin sulphate:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : 5 mg/kg body weight
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Benzylpenicillin:**

Effects on fertility : Test Type: Fertility
Species: Mouse
Result: No effects on fertility

Test Type: Fertility
Species: Rat

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6	Revision Date: 30.09.2023	SDS Number: 7213844-00010	Date of last issue: 04.04.2023 Date of first issue: 30.10.2020
----------------	------------------------------	------------------------------	---

Result: No effects on fertility

Test Type: Fertility
Species: Rabbit
Result: No effects on fertility

Effects on foetal development : Test Type: Development
Species: Mouse
Result: No effects on foetal development

Test Type: Development
Species: Rat
Result: No effects on foetal development

Test Type: Development
Species: Rabbit
Result: No effects on foetal development

Sodium [2S-(2 α ,5 α ,6 β)]-6-[[[(2-ethoxy-1-naphthyl)carbonyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 4,000 mg/kg body weight
Developmental Toxicity: NOAEL: 4,000 mg/kg body weight
Symptoms: No foetal abnormalities, No maternal effects

Dihydrostreptomycin sulphate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Embryo-foetal development
Species: Guinea pig
Application Route: Intramuscular
General Toxicity Maternal: LOAEL: 100 - 200 mg/kg body weight
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.

Fatty acids, C14-26, aluminum salts:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7213844-00010	Date of first issue: 30.10.2020

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 414
 Result: negative
 Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:

Dihydrostreptomycin sulphate:

Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Paraffin oil:

Species : Rat, female
 LOAEL : 161 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Dihydrostreptomycin sulphate:

Species : Guinea pig
 LOAEL : 40 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Target Organs : ear
 Symptoms : hearing loss

Species : Cat
 LOAEL : 100 mg/kg
 Application Route : Oral
 Exposure time : 60 d
 Target Organs : ear
 Symptoms : ataxia, hearing loss, Reduced body weight

Species : Cat
 LOAEL : 300 mg/kg

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
Date of first issue: 30.10.2020

Application Route : Oral
Exposure time : 21 d
Target Organs : ear
Symptoms : ataxia, hearing loss, Reduced body weight

Fatty acids, C14-26, aluminum salts:

Species : Rat
: >= 1000 mg/kg
Application Route : Ingestion
Exposure time : 42 Days
Remarks : Based on data from similar materials

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:**Paraffin oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure**Components:****Benzylpenicillin:**

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bronchospasm, skin rash

Sodium [2S-(2 α ,5 α ,6 β)]-6-[[2-ethoxy-1-naphthyl]carbonyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylate:

Skin contact : Target Organs: Skin
Symptoms: Dermatitis
Target Organs: Respiratory system
Symptoms: Sensitisation
Ingestion : Target Organs: Gastrointestinal tract
Symptoms: Diarrhoea
Target Organs: Respiratory system
Symptoms: anaphylaxis
Target Organs: Kidney
Symptoms: nephritis
Target Organs: Liver
Symptoms: Damage

Dihydrostreptomycin sulphate:

General Information : Symptoms: Erythema, hearing loss, Nausea, Rash, Vomiting, Headache, hypotension

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
 Date of first issue: 30.10.2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Paraffin oil:

- Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l
 Exposure time: 96 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l
 Exposure time: 48 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials
- NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Benzylpenicillin:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
 Exposure time: 96 hrs
 Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.6 mg/l
 Exposure time: 48 hrs
 Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
 Exposure time: 72 hrs
 Method: OECD Test Guideline 201
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 50 mg/l
 Exposure time: 72 hrs
 Method: OECD Test Guideline 201
- EC50 (blue-green algae): 0.74 mg/l
 Exposure time: 72 hrs
 Method: OECD Test Guideline 201

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version 2.6 Revision Date: 30.09.2023 SDS Number: 7213844-00010 Date of last issue: 04.04.2023
Date of first issue: 30.10.2020

NOEC (blue-green algae): 0.14 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 500 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 5 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Benzylpenicillin:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 70.10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Fatty acids, C14-26, aluminum salts:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 81.2 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Paraffin oil:**

Partition coefficient: n-octanol/water : log Pow: > 4
Remarks: Calculation

Fatty acids, C14-26, aluminum salts:

Partition coefficient: n-octanol/water : log Pow: > 7
Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7213844-00010	Date of first issue: 30.10.2020

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7213844-00010	Date of first issue: 30.10.2020

Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for userNot applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date : 30.09.2023
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

Benzylpenicillin / Dihydrostreptomycin Sulphate / Nafcillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.6	30.09.2023	7213844-00010	Date of first issue: 30.10.2020

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN