according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Benzylpenicillin / Neomycin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Veterinary product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 2 H361d: Suspected of damaging the unborn child.

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

nory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

Hazard pictograms

*

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breath-

ing difficulties if inhaled.

H361d Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Benzylpenicillin

Neomycin, sulfate (salt)

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 2.5 %

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Benzylpenicillin	61-33-6 200-506-3	Resp. Sens. 1A; H334 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 ——— M-Factor (Acute	>= 10 - < 20
Neomycin, sulfate (salt)	1405-10-3 215-773-1	aquatic toxicity): 1 Skin Sens. 1B; H317 Repr. 2; H361d STOT RE 2; H373 (Kidney, inner ear) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ———— M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 10	>= 3 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

Suspected of damaging the unborn child.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
White mineral oil	8042-47-5	OELV - 8 hrs	5 mg/m3	IE OEL
(petroleum)		(TWA) (inhalable		
		fraction)		
Benzylpenicillin	61-33-6	TWA	600 μg/m3 (OEB 2)	Internal
	Further information: RSEN, DSEN			
		Wipe limit	100 μg/100 cm2	Internal
Neomycin, sulfate	1405-10-3	TWA	1 mg/m3 (OEB 1)	Internal
(salt)				
	Further information: DSEN, OTO			
		Wipe limit	0.1 mg/100 cm ²	Internal
Aluminum tri-	637-12-7	OELV - 8 hrs	10 mg/m3	IE OEL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

stearate (TWA)

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Benzylpenicillin	Water	0.014 mg/l
Neomycin, sulfate (salt)	Water	0.00004 mg/l

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Equipment should conform to I.S. EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : cream

Colour : white

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 7

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : 0.9 g/cm³

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

Benzylpenicillin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 3,500 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 329 mg/kg Application Route: Intravenous

Neomycin, sulfate (salt):

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg

LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 633 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg

Application Route: Intraperitoneal

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

LD50 (Mouse): 27.6 mg/kg Application Route: Intravenous

LD50 (Mouse): 275 mg/kg Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Species : Rabbit

Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Benzylpenicillin:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Dermal Species : Mouse

Result : Weak sensitizer

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig Result : positive

Remarks : Based on data from similar materials

Result : Strong sensitizer

Remarks : Based on human experience.

Neomycin, sulfate (salt):

Exposure routes : Dermal Species : Humans

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

Result : positive

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzylpenicillin:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Mouse

Cell type: Bone marrow

Application Route: Intravenous injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

Species : Rat
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Benzylpenicillin:

Effects on fertility : Test Type: Fertility

Species: Mouse

Result: No effects on fertility

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

Test Type: Fertility Species: Rat

Result: No effects on fertility

Test Type: Fertility Species: Rabbit

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Mouse

Result: No effects on foetal development

Test Type: Development

Species: Rat

Result: No effects on foetal development

Test Type: Development

Species: Rabbit

Result: No effects on foetal development

Neomycin, sulfate (salt):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight Result: No adverse effects, No teratogenic effects

Test Type: Development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 6 mg/kg body weight

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

Components:

Neomycin, sulfate (salt):

Target Organs : Kidney, inner ear

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on human experience.

Repeated dose toxicity

Components:

Neomycin, sulfate (salt):

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Subcutaneous

Exposure time : 14 d Target Organs : Kidney

Species : Guinea pig
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 30 - 60 Weeks

Target Organs : ear

Species : Guinea pig
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 90 d

Remarks : No significant adverse effects were reported

Species : Guinea pig LOAEL : 100 mg/kg Application Route : Subcutaneous

Exposure time : 34 d

Species : Dog LOAEL : 24 mg/kg Application Route : Intramuscular

Exposure time : 30 d
Target Organs : Kidney

Species : Rat
LOAEL : 25 mg/kg
Application Route : oral (feed)
Exposure time : 84 Weeks
Target Organs : ear

Symptoms : hearing loss Remarks : mortality observed

Species : Dog LOAEL : 20 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

Application Route : Subcutaneous

Exposure time : 90 d
Target Organs : Kidney

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

Benzylpenicillin:

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bron-

chospasm, skin rash

Neomycin, sulfate (salt):

Skin contact : Symptoms: Sensitisation

Remarks: May irritate skin.

Eye contact : Remarks: May cause eye irritation.

Ingestion : Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing

loss, Loss of balance

SECTION 12: Ecological information

12.1 Toxicity

Components:

Benzylpenicillin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 hrs

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.6 mg/l

Exposure time: 48 hrs

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

NOEC (Raphidocelis subcapitata (freshwater green alga)): 50

mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.74 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

NOEC (blue-green algae): 0.14 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

1

Toxicity to microorganisms : EC50 : > 500 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 5 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Neomycin, sulfate (salt):

Toxicity to daphnia and other : aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 72 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)):

0.0022 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

M-Factor (Acute aquatic tox- :

icity)

1,000

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

10

12.2 Persistence and degradability

Components:

Benzylpenicillin:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 70.10 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Neomycin, sulfate (salt):

Biodegradability : Result: rapidly degradable

Biodegradation: 50 % Exposure time: 1.2 d

Method: OECD Test Guideline 314

12.3 Bioaccumulative potential

Components:

Neomycin, sulfate (salt):

Partition coefficient: n-

octanol/water

: log Pow: < -2

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Neomycin, sulfate (salt), Benzylpenicillin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Neomycin, sulfate (salt), Benzylpenicillin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Neomycin, sulfate (salt), Benzylpenicillin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

(Neomycin, sulfate (salt), Benzylpenicillin)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Neomycin, sulfate (salt), Benzylpenicillin)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11119567-00006 Date of first issue: 07.12.2022

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not. Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) on substances that deplete the ozone

layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Not applicable

: Not applicable

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H317 : May cause an allergic skin reaction.

H334 : May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

H361d : Suspected of damaging the unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity
Resp. Sens. : Respiratory sensitisation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern: TCSI - Taiwan Chemical Substance Inventory: TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 2	H361d	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Neomycin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.4
 28.09.2024
 11119567-00006
 Date of first issue: 07.12.2022

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN